HEARING ON THE MERITS

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

TRANSCRIPT OF PROCEEDINGS BEFORE THE STATE OFFICE OF ADMINISTRATIVE HEARINGS (TEXAS COMMISSION ON ENVIRONMENTAL QUALITY)

AUSTIN, TEXAS

APPLICATION OF TEXCOM GULF

DISPOSAL, LLC, FOR TEXAS

COMMISSION ON ENVIRONMENTAL

QUALITY COMMISSION UNDERGROUND

INJECTION CONTROL PERMIT NOS.

) SOAH DOCKET NO.

582-07-2673

COMMISSION UNDERGROUND

1 TCEQ DOCKET NO.

2007-0204-WDW

WDW410, WDW411, WDW412 AND WDW413)

Volume 5

APPLICATION OF TEXCOM GULF

DISPOSAL, LLC, FOR TEXAS

COMMISSION ON ENVIRONMENTAL

QUALITY COMMISSION INDUSTRIAL

SOLID WASTE PERMIT NO. 87758

) SOAH DOCKET NO.

582-07-2674

) TCEQ DOCKET NO.

2007-0362-IHW

HEARING ON THE MERITS
TUESDAY, DECEMBER 18, 2007

BE IT REMEMBERED THAT at 9:00 a.m., on

Tuesday, the 18th day of December 2007, the above-entitled matter came on for hearing at the State Office of Administrative Hearings, William P. Clements, Jr., Building, 300 West 15th Street, Room 402, Austin, Texas before THOMAS WALSTON AND CATHERINE EGAN, Administrative Law Judges, and the following proceedings were reported by Patricia Gonzalez and Lou Ray, Certified Shorthand Reporters of:

Pages 1154 - 1446

			Page 1157
1	PROCEEDINGS	1	copies to the court reporter.
2	TUESDAY, DECEMBER 18, 2007	2	JUDGE WALSTON: Okay. You'll include it
3	(9:00 a.m.)	3	as a part of the record?
4	(ED Exhibit Nos. 1 through 5 and 7	4	THE REPORTER: Do you want me to mark it
5	through 18 marked)	5	as Offer of Proof No. 1?
6	JUDGE WALSTON: Okay. We'll go on the	6	JUDGE WALSTON: Right.
7	record. This is the hearing on the merits of the	7	(IP Offer of Proof No. 1 marked)
8	Application of TexCom Gulf Disposal, LLC, for	8	MR. FORSBERG: And, Your Honor, just one
9	Underground Injection Control Permits and for an	9	last thing. Last evening, about nine o'clock, we got
10		10	an e-mail identifying a new expert witness that has
11	√	11	been retained, apparently, by TexCom that I believe
12		12	they're going to offer as they've at least titled
13		13	him as a rebuttal witness. I would just like while
14		14	my case is still open, I would like to reserve the
15		15	right depending on what the Court rules to any
16		16	objections to this nine o'clock witness, the right to
17		17	request a continuance. I'm not requesting one yet,
18		18	but I would just like to leave that issue open and
19		19	note for the record that I'm reserving the right to
20		20	request a continuance to offer or retain our own
21		21	expert.
22		22	JUDGE WALSTON: We'll address that when
23	for the Judges.	23	we get to it.
24		24	MR. RILEY: Well, I'd like to say that,
25	parties have been provided copies.	25	as you know and I think we all know, while the name
	Page 1156		Page 1158
1	MR. FORSBERG: Yes. As far as I know,	1	of the witness had been withheld until nine o'clock
2	no one indicated that they had not received a copy.	2	last night, I made very clear last week on the record
3	So I'll provide that.	3	that we intended to call a rebuttal witness that is a
4	JUDGE WALSTON: And if I recall	4	traffic expert. So I don't think there is any
5	correctly, all of these exhibits have previously been	5	surprise of our intentions. I did that so that we
6	admitted.	6	could avoid allegations such as were just made that
7	MR. FORSBERG: Correct. They were	7	nine o'clock last night we told the parties that we
8	admitted.	8	have a traffic witness, rebuttal.
9	Also, there was an issue with regards	9	JUDGE WALSTON: I do recall there being
10	to I had made an offer of proof with regards to	10	a statement made last week that you would be calling a
11	some prefiled testimony and it was requested that it	11	traffic witness.
12	be put on paper as far as page and line numbers. I	12	MR. FORSBERG: Your Honor, there was
13		13	I'm sorry. If I may.
14		14	JUDGE WALSTON: Go ahead.
15	values.	15	MR. FORSBERG: And I know you may not
16		16	want to take this argument up at this point, but there
17		17	was a statement at I mean, they identified a
18	,	18	rebuttal witness to an issue that there's not to
19	, <u>,</u>	19	rebut. There's been no testimony different from the
20 21		20	prefiled testimony with regards to traffic from any of
21		21	the parties; so I'm not exactly sure what they're
22		22	rebutting with this witness.
23		23	My guess is they're going to say the
24		24	Third Court of Appeals' opinion created a new issue in
25	MR. FORSBERG: Yes. I've tendered two	25	the case when they decided that traffic was an issue,

2 (Pages 1155 to 1158)

	Page 1159		Page 1161
1		1	
1	but none of the prefiled testimony actually ever	1 2	A Kathryn Hoffman. JUDGE WALSTON: Okay. Ms. Hoffman, if
2	changed. So they're trying to go back and open their	3	you'd pull that microphone right up to you.
3	case in chief and insert a new expert witness rather	4	A (Witness complied)
4	than rebut any testimony that has been made in	5	-
5	anyone's direct case.	6	JUDGE WALSTON: Thank you. PRESENTATION ON BEHALF OF THE EXECUTIVE DIRECTOR
6	JUDGE WALSTON: We'll take that up at	7	KATHRYN HOFFMAN,
7	the time the witness is called.	8	·
8	MR. FORSBERG: Okay. Thank you, Your	9	having been first duly sworn, testified as follows: DIRECT EXAMINATION
9	Honor.	10	BY MR. WILLIAMS:
10 11	JUDGE WALSTON: But there was	11	Q Good morning, Ms. Hoffman. Do you have in
12	Mr. Riley, to refresh your memory, is there still an	12	front of you a binder of the Executive Director's
13	outstanding question on Lone Star Exhibit 19 or is	13	prefiled exhibits?
$\frac{13}{14}$	that cleared up?	14	A Yes.
15	JUDGE EGAN: It was one that you were	15	Q Would you please turn to Prefiled Exhibit
16	going to MR. RILEY: I'll get	16	ED-1 and would you please describe what that is?
17		17	A It's the prefiled direct testimony that I
18	JUDGE EGAN: verify MR. RILEY: back to you at lunchtime.	18	prepared.
19		19	Q And do you have any corrections or changes
20	We were going we had to go to the TCEQ. I just don't recall if we've actually done that yet.	20	you wish to make to your prefiled testimony at this
21		21	time?
22	JUDGE WALSTON: Any other preliminary matters?	22	A Yes, I do.
23	MR. WILLIAMS: Yes, sir, Your Honor.	23	Q And is that on the handout that I have just
24	Yesterday, it was suggested that if the	24	passed around the room?
25	witness was going to make corrections to the prefiled	25	A Yes, it is.
2.5			·
	Page 1160		Page 1162
1	testimony, that they be provided to the court reporter	1	Q Why don't you go ahead and read those changes
2	and all the parties in hard copy. Is that just going	2	into the record.
3	to be informational or should it be admitted as an	3	A On Page 20 of 25, the question is "What were
4	exhibit?	4	the results of your modeling?" My answer is "My
5	JUDGE WALSTON: Has the actual record	5	conclusion was that the cone of influence is less than
6	copy been changed to reflect what's in	6	a radius of 150 feet from the wellbore."
7	MR. WILLIAMS: No. No.	7	JUDGE WALSTON: Ms. Hoffman, you're
8	JUDGE WALSTON: We'll go ahead and admit	8	going to have to talk quite a bit louder. Get that
9	it along with the exhibit.	9	microphone right up to you.
10		10	JUDGE EGAN: It's on. You just have to
11		11	be right at it.
12	we're up to the Executive Director's case. So if	12	A Okay. On Page 21 of 25, the question was
13		13	"What was the result of your review?" My answer is "I
14		14	concluded that although there is little data available
15	•	15	for some of the wells, corrective action is not
16		16	required because the wells would not serve as a
17		17	conduit for movement of fluids out of the injection
18	•	18	zone into USDWs due to injection of waste into the
19	·	19	proposed wells."
20		20	MR. WILLIAMS: And if we could have the
21	· · · · · · · · · · · · · · · · · · ·	21	court reporter mark this correction page as Exhibit
22	•	22	1A ED Exhibit 1A.
23	seated.	23	(ED Exhibit No. 1A marked)
24 25	· · ·	24	Q (By Mr. Williams) And, Ms. Hoffman, with
25	the record.	25	those two corrections, do you adopt your prefiled

3 (Pages 1159 to 1162)

	Page 1163		Page 1165
1	testimony as if you were testifying live here today?	1	Describe it, please, what it is.
2	A Yes.	2	A It's the technical summary and Executive
3	Q Can you please describe exhibits let's	3	Director's preliminary decision.
4	start with Exhibit 2. What is Exhibit 2?	4	Q And did you write this document?
5	A Exhibit 2 is my professional resume.	5	A Yes.
6	Q And did you prepare this yourself?	6	Q And was it reviewed by your team leader?
7	A Yes.	7	A Yes.
8	Q Do you have any corrections or additions you	8	MR. WILLIAMS: Your Honor, at this time,
9	wish to make to your resume at this time?	9	I would offer Exhibits 1, 1A, 2 through 5, and 7
10		10	through 11 in evidence.
11		11	JUDGE WALSTON: Okay. And if I recall
12		12	correctly, there were no objections filed to the ED
13		13	exhibits. So Exhibits 1, 1A, 2 through 5 and 7
14	1 1	14	through 10 are admitted.
15		15	(ED Exhibit Nos. 1, 1A, 2 through 5 and
16		16	7 through 10 admitted)
17	1	17	JUDGE WALSTON: And I'll just note for
18		18	the record that there is no ED Exhibit 6. Is that
19	1	19	correct?
20	•	20	MR. WILLIAMS: Thank you. Yes. That's
21		21	correct.
22		22	JUDGE WALSTON: Okay.
23	· 1	23	MR. WILLIAMS: Pass the witness.
24 25		24 25	JUDGE WALSTON: Applicant, Mr. Riley.
25	Can you identify Exhibit 4?	25	MR. RILEY: I didn't know the order of
	Page 1164		Page 1166
1	A Exhibit 4 is the compliance history.	1	cross-examination was first to us, but I have no
2	Q Did you run this or was did somebody else	2	questions.
3	on staff run this for you?	3	JUDGE WALSTON: Okay. Well, in the
4	A It was run by people who, according to our	4	event there were friendly cross, I would normally put
5	work process, prepare the or run or obtain these	5	you-all first.
6	compliance histories.	6	MR. RILEY: Okay. That's
7	Q And I see the name Bobbie Rogans is on this	7	understandable.
8	one.	8	JUDGE WALSTON: Lone Star.
9	A Yes.	9	MR. HILL: Thank you, Your Honor. We
10	Q Thid you know wis. Rogans.	10	have some questions of this witness.
11		11	CROSS-EXAMINATION
12		12	BY MR. HILL:
13		13	Q Good morning, Ms. Hoffman.
14		14	A Good morning.
15	* *	15	Q My name is Jason Hill. I represent the Lone
16		16	Star Groundwater Conservation District in this matter,
17	7 1	17	and I do have some questions for you about your review
18 19		18 19	of the TexCom UIC permit application.
20	1	20	Initially, would you mind explaining your role with respect to the role Mr. Santos played
20 21		20 21	
21 22		21 22	in the review of the TexCom UIC application? A I was the project manager and the engineer
23		22 23	assigned to the project. Mr. Santos was the geologist
23 24		23 24	assigned to the project. Wit. Santos was the geologist assigned to the project.
2 5		25 25	Q Would you mind elaborating on the roles and
ري	Z This would you pieuse turn to Exhibit 11:	ر ب	v modice you mind claudiating oil the foles and

4 (Pages 1163 to 1166)

	Page 1167		Page 1169
1 2	responsibilities of the project manager in a case like this?	1 2 3	deficiencies are found, then an administrative NOD is issued. And then if all of the deficiencies are
3 4	A The project manager is responsible for keeping the project on schedule and is responsible for	4	cleared up and the application is complete, then it would be declared administratively complete.
5	drafting the documents associated with the permit	5	Then the application undergoes a
6	application such as draft permits and technical	6	technical review. And in the course of that review,
7	summary and Executive Director's preliminary decision.	7	if deficiencies are found, then a notice of deficiency
8	And in my case, also, as the engineer for the project,	8	is issued. And, typically, there are two
9	I reviewed all parts of the application except those	9	opportunities for two notices of deficiencies for
10	that were clearly related to geology such as Section V	10	applications.
11	and the geology-related material in Section VII.	11	And then if the application is
12	Q You mentioned having some role in the	12	technically complete, an initial draft permit is
13	drafting of documents related to the application,	13	drafted. And that permit, along with a draft
14	including the draft permits and the technical summary	14	technical summary and Executive Director's preliminary
15	and Executive Director's preliminary decision. Can	15	decision, is mailed to the applicant. They have an
16	you explain the magnitude of the role that you played	16	opportunity to review it for accuracy and comment on
17	in the drafting of each of those respective documents?	17	it.
18 19	How involved were you or to what extent can you claim authorship of each of those documents?	18 19	And then after the initial draft permit stage, typically final draft permits would be drafted
20	A I was the primary author of each of those. I	20	and along with finalizing the technical summary and
21	asked John to review each of them and give me	21	Executive Director's preliminary decision. And those
22	comments, inputs, questions on them, and they	22	documents, once approved, are sent down to the chief
23	Q Go ahead.	23	clerk's office.
24	A They were also reviewed by management.	24	Q Where in that chronology of events would you
25	Q Okay. As far as authorship of the documents,	25	say this application is today? Is it still considered
	Daga 1160		5 1100
	Page 1168		Page 1170
1	you were involved, Mr. Santos was involved. Was	1	to be in the initial draft permit stage or is the
2	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of	2	to be in the initial draft permit stage or is the agency beyond that stage right now?
2 3	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the	2 3	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ
2 3 4	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as	2 3 4	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of
2 3 4 5	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application.	2 3 4 5	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and
2 3 4 5 6	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents,	2 3 4 5 6	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the
2 3 4 5 6 7	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John.	2 3 4 5 6 7	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described.
2 3 4 5 6 7 8	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the	2 3 4 5 6 7 8	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft"
2 3 4 5 6 7 8 9	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an	2 3 4 5 6 7 8	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or
2 3 4 5 6 7 8 9	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this	2 3 4 5 6 7 8 9	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"?
2 3 4 5 6 7 8 9 10	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case?	2 3 4 5 6 7 8 9 10	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit.
2 3 4 5 6 7 8 9 10 11 12	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're	2 3 4 5 6 7 8 9	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the
2 3 4 5 6 7 8 9 10	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case?	2 3 4 5 6 7 8 9 10 11 12	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit.
2 3 4 5 6 7 8 9 10 11 12 13 14	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking?	2 3 4 5 6 7 8 9 10 11 12 13 14	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct?
2 3 4 5 6 7 8 9 10 11 12 13 14 15	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives	2 3 4 5 6 7 8 9 10 11 12 13 14 15	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued."
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to
2 3 4 5 6 7 8 9 10 11 12 13 14 15 6 17 18 19	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When the application comes in to our team or our agency, it	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment to the application?
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When the application comes in to our team or our agency, it receives an administrative review. Then it is turned	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment to the application? A Yes.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When the application comes in to our team or our agency, it receives an administrative review. Then it is turned over to it's turned over for a technical review,	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment to the application? A Yes. Q Can you explain that process or those
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 9 20 21 22 23	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When the application comes in to our team or our agency, it receives an administrative review. Then it is turned over to it's turned over for a technical review, and if well, let me back up a little bit.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment to the application? A Yes. Q Can you explain that process or those opportunities?
2 3 4 5 6 7 8 9 10 11 21 31 41 56 7 8 9 10 11 21 11 11 11 11 11 11 11 11 11 11 11	you were involved, Mr. Santos was involved. Was anybody else involved in the actual authorship of those documents? And to be clear, I'm speaking of the draft permits for the UIC proposed UIC wells as well as the technical summary for that application. A As far as actually drafting the documents, yes, it was primarily me with input from John. Q Okay. Would you mind explaining the application process that's associated with an application like a UIC application at issue in this case? A Could you please clarify exactly what you're asking? Q Specifically, I'm curious to know, chronologically speaking, the steps that an application typically follows from the time it arrives on your desk until the time it results in the issuance of a draft permit. A Okay. A typical sequence of events is: When the application comes in to our team or our agency, it receives an administrative review. Then it is turned over to it's turned over for a technical review,	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	to be in the initial draft permit stage or is the agency beyond that stage right now? A These permits were sent down to the TCEQ chief clerk's office quite some time ago. And, of course, a contested case hearing was requested and granted by the Commission, and so we're beyond the stages I just described. Q Okay. So when you reference "final draft" or do you use the term "final permit issuance" or "final draft permit issuance"? A Final draft permit. Q Final draft permit has been issued by the agency in this case. Isn't that correct? A Well, I don't know about the term "issued." The final draft permits were sent down to the chief clerk's office. Q Okay. Is there an opportunity during any of that process for an applicant to make any changes to the application that you would consider an amendment to the application? A Yes. Q Can you explain that process or those

5 (Pages 1167 to 1170)

		Π	
	Page 1171		Page 1173
1	for information. Actually, if in general terms, if	1	A It's always a case-by-case evaluation, and
2	circumstances come up for a given applicant, that they	2	the decision involves management.
3	want to during the technical review, if they wanted	3	Q So that's a decision that's made not by you,
4	to change something, they can initiate that change if	4	necessarily, but by somebody that you, perhaps, might
5	it's early enough in the process that we can	5	report to?
6	accommodate that and still keep the project on	6	A Yes.
7	schedule. So it isn't always done via formal it	7	Q And what just to make sure that you and I
8	isn't always done just in response to notices of	8	are on the same page, can you is there a definition
9 10	deficiency. Q Is there an opportunity after which an	9 10	you can associate with an what it means to have an
11	- · · · · · · · · · · · · · · · · · · ·	11	amendment to an application? A I would refer to the rules for definitions.
12		12	Q Okay.
13	Q Okay. When is that point in time or in	13	A I don't have the it's probably defined in
14	the process, rather.	14	another chapter, like 281 or maybe 305. I don't have
15	A Well, most certainly after permits are	15	that in front of me.
16	, , ,	16	Q That's fine. Let me and let me make sure
17		17	I understand your role in that process. If I
18		18	understand your testimony correctly, management makes
19	Q Drafted?	19	the ultimate decision of whether or not to accept an
20	A by the Commission.	20	application amendment. Is that correct? Do I
21	Q Final permits?	21	understand that to be your testimony?
22	A Not draft permits, but after the Commission	22	A No.
23		23	Q Okay. Then help get me on the right page,
24	Q What about at any point in time before then?	24	then, if you don't mind.
25		25	MR. RILEY: I can't hear you, Mr. Hill.
	Page 1172		Page 1174
1	always is a case-by-case consideration.	1	MR. HILL: I'm sorry.
2	Q Can you explain for me the considerations	2	Q (By Mr. Hill) Help get me on the right page,
3	that you or management makes in determining those gray	3	then, if you don't mind.
4	areas and when it is or is not appropriate for an	4	A In the context of a change to be made to a
5	applicant to amend a permit?	5	final draft permit that is already in the chief
6	A Well, I have I'm aware of situations where	6	clerk's office, management would be involved in
7	if draft permits are sent to the chief clerk's office	7	deciding whether or not it's appropriate to make the
8	and it's discovered that a clerical or typographical	8	change at that time.
9	or nonsubstantive error has been found, then	9	Q Okay. Would you be involved in those
10		10	discussions on whether or not it would be appropriate
11		11	to make the change at that time?
12	changes in the application?	12	A Yes.
13	A Could you please clarify your question?	13	Q Okay. Let me ask you if you had any
14	1	14	involvement at any point in time, if you can recall,
15	1	15	in the application submitted by Crossroads
16		16	Environmental for the well that was eventually
17		17	permitted as WDW-315.
18	1 ,	18	A No. Not that I can recall.
19 20		19	Q Okay. In your review of the TexCom
20 21		20 21	application for any of the four injection wells that
21 22		21 22	are proposed in their applications, do you recall relying on or reviewing any of the material you might
22 23		22 23	have on file regarding the Crossroads Environmental
23 24		23 24	application for WDW-315?
25	that weren't clerical or typographical in nature.	25	A No, unless it was submitted as part of the

6 (Pages 1171 to 1174)

1. referenced in other parts of the application - 1. information from the completion report was referenced 2. in other parts of the application. 2. Q Let me ask you well, can if you can 2. recall, do you remember how you used that particular 3. document, the completion report, as part of your 4. A Not specifically. 2. Q Okay. You mentioned earlier that I don't 4. want to mischaracterize your testimony, but the way I 2. understood your testimony was that you, in essence, 2. defer to Mr. Santos for geological assessments of the 2. application, specifically Section V and Section VII. 2. Is that a fair representation of the roles that you 2. A I would not use the word "defer." 2. A I would not use the word "defer." 3. Q Okay. 4. A I was his assignment and it's his area of 5. expertise. 4. Q And so please explain how you relied upon 5. Expertise. 6. Q And so please explain how you relied upon 6. Wr. Santos in your management of this application in a 8. little bit more detail, if you don't mind. 9. A He reviewed the geology in Section V and he 6. reviewedI want to get out the application for a 6. moment and make sure. 6. Q Sure. Sure. 7. A I relied on the values in the application. 8. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A When I'm assigned to be the project manager and engineer on a project, then I review — then I typically would do the modeling. 9. A Scoossi your blooking at OPIC's copy and the that the record copy is to the — over here to the sure of		Page 1175		Page 1177
2 Q Okay. Do you recall if there were any parts of that Crossroads Environmental application that was submitted with the TexCom application? A The completion report. Q Would you mind explaining how you integrated that document into your review of TexCom's overall application? A The completion report was referenced in — it was included in the application as Volume 6 and it was referenced in other parts of the application. You call do you remember how you used that particular document, the completion report was referenced in other parts of the application. You call do you remember how you used that particular document, the completion report as part of your verall and ultimate determination on whether or not to issue draft permits in this application? A Not specifically. Q Okay. You mentioned earlier that — I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. Is that a fair representation of the roles that you Page 1176 I two played in this application? A I would not use the word "defer." Q Okay. A I would not use the word "defer." Q Okay. A I would not use the word "defer." Q Okay. A I would not use the word "defer." A I would not use the word "defer." Q Okay. A I would not use the word "defer." Mr. Santos in your management of this application in a little bit more detail, if you don't mind. R It was his assignment and it's his area of expertise. Mr. GoosS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the — over here to kathryn's right. So if you wouldn't mind — A I'm sorry. I didn't know. Mr. GoosS: - getting the other copy. So maybe that easel might be in the way. I can't tell. B Okay. A I would not use the word "defer." Q Okay. So if you wouldn't mind — A I'm sorry. I didn't know. Mr. GoosS: - getting the other copy. So maybe that easel might be in	1	TexCom application	1	understand is by "reviewed " I'm trying to
submitted with the TexCom application: A The completion report. Q Would you mind explaining how you integrated that document into your review of TexCom's overall application? A The completion report was referenced init was included in the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as Volume 6 and it was referenced in other parts of the application as part of your overall and ultimate determination on whether or not to issue darf permits in this application? A Not specifically. Q Okay. You mentioned earlier that — I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, application, specifically Section V and Section VII. Is that a fair representation of the roles that you application in a little bit more detail, if you don't mind. A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q Okay. A I was his assignment and it's his area of expertise. Q Surc. Sure. Q Surc. Sure. Q Sure. Sure. Q Sure. Sure. Q Sure. Sure. Q Sure.				
submitted with the TexCom application? A The completion report. Q Would you mind explaining how you integrated that document into your review of TexCom's overall application? A The completion report was referenced in -it was included in the application as Volume 6 and it was referenced in other parts of the application. The completion report was referenced in -it was included in the application as Volume 6 and it was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in other parts of the application. The completion report was referenced in o				
A The completion report. Q Would you mind explaining how you integrated that document into your review of TexCom's overall application? A The completion report was referenced in -i it was included in the application as Volume 6 and it was referenced in other parts of the application. It information from the completion report was referenced in other parts of the application. Q Let me ask you - well, can - if you can recall, do you remember how you used that particular recall, do you remember how you used that particular overall and ultimate determination on whether or not to issue draft permits in this application? A Not specifically. Q Okay. You mentioned earlier that I don't want to mischaracterize your testimony, but the way! understood your testimony was that you, in essence, application, specifically Section V and Section VII. Is that a fair representation of the roles that you Page 1176 Two played in this application? A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed — I want to get out the application for a moment and make sure. Q Sure. Sure. Q				
defer to Mr. Santos for geological assessments of the application? A Two played in this application? A Two sorps consider for process that a fair representation of the roles that you Page 1176 A Two played in this application? A Two played in this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and be reviewed - I want to get out the application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and be reviewed - I want to get out the application in a little bit more detail, if you don't mind. A Trelied on the values in the application. Q Okay. And you're mentioned that sometimes of this application in a little bit more detail, if you don't mind. A Trelied on the values in the application. Q Okay. And you're mentioned that sometimes of the application in a little bit more detail, if you don't mind. A Trelied on the values in the application. Q Okay. And you're mentioned that provide the project, then I review in the input values to use in that model or was that sometimes of the input values to use in that model or was th				
that document into your review of TexCom's overall application? A The completion report was referenced in it was included in the application as Volume 6 and it was referenced in other parts of the application information from the completion report was referenced in other parts of the application information from the completion report was referenced in other parts of the application information from the completion report was referenced in other parts of the application as Volume 6 and it was to income parts of the application as Volume 6 and it was to issue dearly our early and ultimate determination on whether or not to issue draft permits in this application? A Not specifically A Not specifically Section V and Section VII. Is that a fair representation of the roles that you read in this application? Two played in this application? A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and be reviewed – I want to get out the application for a moment and make sure. Q Cyer. Sure.				
a application? A The completion report was referenced in it was included in the application as Volume 6 and it was referenced in other parts of the application. The completion report was referenced in other parts of the application. The call, do you remember how you used that particular document, the completion report was part of your call, do you remember how you used that particular document, the completion report, as part of your coverall and ultimate determination on whether or not to issue draft permits in this application? A Not specifically. Q Okay, You mentioned earlier that I don't want to mischaracterize your testimony, but the way! understood your testimony was that you, in essence, application, specifically Section V and Sect				
9 A The completion report was referenced in order parts of the application as Volume 6 and it was referenced in other parts of the application				
10 was included in the application as Volume 6 and it was referenced in other parts of the application information from the completion report was referenced in other parts of the application. 1		11		
1. referenced in other parts of the application - 1. information from the completion report was referenced 2. in other parts of the application. 2. Q Let me ask you well, can if you can 2. recall, do you remember how you used that particular 3. document, the completion report, as part of your 4. A Not specifically. 2. Q Okay. You mentioned earlier that I don't 4. want to mischaracterize your testimony, but the way I 2. understood your testimony was that you, in essence, 2. defer to Mr. Santos for geological assessments of the 2. application, specifically Section V and Section VII. 2. Is that a fair representation of the roles that you 2. A I would not use the word "defer." 2. A I would not use the word "defer." 3. Q Okay. 4. A I was his assignment and it's his area of 5. expertise. 4. Q And so please explain how you relied upon 5. Expertise. 6. Q And so please explain how you relied upon 6. Wr. Santos in your management of this application in a 8. little bit more detail, if you don't mind. 9. A He reviewed the geology in Section V and he 6. reviewedI want to get out the application for a 6. moment and make sure. 6. Q Sure. Sure. 7. A I relied on the values in the application. 8. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A I relied on the values in the application. 9. A When I'm assigned to be the project manager and engineer on a project, then I review — then I typically would do the modeling. 9. A Scoossi your blooking at OPIC's copy and the that the record copy is to the — over here to the sure of				
12 information from the completion report was referenced 13 in other parts of the application. 14	11			
13 in other parts of the application. 14 Q Let me ask you well, can if you can recall, do you remember how you used that particular document, the completion report, as part of your overall and ultimate determination on whether or not to issue draft permits in this application? 15 A Not specifically. 16 Q Okay. You mentioned earlier that I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. 15 Is that a fair representation of the roles that you 16 Q Okay. 17 A I would not use the word "defer." 18 It wo played in this application? 29 A I twas his assignment and it's his area of expertise. 20 Q And so, to be clear, that was a responsibility that you undertook and not Mr. Santos with respect to this application? 18 A Yes. Could you please clarify exactly what you're asking? 29 Understood your testimony, but the way I understood your test of TexCom's UIC application, any formation modeling that was conducted. And it sounds like you did conduct formation pressure modeling on your own. Was that Page 1176 15 two played in this application? 16 A I would not use the word "defer." 20 Q Okay. 21 A I would not use the word "defer." 22 A I would not use the word "defer." 23 Q Okay. 4 A It was his assignment and it's his area of expertise. 4 Q And so, to be clear, that was a responsibility that you undertook and not Mr. Santos was a responsibility that you undertook and not Mr. Santos was a responsibility that you undertook and not Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility that you undertook and tot Mr. Santos was responsibility that you undertook and not Mr. Santos was responsibility	12			
14 Q Let me ask you well, can if you can 15 recall, do you remember how you used that particular 16 document, the completion report, as part of your 17 overall and ultimate determination on whether or not to issue draft permits in this application? 18 A Not specifically. 19 A Not specifically. 10 Q Okay. You mentioned earlier that I don't 10 want to mischaracterize your testimony, but the way I 11 understood your testimony was that you, in essence, 12 defer to Mr. Santos for geological assessments of the 19 application, specifically Section V and Section VII. 10 two played in this application? 1 two played in this application? 2 A I was his assignment and it's his area of 2 expertise. 3 Q Okay. 4 A I was his assignment and it's his area of 5 expertise. 6 Q And so please explain how you relied upon 8 It was his assignment of this application in a 9 Mr. Santos in your management of this application for a 18 modeling. 2 A I undertook, actually, performing the 3 modeling. 4 A I undertook actually, performing the 5 modeling. 6 Okay. 7 A I relied on the values in the application. 9 A I relied on the values in the application. 9 A I relied on the values in the application. 9 A I relied on the values in the application. 9 A I relied on the values in the application. 10 Okay. And you've mentioned that sometimes	13			
to size draft permits in this application? Not specifically. Q Okay. You mentioned earlier that — I don't 20 understood your testimony, but the way I 21 understood your testimony but the way I 22 understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the 24 application, specifically Section V and Section VII. Is that a fair representation of the roles that you Two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed — I want to get out the application for a moment and make sure. Q Sure. Sure. Q Su	14	1 11		
document, the completion report, as part of your overall and ultimate determination on whether or not to issue draft permits in this application? A Not specifically. Q Okay. You mentioned earlier that – I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. Is that a fair representation of the roles that you Page 1176 1 two played in this application? A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and be reviewed – I want to get out the application for a moment and make sure. Q Sure. Sure. Q Sure. Sure. MS. GOSS: Your Honor, Emily Collins has that the record copy is to the – over here to MS. GOSS: — getting the other copy. So maybe that easel might be in the way. I Can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII. A The sorry. I clidn't know. MS. GOSS: — getting the other copy. So maybe that easel might be in the way. I Can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. Q Okay. A John Santos reviewed Section VII. A That's correct. A That's correct. A That's correct. A There over any the prication on the inity value is to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A When I'm assigned to be the project manager and engineer on a project, then I review — then I				
responsibility that you undertook and not Mr. Santos viith respect to this application? A Not specifically. Q Okay. You mentioned earlier that I don't understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. Is that a fair representation of the roles that you Page 1176 two played in this application? A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. Q Okay. MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A T m sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I Can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed Section V and Section VIII. A John Santos reviewed	16		16	
to issue draft permits in this application? A Not specifically. Q Okay. You mentioned earlier that I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. 1 two played in this application? A I would not use the word "defer." Q Okay. A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. Q Sure. Sure. (Brief Pause) MS. GOSS: - getting the other copy. So maybe that easel might be in the way. I Can't tell. (Brief Pause) A J Mres. Could you please clarify exactly what your eashing? A Yes. Could you please clarify exactly what your eashing? A Yes. Could you please clarify exactly what your eashing? A Yes. Could you please clarify exactly what your eashing? Q I'm asking I want to make sure that I understand that with respect to TexCom's UIC application, any formation modeling that was conducted. And it sounds like you did conduct formation pressure modeling on your own. Was that Page 1176 A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you't emitting determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? Q Dokay. And you't emitting determination on the input values to use in that model or was that something that you don't can you help me understand how you distinguish between those situations? A When I'm assigned to be the	17		17	
A Not specifically. Q Okay. You mentioned earlier that I don't understood your testimony, but the way I defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. by application, specifically Section V and Section VII. The specifically Section V and Section VII. Is that a fair representation of the roles that you Page 1176 The specifically Section V and Section VII. Page 1176 Page 1176 Page 1176 Page 11776 A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. He reviewed - I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind with relation. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause) A J Yes. Could you please clarify exactly what you're asking I want to make sure that I understand that with respect to TexCom's UIC application, any formation modeling that was conducted. And it sounds like you did conduct formation pressure modeling on your own. Was that Page 1178 something that you undertook or Mr. Santos undertook? A I rudertook, actually, performing the something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you don't. Can you help me understand how you distinguish between that I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between that I undertook, actually, performing	18	to issue draft permits in this application?	18	
Q Okay. You mentioned earlier that — I don't want to mischaracterize your testimony, but the way I understood your testimony was that you, in essence, defer to Mr. Santos for geological assessments of the application, specifically Section V and Section VII. 24 application, specifically Section V and Section VII. 25 Is that a fair representation of the roles that you application, specifically Section V and Section VII. 25 Is that a fair representation of the roles that you application, any formation modeling that was conducted. And it sounds like you did conduct formation pressure modeling on your own. Was that Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 A I would not use the word "defer." 2 A I undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. A I undertook, actually, performing the modeling. A I relied on the values in that model or was that something that you relied upon Mr. Santos for guidance upon? 4 A I reviewed—I want to get out the application for a moment and make sure. 12 Q Sure. Sure. 12 Q Sure. Sure. 12 GBrief Pause) 13 A I'm sorry. I didn't know. 14 A I'm sorry. I didn't know. 15 So maybe that easel might be in the way. 15 Carl ttell. 21 A John Santos reviewed Section V and Section VII. 24 VII.A, the geology-related material in Section VII. 25 A Vil.A, the geology-related material in Section VII. 26 Did not be the group of the session of the application of the application of the application of the session of the application of the application and sometimes on the session of the application of the applicati			19	
21 want to mischaracterize your testimony, but the way I 22 understood your testimony was that you, in essence, 23 defer to Mr. Santos for geological assessments of the 24 application, specifically Section V and Section VII. 25 Is that a fair representation of the roles that you Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 A I would not use the word "defer." Q Okay. A I was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. Q Sure. Sure. MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. Q Hord Santos for geological assessments of the application, any pformation modeling that was conducted. And it sounds like you did conduct formation pressure modeling on your own. Was that Page 1178 A I understook and it sounds like you did conduct formation pressure modeling on your own. Was that Page 1178 A I understook or Mr. Santos undertook? A I undertook actually, performing the modeling. A I trailed on the values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I don to do the modeling. A I'm sorry. I didn't know. A I'm sorry. I didn't know. B A I'm sorry. I di			20	
Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 Page 1177 two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm santos in your make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you doe conduct modeling and sometimes you doe conduct modeling. A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	21			Q I'm asking I want to make sure that I
Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 Page 1177 two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm santos in your make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you doe conduct modeling and sometimes you doe conduct modeling. A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	22		22	
Page 1176 Page 1176 Page 1176 Page 1176 Page 1176 Page 1177 two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A I'm santos in your make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you do conduct modeling and sometimes you doe conduct modeling and sometimes you doe conduct modeling. A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A I'm sorry. I didn't know. A I'm sorry. I didn't know. MS. GOSS: getting the other copy. A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	23		23	application, any formation modeling that was
Page 1176 two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. Q Sure. Sure. MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. MS. GOSS: getting the other copy. So maybe that easel might be in the way. A John Santos reviewed Section VII. Page 1178 A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that somethings that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	24		24	
two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. Q Sure. Sure. G Brief Pause) Kathryn's right. So if you wouldn't mind K A I'm sorry. I didn't know. M K. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. A John Santos reviewed Section V and Section V II. A John Santos reviewed Section V II. Something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. A J I undertook, actually, performing the modeling. A J I'm sun to get out the application in the input values to use in the application the input values to use in the application the town p	25		25	formation pressure modeling on your own. Was that
A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. G Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I Can't tell. A I undertook, actually, performing the modeling. A I rundertook, actually, performing the modeling on the undeling and sometimes you don't. A I relied on the values in the application. A When I'm assigned to be the project manager those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit				
A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. G Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I Can't tell. A I undertook, actually, performing the modeling. A I rundertook, actually, performing the modeling on the undeling and sometimes you don't. A I relied on the values in the application. A When I'm assigned to be the project manager those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit		Page 1176		Page 1178
3 Modeling. 4 A It was his assignment and it's his area of 5 expertise. 6 Q And so please explain how you relied upon 7 Mr. Santos in your management of this application in a 8 little bit more detail, if you don't mind. 9 A He reviewed the geology in Section V and he 10 reviewed I want to get out the application for a 11 moment and make sure. 12 Q Sure. Sure. 13 (Brief Pause) 14 MS. GOSS: Your Honor, Emily Collins has 15 told me that the witness is looking at OPIC's copy and 16 that the record copy is to the over here to 17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section VII. 24 VII.A, the geology-related material in Section VII. 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section VII. 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief Pause) 25 (Brief Pause) 26 (Brief Pause) 27 (Brief Pause) 28 (Brief Pause) 29 (Brief Pause) 20 (Brief Pause) 21 (Brief Pause) 21 (Brief Pause) 22 (Brief Pause) 23 (Brief Pause) 24 (Brief P	1		1	
4 A It was his assignment and it's his area of 5 expertise. 6 Q And so please explain how you relied upon 7 Mr. Santos in your management of this application in a 8 little bit more detail, if you don't mind. 9 A He reviewed the geology in Section V and he 10 reviewed I want to get out the application for a 11 moment and make sure. 12 Q Sure. Sure. 13 (Brief Pause) 14 When I'm assigned to be the project manager 15 told me that the witness is looking at OPIC's copy and 16 that the record copy is to the over here to 17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 Ms. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII.		two played in this application?		something that you undertook or Mr. Santos undertook?
the input values to use in that model or was that Something that you relied upon Mr. Santos for guidance partial input values to use in that model or was that something that you relied upon Mr. Santos for guidance partial input values to use in that model or was that something that you relied upon Mr. Santos for guidance partial upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII. the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2	two played in this application? A I would not use the word "defer."	2	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the
6 Q And so please explain how you relied upon 7 Mr. Santos in your management of this application in a 8 little bit more detail, if you don't mind. 9 A He reviewed the geology in Section V and he 10 reviewed I want to get out the application for a 11 moment and make sure. 12 Q Sure. Sure. 13 (Brief Pause) 14 told me that the witness is looking at OPIC's copy and that the record copy is to the over here to 17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 A John Santos reviewed Section V and Section 20 VII.A, the geology-related material in Section VII. 21 I can't tell. 22 A John Santos reviewed Section VII. 24 VII.A, the geology-related material in Section VII. 26 A I relied on the values in the application. 27 Upon? 28 A I relied on the values in the application. 29 Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you do co	2 3	two played in this application? A I would not use the word "defer." Q Okay.	2	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling.
Mr. Santos in your management of this application in a 8 little bit more detail, if you don't mind. 9 A I relied on the values in the application. 9 Q Okay. And you've mentioned that sometimes 10 you do conduct modeling and sometimes you do conduct modeling and	2 3 4	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of	2 3 4	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on
8	2 3 4 5	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise.	2 3 4 5	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that
9 A He reviewed the geology in Section V and he 10 reviewed I want to get out the application for a 11 moment and make sure. 12 Q Sure. Sure. 13 (Brief Pause) 14 MS. GOSS: Your Honor, Emily Collins has 15 told me that the witness is looking at OPIC's copy and 16 that the record copy is to the over here to 17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII.	2 3 4 5 6	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon	2 3 4 5 6	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance
reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII.	2 3 4 5 6 7	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a	2 3 4 5 6 7	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon?
moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII. Ja you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind.	2 3 4 5 6 7 8	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application.
13 (Brief Pause) 14 MS. GOSS: Your Honor, Emily Collins has 15 told me that the witness is looking at OPIC's copy and 16 that the record copy is to the over here to 17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 25 A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. 26 Q Does that mean somebody else is charged with that responsibility? 27 A That's correct. 28 Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he	2 3 4 5 6 7 8	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes
MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to that the record copy is to the over here to Kathryn's right. So if you wouldn't mind MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. Can't tell. MS. GOSS: getting the other copy. A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII. MS. GOSS: Your Honor, Emily Collins has that engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure.	2 3 4 5 6 7 8 9 10	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can
told me that the witness is looking at OPIC's copy and that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to that the record copy is to the over here to the topy is signed to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure.	2 3 4 5 6 7 8 9 10	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between
that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII. A I'm sorry. I didn't know. Do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure.	2 3 4 5 6 7 8 9 10 11	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager
17 Kathryn's right. So if you wouldn't mind 18 A I'm sorry. I didn't know. 19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 21 that consists of Section VI of the application, then I 28 do not do the modeling. 29 Q Does that mean somebody else is charged with that responsibility? 20 A That's correct. 21 Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has	2 3 4 5 6 7 8 9 10 11 12 13	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I
18 A I'm sorry. I didn't know. 19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 25 MS. GOSS: getting the other copy. 26 Does that mean somebody else is charged with that responsibility? 27 A That's correct. 28 Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13 14 15	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and	2 3 4 5 6 7 8 9 10 11 12 13 14 15	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I
19 MS. GOSS: getting the other copy. 20 So maybe that easel might be in the way. 21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 29 Q Does that mean somebody else is charged with that responsibility? 20 A That's correct. 21 Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 13 14 15 16	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application
So maybe that easel might be in the way. I can't tell. (Brief Pause) A That's correct. Q Okay. So is it fair to say that typically A That's correct. VII.A, the geology-related material in Section VII.	2 3 4 5 6 7 8 9 10 11 13 14 15 16 17	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I
21 I can't tell. 22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 21 A That's correct. 22 Q Okay. So is it fair to say that typically 23 it's the agency's approach to consistently conduct 24 their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling.
22 (Brief Pause) 23 A John Santos reviewed Section V and Section 24 VII.A, the geology-related material in Section VII. 22 Q Okay. So is it fair to say that typically 23 it's the agency's approach to consistently conduct 24 their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with
A John Santos reviewed Section V and Section 23 it's the agency's approach to consistently conduct 24 VII.A, the geology-related material in Section VII. 24 their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility?
VII.A, the geology-related material in Section VII. 24 their own pressure models in Class I UIC permit	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20 21	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct.
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause)	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically
	2 3 4 5 6 7 8 9 10 11 12 11 11 11 11 11 11 11 11 11 11 11	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause) A John Santos reviewed Section V and Section	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22 23	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct
25 Q (By Mr. Hill) And what I'm trying to 25 applications?	2 3 4 5 6 7 8 9 10 11 12 11 11 11 11 11 11 11 11 11 11 11	two played in this application? A I would not use the word "defer." Q Okay. A It was his assignment and it's his area of expertise. Q And so please explain how you relied upon Mr. Santos in your management of this application in a little bit more detail, if you don't mind. A He reviewed the geology in Section V and he reviewed I want to get out the application for a moment and make sure. Q Sure. Sure. (Brief Pause) MS. GOSS: Your Honor, Emily Collins has told me that the witness is looking at OPIC's copy and that the record copy is to the over here to Kathryn's right. So if you wouldn't mind A I'm sorry. I didn't know. MS. GOSS: getting the other copy. So maybe that easel might be in the way. I can't tell. (Brief Pause) A John Santos reviewed Section V and Section VII.A, the geology-related material in Section VII.	2 3 4 5 6 7 8 9 10 11 11 11 11 11 11 11 11 11 11 11 11	something that you undertook or Mr. Santos undertook? A I undertook, actually, performing the modeling. Q Did you make the ultimate determination on the input values to use in that model or was that something that you relied upon Mr. Santos for guidance upon? A I relied on the values in the application. Q Okay. And you've mentioned that sometimes you do conduct modeling and sometimes you don't. Can you help me understand how you distinguish between those situations? A When I'm assigned to be the project manager and engineer on a project, then I review then I typically would do the modeling. If I'm strictly assigned to an engineering review on an application that consists of Section VI of the application, then I do not do the modeling. Q Does that mean somebody else is charged with that responsibility? A That's correct. Q Okay. So is it fair to say that typically it's the agency's approach to consistently conduct their own pressure models in Class I UIC permit

7 (Pages 1175 to 1178)

	Page 1179		Page 1181
1		1	
1	A Could you clarify what you mean by "their own"?	1 2	technical summary that the agency issued for the
2		3	TexCom applications is a fair and accurate
4	Q As opposed to relying on the formation modeling that the applicant provides in the well,	4	representation of the basis of the agency's determination that final draft permit should be issued
5	let me I tell you what. Let me take a step back.	5	in this case?
6	Why do you, in your practice, conduct	6	A I missed the first part of your question.
7	pressure models in your as part of your review of	7	Q Is to the best of your knowledge, is the
8	Class I UIC applications?	8	technical summary does it provide a albeit,
9	A It's a normal part of our team process to use	9	general, but a fair characterization of the basis for
10		10	the agency's determination to issue final permit
11		11	draft permits?
12		12	A The Executive Director's preliminary decision
13		13	states the just what it it's the Executive
14		14	Director's preliminary decision.
15		15	Q Okay. You conducted pressure modeling in
16		16	this case, we've discussed. Would you mind explaining
17		17	the process you used to conduct that modeling?
18		18	A I used the input parameters, the reservoir
19		19	parameters listed in Table 7-3, and input them into
20		20	the PRESS model that our team uses.
21		21	Q Do you recall or do you have those input
22		22	parameters available to you?
23		23	A Yes. I'm not absolutely sure this is the
24		24	latest copy of the application that incorporates NOD
25		25	responses, but, yes, I have Table 7-3 in front of me.
	Page 1180		Page 1182
1	A Yes, for different projects.	1	Q Okay. Let me ask you, along those lines, do
2	Q Okay. Can you explain for me the based on	2	you recall when in the in your in the process of
3	your understanding of Commission practices and the	3	your review of these applications, when in that
4	TCEQ's rules, what the purpose of the technical	4	process you conducted the pressure modeling? Was it
5	summary is?	5	before TexCom had responded to agency NODs or was it
6	A The technical summary is required by rules,	6	at sometime after that?
7	and it's required to have to contain certain	7	A It was before.
8	information. I believe, if I'm not mistaken, some	8	Q Okay. Did you conduct any pressure modeling
9	place in Chapter 281 is where that requirement is.	9	based on any information that TexCom provided to the
10	Q Do you have any understanding or morgin on	10	agency in responses in their responses to the
11		11	agency's NODs?
12		12	A I can't remember right now.
13		13	Q Okay. You said you have the table available
14		14	to you available in front of you. Can you identify
15	3 3	15	the input parameters that you used in your modeling
16	1	16	assumptions?
17	r J	17	A Yes. I used a porosity of 0.24. I used
18		18	permeability of 500 millidarcies. And I used a net
19	J 11 /	19	layer thickness including both the Zones 1 and 2
20 21		20	identified on this table of 145 feet and 401 feet for
21		21	a total of 546 feet.
22		22	Q Do you recall a value you associated for
23 24		23	viscosity in your modeling? A I would have to I don't recall.
		24 25	
25	Q And is it your understanding that the	<u>د ی</u>	Q Okay.

8 (Pages 1179 to 1182)

Page 1183 1 A It came from the application, however. 2 Q Okay. Let me ask you: When you conduct that 3 modeling, do the results of those models become part 4 of your file or is that information that's typically. 4 750 feet to be in the hellpark of a conduction.	
Q Okay. Let me ask you: When you conduct that modeling, do the results of those models become part 2 ballpark or somewhat similar. 3 Q So do you consider a cone of	
3 modeling, do the results of those models become part 3 Q So do you consider a cone of	
	of influence of
4 of your file or is that information that's typically 4 750 feet to be in the ballpark of a control of 150 feet with respect to WDW.	
5 stored on and kept on you know, in electronic 5 of 150 feet with respect to WDW,	
6 form on a computer? 6 A Well, 750 feet was brought	
7 A I keep a paper copy in a file and the paper 7 the course of these proceedings. A	
8 comes from an electronic copy. 8 reviewed the application, the cone	
9 Q Okay. So if I understand you correctly, you 9 the applicant calculated was much	
plug the inputs into the software. The software gives 20 can't remember the exact number v	without looking it up
you an output, and then, essentially, you print the results of that modeling out onto a piece of paper. 11 in the application. 12 Q Do you recall or let me as understood Mr. Casey's explanation.	
results of that modeling out onto a piece of paper.	
13 Is that right? 13 understood Mr. Casey's explanatio	
14 A Yes. 14 able to determine a different cone	
15 Q Okay. And do I understand well, let me 15 750 feet as opposed to their original	al calculation of
16 ask you to clarify if you can. Do you recall how many 16 150 feet.	
17 models you ran in your review of the TexCom permit 17 A I think so.	
18 applications? 18 Q Can you explain that for us,	
19 A I don't recall. 19 A I believe it was because in	f I understood
20 Q Okay. 20 the testimony correctly, because of	f a difference in
A But I think it was the one using these input 21 the value of the gel strength that w	as used between 20
22 values I recall running one model with these input 22 psi per 100 square feet versus 40	
23 values in the course of my review. 23 Q Let me make sure I understa	and. If I recall,
values in the course of my review. 23	
with respect to the corrections that you identified 25 deficiency early on in the application	
Page 1184	Page 1186
1 this morning, you indicate that your conclusion was 1 that not correct?	
2 that the cone of influence of the proposed injection 2 A Yes.	
3 activity or the injection activities that TexCom 3 Q Was that and explain to n	no than based on
4 proposes would be less than 150 feet from the 4 your understanding of how that ch	
5 wellbore. Is that correct? 5 should lead to a different cone of i	
6 A Yes. 6 calculation.	innuence
	n is used in
9 Q Okay. If I recall, you've been you've 9 build-up that would be needed to p	
been present during the majority, if not all, of the 10 fluids in an abandoned wellbore. S	So that is where it
11 testimony during this contested case hearing. Is that 11 would come into play.	oll
12 accurate? 12 Q When you if you can recall 3 A Yes. 13 your pressure modeling in your rev	
13 A Yes. 13 your pressure modeling in your rev	
Q Okay. And so were you able to hear the 24 application, what assumptions did	
testimony of I believe it was Mr. Casey's testimony 15 to the amount of pressure it would	take to displace
where he indicated that TexCom actually had calculated 16 mud in a wellbore?	
17 a zone of a cone of influence, rather, to radiate 17 A My amount of pressure buil	
to 750 feet as opposed to 150 feet. Were you present \text{18} out to be 418 psi. I believe the app	
19 for that testimony? 19 Q Was the applicant's calculat	
20 A Yes. 20 based on a mud gel strength of i	s it 20 pounds
Q Do you agree with that assessment? 21 versus 40 pounds? Is that right?	
A For the modeling he did, yes. 22 A Yes. I believe it was 20 por	unds. I know I
Q Have you conducted modeling to verify and 23 used 20 pounds.	
24 to verify his assessment? 24 Q Okay. So I'm having a hard	
A That was the purpose of running the PRESS 25 understanding, then, how the chan	ge in the gel

9 (Pages 1183 to 1186)

strength of the mud would impact, ultimately, the applicant's cone of influence if the modeling that you were able to verify that they conducted used a pressure increase of 421 psi? A the moment, Learl remember what the basis for my writing that NOD was. That NOD item was — Learl remember where Is aw 40 pounds in their coord. Q and a copy of the NOD if it's been put in the record. A Loav, MR, WILLIAMS: Can we go off the record while we find it? MR, WILLIAMS: Can we go off the record. Begin Plause) Q By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Could you please remind me of the question? Q By Mr. Hill) Do you have those notices of a fediciency or notice of deficiency and how the amended or different information provided by the applicant in in play in calculating the pressure reference in my NOD irem its? Op pounds in their model used 1sf feet, and then beyond the fault, they added in the NOD are sponse, because both of the pages reference in my NOD irem its? Op pounds in their model used 1sf feet, and then beyond the fault, they added in the NOD response, because both of the pages reference in my NOD irem its? Op pounds in their model used 1sf feet, and then beyond the fault, they added in the NOD response, because both of the pages reference in my NOD irem its? Op pounds in their model used 1sf feet, and then beyond the fault, they added in the NOD response, because both of the pages reference in my NOD irem its? Op pounds in the pressure model is concerned, in the analytical solution as an overall injection that pounds in the pressure model ing to replicate or verify well, the true rephrase that. Have you conducted any modeling to replicate or verify the applicants in pays in calculating the pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 — you have not conducted any modeling to replicate or verify the applicants in ways and the proposed and a fault displaces into an injectio		Page 1187		Page 1189
pressure increase of 421 psi? A the moment, I can't remember what the basis for my writing that NOD was. That NOD item was — I can't remember where I saw 40 pounds in their calculation that I asked hem to correct. I could only look at a copy of the NOD if it's been put in the record. A Okay. A Okay. A Okay. A Okay. A Okay. A Okay. ILDGE WALSTON: Sure. We'll go off the record. (Brief Pause) JUDGE WALSTON: Back on the record. (Brief Pause) A Condy op lease remind me of the question? A Coll dy ou please remind me of the question? Q (By Mr. Hill) D you have those notices of deficiency or notice of deficiency and how the amended or different information provided by the agency under notices of deficiency and how the amended or different information provided by the agency under notices of deficiency and how the amended or different information provided by the applicant in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe, and so that's where it factors in an abandoned borbohe cone of influence or 750 feet? A Yes. Q Ox hat we mot conducted any modeling to replicate or verify we applicant's new assumed cone of influence or 750 feet? A Yes. Q Ox hat we not conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox hat we mot conducted any modeling? A Yes. Q Ox ha	1		1	
were able to verify that they conducted used a pressure increase of 421 pai? A At the moment, I can't remember what the basis for my writing that NOD was. That NOD item was – I can't remember where I saw 40 pounds in their calculation that I asked them to correct. I could look at a copy of the NOD if it's been put in the record. I Q I'd be more than happy to have you look at it if it will refresh your recollection. A Okay. MR WILLIAMS: Can we go off the record while we find it? B GBrief Pause) Q (By Mr. Hill) Do you have those notices of the feeting of deficiency or notice of deficiency in front of you? A Yes. GBrief Pause) Q (By Mr. Hill) Do you have those notices of the issue of the mud gel strength was addressed by the agency under notices of deficiency or notice of deficiency on sex parts and impacted your assessment of the cone of influence. Page 1188 Page 1188 Page 1190 A Total. They used – it's my understanding that their model used 4 bit depressance pressure model is concerned, in the Deyond the fault, they added in the extra thickness of the believe it's listed as Zone 2. I want to confirm that. Yes, the pagicant in my Acto your assessment of the cone of influence. Q (By Mr. Hill) I think we were discussing how Page 1188 Page 1188 Page 1190 A Total. They used – it's my understanding that their model used 4 base to the work of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength was not conducted any modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A Yes. Q As an an abandoned borehole, and so that's where it factors in an abandoned borehole, and so that's where it factors in an abandoned borehole, and				•
pressure increase of 421 psi? A the moment, I can't remember what the basis for my writing that NOD was. That NOD item was – I can't remember where I saw 40 pounds in their calculation that I asked them to correct. I could of look at a copy of the NOD if it's been put in the record. Q To be more than happy to have you look at it if it will refresh your recollection. A Okay. A Okay. A Okay. A Okay. Bit Will LIAMS: Can we go off the record while we find it? DIOGE WALSTON: Sure. We'll go off the record. Will we find it? The cord. Bit Will Presson. Bit Will Do you have those notices of deficiency or notice of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under notices of deficiency and how the amended of different information provided by the agency under the resistance pressure of the mud left in an anabandoned borroble, and the proposal provided in the NOD response, because b				
basis for my writing that NOD was. That NOD item is 2 calculation that alsoed them to correct. I could look at a copy of the NOD if it's been put in the record. Q if a be more than happy to have you look at it if it will refresh your recollection. A Correct. I Q if a be more than happy to have you look at it if it will refresh your recollection. A Correct. I				
basis for my writing that NOD was. That NOD item was — Learn tremember where I saw 40 pounds in their calculation that I asked them to correct. I could look at a copy of the NOD if it's been put in the record. Q I'd be more than happy to have you look at it if it will refresh your recollection. A Okay. A Okay. JUDGE WALSTON: Sure. We'll go off the record. Brief Pause) JUDGE WALSTON: Back on the record. G (Brief Pause) JUDGE WALSTON: Back on the record. G (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. Rege 1188 Page 1188 A Could you please remind me of the question? G (By Mr. Hill) I think we were discussing how Page 1188 A Could you please remind me of the question? G (By Mr. Hill) I think we were discussing how Page 1188 A Could you please remind me of the question? G (By Mr. Hill) I think we were discussing how Page 1188 A Could you please remind me of the question? G (By Mr. Hill) I think we were discussing how Page 1188 A Could your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength or required—the resistance pressure of the muld left in an abandoned borchole, and so that's where it factors in an abandoned borchole, and so that's where it factors in an abandoned borchole, and so that's where it factors in an abandoned borchole, and so that's where it factors in an abandoned borchole, and so that's where it factors in play in calculating the pressure model in the NOD rephrase that. Have you conducted any modeling to replicate or verify the applicants new assumed cone of influence of 750 feet? A Yes. Q At any point the model was I used a thickness of 546 feet. Is that the applicant proposed a thickness of 546 feet. Is that correct? A Could when applicant that for me if you can, if you don't need to review the applicant that for me if you can,				• •
7 was — I can't remember where I saw 40 pounds in their calculation that I asked them to correct. I could 9 look at a copy of the NOD if it's been put in the record. 10 Q I'd be more than happy to have you look at it it will refresh your recollection. 11 A Okay. 12 if it will refresh your recollection. 13 A Okay. 14 While we find it? 15 while we find it? 16 JUDGE WALSTON: Sure. We'll go off the record. 17 record. 18 (Brief Pause) 19 JUDGE WALSTON: Back on the record. 19 JUDGE WALSTON: Back on the record. 20 Q By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? 21 deficiency or notice of deficiency in front of you? 22 Q (By Mr. Hill) I think we were discussing how 23 (Brief Pause) 24 A Could you please remind me of the question? 25 Q (By Mr. Hill) I think we were discussing how 26 Whill I think we were discussing how 27 page 1188 28 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages her appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength required—the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. 29 Q Just to make sure I'm clear, the 7 you have conducted any modeling or replicate or verify +- well, let me rephrase that. 20 Hard the applicant proposed a thickness of 546 feet. Is that correct? A Torect. Q Had the application in that you recall? A Yes. Q And in Table 7-3 we'll find that applicant at their model used 145 feet, and then beyond the fault, they added in the extra thickness of -1 believe it's listed as Zone 2. I want to confirm that. Yes, the work of the model was the propheration of the pages and the propheration of the pages and the propheration of the page and the propheration of the page and the propherati				
8 calculation that I asked them to correct. I could 9 look at a copy of the NOD if it's been put in the record. Q I'd be more than happy to have you look at it if it will refresh your recollection. A Okay. 15 While we find it? 16 IJUDGE WALSTON: Sure. We'll go off the record. Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. Q (By Mr. Hill) I think we were discussing how Page 1188 1 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength occomes into play in calculating the pressure required—the resistance pressure of the mud left in an abandoned borchole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 - you have not conducted any modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling or Q At any point even up until today. A Yes. Q At any point even up until today. A Yes. Q At any point even up until today. A Yes. Q At any point even up until today. A Yes. Q And where in the applicant proposed a thickness of 546 feet. Is that correct? A Correct. Q Had the applicant the application that you recall? A Cerrect. Q And where in the application that you recall? A Yes. Q And where in the application that you recall? A Yes. Q And where in the application that found—resplication that found—resplication that found—to resplain that from eir you don't need to review the application that				
Jook at a copy of the NOD if it's been put in the record. 10 10 10 10 10 10 10 1				
to record. Q I'd be more than happy to have you look at it if it will refresh your recollection. A Okay. A Okay. MR. WILLIAMS: Can we go off the record thile we find it? JUDGE WALSTON: Sure. We'll go off the record. B JUDGE WALSTON: Back on the record. Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Courect. Q And where in the application is that found—or explain that for me if you can, if you don't need to review the application. A It's in Table 7-3 we'll find that applicant assumes injection reservoir thickness of 546 feet? A Total. They used—if we extra thickness —the extra 400—well, the extra thickness —the extra 22 done where it is a same in the analytical assumes in the analytical solution that you recall? A Yes. (Brief Pause) A Courect. A Te's in Table 7-3 we'll find that applicant assumes injection reservoir thickness of 546 feet? A Total. They used—if we extra thickness —the extra 400—well, the extra thickness —the extra 24 done—well, the extra thickness —the extra 24 done—well, the extra thickness —the extra 25 listed as Zone 2. I want to confirm that. Yes, the Page 1190 have not conducted in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 — you have conducted any modeling to replicate or verify —well, let me rephrase that. Have you conducted any modeling to replicate or verify—well, let me rephrase that. Have you conducted any modeling to replicate or verify—well, let me rephrase that. Have you conducted any modeling to replicate or verify—well, let me rephrase that. Have you conducted any modeling to replicate or verify—well, let me rephrase that. Have you conducted any modeling to replicate or verify—well, let me rephrase that. Have you conducted any modeling to				
1 1 Q I'd be more than happy to have you look at it 1 it will refresh your recollection. 1 A Okay. 1 MR. WILLIAMS: Can we go off the record 1 while we find it? 1 JUDGE WALSTON: Sure. We'll go off the 1 record. 1 JUDGE WALSTON: Back on the record. 2 Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? 2 A Yes. 2 A Yes. 2 (Brief Pause) 2 A Yes. 2 (Brief Pause) 3 C (Jould you please remind me of the question? 2 Q (By Mr. Hill) I think we were discussing how 2 a gency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. 3 A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 2d pounds per 100 comes into play in calculating the pressure required — the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. 3 Q Just to make sure I'm clear, the 7 — you have conducted any modeling to replicate or verify — well, let me rephrase that. 4 Have you conducted any modeling to replicate or verify — well, let me rephrase that. 5 Have you conducted any modeling to replicate or verify — A You mean during my technical review? 5 Q At any point even up until today. 5 Q And where in the applicant proposed a thickness of 26 feet: and where in the applicant proposed a thickness of 2 A Tesa. 5 A Tesa. Trable 7-3 we'll find that applicant assumes injection reservoir thickness of 546 feet: and then beyond the fault, they added in the extra thickness or — 1 believe it's listed as Zone 2. I want to confirm that. Yes, the 2 supplicant your and the PRESS model is concerned, in the analytical solution as an overall injection thickness of 546 feet. 6 Q And so were you to account for that in an analytical solution as an overall injection thickness of 546 feet. 8 A Fes. Q A tany point even up until today. 9 Q At any point even up until today. 1 A Yes. 1 Is a Correct. 1 A Correct. 1 A Yes. 2				
12 if it will refresh your recollection. 13 A Okay. 14 MR. WILLIAMS: Can we go off the record. 15 While we find it? 16 JUDGE WALSTON: Sure. We'll go off the record. 17 record. 18 (Brief Pause) 19 JUDGE WALSTON: Back on the record. 20 Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? 21 A Yes. 22 A Could you please remind me of the question? 22 A Could you please remind me of the question? 23 (Brief Pause) 24 A Could you please remind me of the question? 25 Q (By Mr. Hill) I think we were discussing how 26 A Could you please remind me of the question? 27 A Total. They used — it's my understanding that their model used 145 feet, and then beyond the fault, they added in the extra thickness of — I believe it's listed as Zone 2. I want to confirm that. Yes, the pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 comes into play in calculating the pressure or equired — the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. 20 Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. 21 A Yes. 22 Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, and so that's where it factors in. 21 A Total. They used — it's my understanding that their model used 145 feet, and then beyond the fault, they added in the extra thickness of 546 feet? 23 A Total. They used — it's my understanding that their model used 145 feet, and then beyond the fault, they added in the extra thickness of — I believe it's listed as Zone 2. I want to confirm that. Yes, the pages referenced in my NOD item list 20 pounds per 100 and pressure model in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 and pressure model in governable to model in the NOD response, because both of the pages of the model of the pressure of the	11			
A Okay. MR. WILLIAMS: Can we go off the record while we find it? JUDGE WALSTON: Sure. We'll go off the record. (Brief Pause) Q (By Mr. Hill) Do you have those notices of efficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 Page 1188 Page 1188 Page 1188 Page 2188 A Tis in Table 7-3. Q And in Table 7-3. A Total. They used – it's my understanding that their model used 15et, and then beyond the fault, they added in the extra thickness - the extra day on well, the extra thickness of -1 believe it's listed as Zone 2. I want to confirm that. Yes, the pages per appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required — the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 – you have not conducted any modeling to replicate or verify — well, let me rephrase that. Ha Yes. Q And where in the application is that found — or explain that for me if you can, if you don't need to review the applicant assumes injection reservoir thickness of 546 feet? A Total. They used – it's my understanding that their model used 15et, and then beyond the fault, they added in the extra thickness of – I believe it's listed as Zone 2. I want to confirm that. Yes, the Page 1190 400 – well, the extra thickness of – I believe it's appropriate to consider what the applicant assumes and a pressure model is concerned, in the analytical solution that you reall? A Yes. Q Just to make sure I'm clear, the 7 – you have not conducted any modeling to replicate or verify the applicant's many the confirm that Yes, the Page 1190 A Yes. Q And so if I understand your testimony correctly, as far as thickness of 145 feet that their model used 14s feet, and then b		113		
MR WILLIAMS: Can we go off the record will we find it? Will we find it? We'll go off the record. Bife Pause) JUDGE WALSTON: Back on the record. Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. Brief Pause) A Yes. (Brief Pause) A Yes. A Ye	13	•		
while we find it? IJUDGE WALSTON: Sure. We'll go off the record. (Brief Pause) JUDGE WALSTON: Back on the record. Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required - the resistance pressure of the mud left in an abandoned borehole, and so that source is the applicant interest of the cone of influence of the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify weell, let me rephrase that. Have you cona, if you don't need to reveive the application. A It's in Table 7-3. A It's in Table 7-3. A Total. They used it's my understanding that they added in the extra thickness of -I believe it's listed as Zone 2. I want to confirm that. Yes, the Page 1188 Page 1190 400-foot thickness of Zone 2. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model assumes an injection reservoir thickness of 145 feet that then beyond the fault, they added in the extra thickness of 145 feet that then beyond the fault, they added in the extra thickness of 145 feet, and then beyond the fault, they added in the extra thickness of 145 feet, and then beyond the fault, they added in the extra thickness of 145 feet, and then beyond the fa		•		
JUDGE WALSTON: Sure. We'll go off the record. (Brief Pause) JUDGE WALSTON: Back on the record. (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure or formation pressure modeling to replicate or verify well, let me rephrase that. A Yes. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling for replicate or verify well, let me rephrase that. Have you conducted any modeling for replicate or verify well, let me rephrase that. Have you conducted any modeling? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done?				
to review the application. 18	16		16	
18	17			
Q (By Mr. Hill) Do you have those notices of deficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required — the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 — you have not conducted any modeling - formation pressure modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling to replicate or verify - well, let me rephrase that. Have you conducted any modeling to replicate or verify - well, let me rephrase that. A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? A Yes. Q And when was that done?	18	(Brief Pause)	18	A It's in Table 7-3.
deficiency or notice of deficiency in front of you? A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 Page 1188 Page 1188 Page 1188 Page 1189 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done?	19	JUDGE WALSTON: Back on the record.	19	Q And in Table 7-3 we'll find that applicant
A Yes. (Brief Pause) A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? that their model used 145 feet, and then beyond the fault, they added in the extra thickness or the efault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of the fault, they added in the extra thickness of 200 and the confirm that. Yes, the 400 well, the extra thickness of 20 on 2. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model doesn't have the beyind a fault displ	20			assumes injection reservoir thickness of 546 feet?
24 A Could you please remind me of the question? 25 Q (By Mr. Hill) I think we were discussing how Page 1188 1 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure or required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify weil, let me rephrase that. Have you conducted any modeling to replicate or verify weil, let me rephrase that. Have you conducted any modeling to replicate or verify snew assumed cone of influence of 750 feet? A You mean during my technical review? A Yes. Q And when was that done? 23 fault, they added in the extra thickness of -1 believe it's listed as Zone 2. I want to confirm that. Yes, the 4 400 well, the valded in the extra thickness of -1 believe it's listed as Zone 2. I want to confirm that. Yes, the 4 400 - ovell, the extra thickness of -1 believe it's listed as Zone 2. I want to confirm that. Yes, the 4 400-foot thickness of Zone 2. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an	21			A Total. They used it's my understanding
A Could you please remind me of the question? Q (By Mr. Hill) I think we were discussing how Page 1188 Page 1188 Page 1188 Page 1190 1 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. A You mean during my technical review? A You mean during my technical review? A Yes. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS2 model, it's appropriate to consider what the applicant repoposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as	22			
25 Q (By Mr. Hill) I think we were discussing how Page 1188 Page 1188 Page 1190 1 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify snew assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? 25 listed as Zone 2. I want to confirm that. Yes, the Page 1190 400-foot thickness of Zone 2. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of Jone 2. Q And so if I understand your testimony of correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model is concerned, in the analytical solution that you ran, the PRESS model is concerned, in the analytical solution that you ran, the PRESS model of left in the solution that you ran, the PRESS model of left in the solution at an injection reservoir thickness of Jone 2. Q Ayes. The PRESS model doesn't have the capability the PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay.	23	,		
Page 1188 Page 1188 Page 1190 the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure comes into play in calculating the pressure in a bandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling formation pressure modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase day. A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? Page 1190 400-foot thickness of Zone 2. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESSZ model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model doesn't have the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place with respect to what would be WDW-410		J 1		
the issue of the mud gel strength was addressed by the agency under notices of deficiency and how the amended or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling to replicate or verify well, let me rephrase that. A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q You have conducted that modeling? A Yes. Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model assumes a homogenous for the verify in an analytical solution as an overall injection thickness of 546 feet. A Yes. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in p	25	Q (By Mr. Hill) I think we were discussing how	25	listed as Zone 2. I want to confirm that. Yes, the
2 agency under notices of deficiency and how the amended 3 or different information provided by the applicant 4 impacted your assessment of the cone of influence. 5 A The pages here appear to be pages that were 6 updated in the NOD response, because both of the pages 7 referenced in my NOD item list 20 pounds per 100 8 square feet as the gel strength. The gel strength 9 comes into play in calculating the pressure 10 required the resistance pressure of the mud left in 11 an abandoned borehole, and so that's where it factors 12 in. 13 Q Just to make sure I'm clear, the 7 you 14 have not conducted any modeling to replicate or 15 Verify well, let me rephrase that. 16 Have you conducted any modeling 17 formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? 19 A You mean during my technical review? 20 Q At any point even up until today. 21 A Yes. 22 Q You have conducted that modeling? 23 A Yes. 24 Q And when was that done? 25 Q And so if I understand your testimony correctly, as far as thickness assumptions and a pressure model is concerned, in the analytical solution that you ran, the PRESS model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overal		Page 1188		Page 1190
or different information provided by the applicant impacted your assessment of the cone of influence. A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify well, let me rephrase that. A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? Jacobra or referenced, in the analytical solution that you ran, the PRESS model, it's appropriate to consider what the applicant the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place with respect to what would be WDW-410 as there would be if	1	the issue of the mud gel strength was addressed by the	1	
4 impacted your assessment of the cone of influence. 5 A The pages here appear to be pages that were 6 updated in the NOD response, because both of the pages 7 referenced in my NOD item list 20 pounds per 100 8 square feet as the gel strength. The gel strength 9 comes into play in calculating the pressure 10 required the resistance pressure of the mud left in 11 an abandoned borehole, and so that's where it factors 12 in. 13 Q Just to make sure I'm clear, the 7 you 14 have not conducted any modeling to replicate or 15 verify well, let me rephrase that. 16 Have you conducted any modeling to replicate or verify well, let me rephrase that. 18 applicant's new assumed cone of influence of 750 feet? 19 A You mean during my technical review? 20 Q At any point even up until today. 21 A Yes. 22 Q You have conducted that modeling? 24 Q And when was that done? 24 pressure model is concerned, in the analytical solution that you ran, the PRESS2 model, it's appropriate to consider what the applicant ryon to account for that in an analytical solution as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection that von an analytical solution as an overall injection that in an analytical solution as an overall injection that von an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall injection that von an analytical solution as an overall von an analytical solution as an overall von an	2	agency under notices of deficiency and how the amended	2	Q And so if I understand your testimony
A The pages here appear to be pages that were updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling or formation pressure modeling to replicate or verify well, set me rephrase that Have you conducted any modeling to replicate or verify well, set me rephrase that A You mean during my technical review? A You mean during my technical review? A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? Solution that you ran, the PRESS2 model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection that you ran, the PRESS2 model, it's appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place wi	3		3	
updated in the NOD response, because both of the pages referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A Yes. A Yes. A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? appropriate to consider what the applicant proposes as an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir that in an analytical solution as an overall injection that in				
referenced in my NOD item list 20 pounds per 100 square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? A Yes. Q You have conducted that modeling? A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? an injection reservoir thickness of 145 feet that then beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection that in an analytical solution as an overal				
square feet as the gel strength. The gel strength comes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? Beyond a fault displaces into an injection reservoir of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place with respect to what would be WDW-410 as there would be if				
omes into play in calculating the pressure required the resistance pressure of the mud left in an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? 9 of 401 feet; it's appropriate for you to account for that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 23 they're not the same safety checks in place with respect to what would be WDW-410 as there would be if				
that in an analytical solution as an overall injection that in an analytical solution as an overall injection that in an analytical solution as an overall injection thickness of 546 feet. A Yes. The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? that in an analytical solution as an overall injection thickness of 546 feet. A Yes. A Yes. Q Okay. The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place with respect to what would be WDW-410 as there would be if				
an abandoned borehole, and so that's where it factors in. Q Just to make sure I'm clear, the 7 you have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? A You mean during my technical review? A Yes. Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? L1 thickness of 546 feet. A Yes. The PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. D Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 23 they're not the same safety checks in place with respect to what would be WDW-410 as there would be if		1		
12 in. Q Just to make sure I'm clear, the 7 you 14 have not conducted any modeling to replicate or 15 verify well, let me rephrase that. 16 Have you conducted any modeling 17 formation pressure modeling to replicate or verify the 18 applicant's new assumed cone of influence of 750 feet? 19 A You mean during my technical review? 20 Q At any point even up until today. 21 A Yes. 22 Q You have conducted that modeling? 23 A Yes. 24 Q And when was that done? 12 A Yes. The PRESS model doesn't have the 25 capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the 26 parameters. 27 Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? 28 A Yes. 29 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 28 A Yes. 29 Q And when was that done? 20 And when was that done? 21 A Yes. 22 The PRESS model doesn't have the capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. 29 Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? 29 A Yes. 20 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 29 A Yes. 20 Q And when was that done? 21 A Yes. 22 Q And when was that done? 23 A Yes.		1		J
13 Q Just to make sure I'm clear, the 7 you 14 have not conducted any modeling to replicate or 15 verify well, let me rephrase that. 16 Have you conducted any modeling 17 formation pressure modeling to replicate or verify the 18 applicant's new assumed cone of influence of 750 feet? 19 A You mean during my technical review? 20 Q At any point even up until today. 21 A Yes. 22 Q You have conducted that modeling? 23 A Yes. 24 Q And when was that done? 25 A Yes. 26 Q And when was that done? 27 Capability the PRESS model assumes a homogenous reservoir, and it can only accept one value for the parameters. 26 Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? 27 A Yes. 28 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 27 they're not the same safety checks in place with respect to what would be WDW-410 as there would be if				
have not conducted any modeling to replicate or verify well, let me rephrase that. Have you conducted any modeling Have you were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A You mean during my technical review? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no Have yes and the yes and yes				
15 verify well, let me rephrase that. 16 Have you conducted any modeling 17 formation pressure modeling to replicate or verify the 18 applicant's new assumed cone of influence of 750 feet? 19 A You mean during my technical review? 10 Q At any point even up until today. 11 A Yes. 12 Q You have conducted that modeling? 13 A Yes. 14 Q And when was that done? 15 parameters. 16 Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? 18 A Yes. 19 A Yes. 20 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 21 A Yes. 22 Q And when was that done? 23 A Yes. 24 Q And when was that done? 25 A Yes. 26 Q And when was that done? 27 And when was that done? 28 A Yes. 29 And when was that done? 29 And when was that done? 20 Dear You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? 29 A Yes. 20 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 20 And when was that done? 21 A Yes. 22 Yes. 23 They're not the same safety checks in place with respect to what would be WDW-410 as there would be if		·		1 7
Have you conducted any modeling formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? A Q Okay. You were present for the testimony of Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no they're not the same safety checks in place with respect to what would be WDW-410 as there would be if		, , ,		
formation pressure modeling to replicate or verify the applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? A Mr. Grant yesterday evening, if I recall. Is that correct? A Yes. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 23 A Yes. Q And when was that done? A Wr. Grant yesterday evening, if I recall. Is that correct? 29 A Yes. 20 Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no 23 they're not the same safety checks in place with respect to what would be WDW-410 as there would be if	1 S	• •		
applicant's new assumed cone of influence of 750 feet? A You mean during my technical review? Q At any point even up until today. A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? A Yes. A		j		
19 A You mean during my technical review? 20 Q At any point even up until today. 21 A Yes. 22 Q You have conducted that modeling? 23 A Yes. 24 Q And when was that done? 29 A You mean during my technical review? 20 Q And so were you able to understand his 21 ultimate concerns regarding the lack of, I'll call it, 22 safety checks or his concerns that there are no 23 they're not the same safety checks in place with 24 respect to what would be WDW-410 as there would be if				
Q At any point even up until today. Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, ultimate concerns regarding the lack of, I'll call it, safety checks or his concerns that there are no and Yes. A Yes. A Yes. And when was that done? And when was that done? Q And so were you able to understand his ultimate concerns regarding the lack of, I'll call it, and the safety checks or his concerns that there are no and the year of the same safety checks in place with and the year of the same safety checks in place with and the year of the same safety checks in place with and the year of year of the year of year of the year of the year of the year of year	19	11		
A Yes. Q You have conducted that modeling? A Yes. Q And when was that done? 21 ultimate concerns regarding the lack of, I'll call it, 22 safety checks or his concerns that there are no 23 they're not the same safety checks in place with 24 respect to what would be WDW-410 as there would be if		ε ,		
Q You have conducted that modeling? 2 safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks in place with 3 heaving a safety checks in place with 4 heaving a safety checks in place with 4 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that there are no 2 heaving a safety checks or his concerns that the	21			
A Yes. 23 they're not the same safety checks in place with Q And when was that done? 24 respect to what would be WDW-410 as there would be if	2.2			
Q And when was that done? 24 respect to what would be WDW-410 as there would be if	23			
	24			
	25			

10 (Pages 1187 to 1190)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

at any time the operator cannot assure the continuous attainment of the performance standard in 331.62(5) of this title (relating to Construction Standards), the Executive Director may require a corrective action plan and compliance schedule. The operator must demonstrate compliance schedule. The operator must demonstrate compliance schedule. The operator must demonstrate compliance of the performance standard in 331.62(5) of this title (relating to Construction Standards), the Executive Director may require a corrective action plan and compliance schedule. The operator must demonstrate compliance schedule. The operator must demonstrate compliance of the performance standard in 331.62(5) of this title (relating to Construction Standards), the Executive Director also operation of the well. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the plan and compliance schedule. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The operator must demonstrate compliance of the performance standard. The commission of the well to insure the continuous demonstrate compliance of the performance standard. The performance standard operation of the well to insure the continuous demonstrate, on the well to insure the continuous demonstrate, on the well to insure the continuous attainment of the performance standard. The commission may order closure of the well in performance standard in the standa				
2 asked? Q Yes, ma'am. A Theard his concerns. Q Okay. And did you understand his concerns to be that twith respect to the well that would be permitted as WDW-410, that there is not a requirement in TCEQ rules that that well be required to be perforated before its put into operation and that those — that new perforated injection interval be subject to fall-off testing by the Commission before the well is put into operation? A Theard that that was Phil Grant's concern. B A Theard that that was Phil Grant's concern. A Theory that it is put into operation? A Theard that that was phil Grant's concern. A The Commission for receiving approval of continued as a condition for receiving approval of continued demonstrate compliance schedule. The operator must demonstrate co		Page 1191		Page 1193
Q Yes, ma'am. A I heard his concerns. Q Okay. And did you understand his concerns to be that with respect to the well that would be perforated as WDW-410, that there is not a requirement in TCEQ rules that that well be required to be perforated before it's put into operation and that those—that new perforated injection interval be subject to fall-off testing by the Commission before the well is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not far enough to determine, with any amount of reliability, whether the fault to the south is a true that leaves the issue in the discretion of the Executive Director also operation of the well. The Executive Director satisfaction, the Executive Director also operation of the well. The Executive Director also operation of the well. The Executive Director satisfaction, the Executive Director also operation of the well. The Executive Director also operation of the well in the performance standard. The Commission may require permit changes to provide for additional testing and/or monitoring of the well to insure the continuous attainment of the perforance standard. The Commission may require permit changes to provide for additional testing and/or monitoring of the well to remission may require permit changes to provide for additional testing and/or monitoring of the well				
4				
Definited as WDW-410, that there is not a requirement in TCEQ rules that that well be required to be perforated before it's put into operation and that those — that new perforated injection interval be subject to fall-off testing by the Commission before the well is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his to so the agency probably, in his opinion, would not require a radius of investigation that would extend fa far enough to determine, with any amount of require a radius of investigation that would extend fa far enough to determine, with any amount of ability, whether the fault to the south is a list to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for the that commission's rules adequately account for the that commission's rules adequately account for the fault to Commission's rules adequately account for the fault to Commission's rules adequately account for the that the Commission's rules adequately account for the well in the performance standard as a condition for receiving approval of continued operation of the well. The Executive Director also may require permit changes to provide for additional testing and/or monitoring of the well to insure the continuous attainment of the performance standard. The Commission' - and then there's some other parts that - I'll just finish it. "The Commission may require permit changes to provide for additional testing and/or monitoring of the well it for the continuous attainment of the performa				
be that with respect to the well that would be permitted as WDW-410, that there is not a requirement in TCEQ rules that that well be required to be perforated before it's put into operation and that those—that new perforated injection interval be subject to fall-off testing by the Commission before the well is put into operation? A heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a priciability, whether the fault to the south is a discretion on this subject. A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding this concerns with the transmissive nature of the discretion on this subject. Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe the performance standard is as condition for receiving approval of continued as condition for receiving approval of continued as conditional testing and/or monitoring of the well to insure the continuous attainment of the performance standard. The Commission's in the then'te's sa one other pars that -I'll just finish it. "I'll commission made then there's some other pars the testing and/or monitoring of the well to insure the continuous attainment of the performance standard is satisfied." The Commission's in the nuther's some other pars the testing and/or monitoring of the well to insure the				
permitted as WDW-410, that there is not a requirement in TCEQ rules that that well be required to be perforated before it's put into operation and that those — that new perforated injection interval be perforated before it's put into operation? A I heard that that was Phil Grant's concern. A I heard that that was Phil Grant's concern. A I heard that that was Phil Grant's concern. B A I heard that that was Phil Grant's concern. B A I heard that that was Phil Grant's concern. B A I heard that that was Phil Grant's concern. B A I heard that that was Phil Grant's concern. B A I heard that that was Phil Grant's concern. B A I didn't investigation that would extend that — transmissive pressure — is transmissive to pressure or acts as a pressure barrier? B A I didn't interpret his testimony that way. B A I didn't interpret his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault B A I heard his testimony. B A I heard his testimon				
in TCEQ rules that that well be required to be perforated before it's put into operation and that to those — that new perforated injection interval be subject to fall-off testing by the Commission before the well is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of require a radius of investigation that would extend far enough to determine, with any amount of require a radius of investigation that would extend this reliability, whether the fault to the south is a pressure barrier? A I didn't interpet his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well interpet his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the Commission's rules				
perforated before it's put into operation and that 10 those that new perforated injection interval be 11 subject to fall-off testing by the Commission before 12 the well is put into operation? 12 The Commission " and then there's some other parts that I'll just finish it. "The Commission may offer loss that I'll just finish it. "The Commission may offer				
those that new perforated injection interval be subject to fall-off testing by the Commission before the the bull is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a roll that leaves the issue in the discretion of the satisfaction, that the performance standard is satisfaction. Q Would you agree that based on your understanding of how that rule operates, that the laceves the issue in the discretion of the Executive Director? A I believe the Executive Director? A I believe the Executive Director satisfaction, that the performance standard. Page 1192 Page 1 that lies approximately 4,400 feet to the south of determine with some reliability whet				
subject to fall-off testing by the Commission before the well is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of trainsmissive pressure - is transmissive pressure - is				
the well is put into operation? A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a transmissive pressure is transmissive to pressure of the faults to the south, specifically the east-west fault A I didn't interpret his testimony regarding his faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the Commission's and then there's some other parts that I'll just finish it. "The Commission fails to order closure of the well if the operator fails to order closure of the well if the operator fails to demonstrate, to the Executive Director's attatheney are performence standard is satisfied." Q Would you agree that based on your understanding in how that rule operates, that this is a rule that leaves the issue in the discretion of the Executive Director? A I delive the Executive Director? A I believe the Executive Director has discretion on this subject. Q Okay. What I'm curious to know, if there's a rule that you can point to and let's do this: Since there's a cross-reference to 331.62(5) here? A I's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance s				
A I heard that that was Phil Grant's concern. Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a preisability, whether the fault to the south is a or at sa a a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the well WDW-315? A I heard that that was Phil Grant's concerns. A I heard that that was Phil Grant's concerns. L 3 that I'll just finish it. "The Commission may order closure of the well if the operator fails to demonstrate, to the Executive Director's satisfaction, that the performance standard is satisfied." Q Would you agree that based on your understanding of how that rule operates, that his is a rule that leaves the issue in the discretion of the Executive Director? A I didn't interpret his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony that way. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the Commission's rules adequately account for that the Commission's rules adequately account for that the performance standard. It that the performance hands a pressure brief that the performance hands a rule that leaves the issue in the discretion of the Executive Director? A I believe the Executive Director? A I believe the Executive Director has discretion on				
Q Okay. And did you also understand his concerns that a fall-off test that might be required by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a transmissive pressure is transmissive to pressure or acts as a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the performance standard is satisfied." Q Would you agree that based on your understanding of how that rule operates, that this is a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that leeves the issue in the discretion of the Executive Director's a rule that value and executive Director's a rule that value and executive Director's a rule		1 1		
demonstrate, to the Executive Director's satisfaction, that the performance standard is satisfied." To require a radius of investigation that would extend the far enough to determine, with any amount of reliability, whether the fault to the south is a transmissive pressure — is transmissive to pressure transmissive pressure——is transmissive to pressure or acts as a pressure barrier? A I didn't interpret his testimony that way. Gokay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Gokay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? Qokay. Do I understand your position to be that the Commission's rules adequately account for that the performance standard is satisfied." Qokay doul you agree that based on your understanding of how that rule operates, that this is a rule that leaves the issue in the discretion of the Executive Director? A I believe the Executive Director has discretion on this subject. Qokay. What I'm curious to know, if there's a rule that you can point to — and let's do this: Since there's a cross-reference to 331.62(5), can you are that leaves the issue in the discretion of the Executive Director? A I believe the Executive Director? A I believ				
by the agency probably, in his opinion, would not require a radius of investigation that would extend far enough to determine, with any amount of reliability, whether the fault to the south is a transmissive pressure is transmissive to pressure or acts as a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault by the agency probably, in his opinion, would not require a radius of investigation that would extend the sound have an understand in statisfied." Q Would you agree that based on your understanding of how that rule operates, that this is a rule that leaves the issue in the discretion of the Executive Director? A I believe the Executive Director has discretion on this subject. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for freshwater aquifers, and to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.				
17 require a radius of investigation that would extend 18 far enough to determine, with any amount of 19 reliability, whether the fault to the south is a 20 transmissive pressure is transmissive to pressure 21 or acts as a pressure barrier? 22 A I didn't interpret his testimony that way. 23 Q Okay. Did you hear his testimony regarding 24 his concerns with the transmissive nature of the 25 faults to the south, specifically the east-west fault 26 that lies approximately 4,400 feet to the south of 27 well WDW-315? 28 A I heard his testimony. 39 A I heard his testimony. 40 Qokay. And did you understand him to say that 55 there was a way, through fall-off testing, if 66 conducted under the appropriate parameters, to 77 determine with some reliability whether that fault is, 81 in fact, transmissive to pressure or whether it acts 99 as a pressure boundary? 100 A Yes. 110 Q Okay. Do I understand your position to be 111 that Commission's rules adequately account for 122 that Commission's rules adequately account for 133 Mr. Grant's concerns as they exist today? 144 A I believe the Executive Director? 25 A I believe the Executive Director has discretion on this subject. 265 Q Okay. What I'm curious to know, if there's a rule that you can point to and let's do this: 275 Since there's a cross-reference to 331.62(5), can you 286 Page 1192 29 Executive Director? 20 Qokay. What I'm curious to know, if there's a rule that you can point to and let's do this: 29 Since there's a cross-reference to 331.62(5) here? 20 A It's titled the "Construction performance standard." 21 Q Okay. Are you able to find 331.62(5) here? 22 A It's titled the "Construction performance standard." 23 A Yes. It's 62, parentheses, (5). 24 Q Okay. Since there's a cross-reference to 331.62(5) here? 35 A It's titled the "Construction performance standard." 36 Q Okay. Are you able to find 331.62(5)? 37 A Yes. It's 62, parentheses, (5). 38 A "All Class" - "Construction performance standard." 39 A "All Class" - "Construction performance standard." 40 Q		C 1		
18 far enough to determine, with any amount of reliability, whether the fault to the south is a 20 transmissive pressure is transmissive to pressure 21 or acts as a pressure barrier? 22 A I didn't interpret his testimony that way. 23 Q Okay. Did you hear his testimony regarding 24 his concerns with the transmissive nature of the 25 faults to the south, specifically the east-west fault 25 multiply and that lies approximately 4,400 feet to the south of 2 well WDW-315? 3 A I heard his testimony. 4 Q Okay. And did you understand him to say that 5 there was a way, through fall-off testing, if 6 conducted under the appropriate parameters, to 7 determine with some reliability whether that fault is, 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 4 A Yes. 10 Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 Mr. Grant's concerns as they exist today? 15 doubt a facility with the reliability of south of 20 key. And believe the fault to the south of 20 kexecutive Director has 20 Executive Director? 20 Executive Director? 21 A I believe the Executive Director has discretion on this subject. 22 discretion on this subject. 23 Q Okay. What I'm curious to know, if there's a rule that leaves the issue in the discretion of the Executive Director? 21 A I believe the Executive Director? 21 A I believe the Executive Director has discretion on this subject. 24 rule that leaves the issue in the discretion of the Executive Director? 21 A I believe the Executive Director? 22 discretion on this subject. 23 Q Okay. What I'm curious to know, if there's a rule that leaves the issue in the discretion? 4 I believe the Executive Director? 21 A It's titled the "Consure to a standard." 4 Page 1192 Page				
reliability, whether the fault to the south is a transmissive pressure is transmissive to pressure or acts as a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe the Executive Director has discretion on this subject. A I believe the Executive Director has discretion on this subject. A I believe the Executive Director has discretion on this subject. A I believe the Executive Director has discretion on this subject. Q Okay. What I'm curious to know, if there's a rule that you can point to and let's do this: Since there's a cross-reference to 331.62(5), can you problem to a cross-reference to 331.62(5), can you standard. Page 1 explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe the Executive Director has discretion on this subject. Q Okay. Are you able to find 331.62(5) here? A "All Class" "Constru				
transmissive pressure is transmissive to pressure or acts as a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding this concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe the Executive Director? A I believe the Executive Director has discretion on this subject. 2 discretion on this subject. 2 dosay. What I'm curious to know, if there's a rule that you can point to and let's do this: 2 Since there's a cross-reference to 331.62(5), can you rule that you can point to and let's do this: 2 a rule that you can point to and let's do this: 2 b A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." Q Is there any understanding I'm curious				
or acts as a pressure barrier? A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for the the rule into the record? A I believe the Executive Director and let's dothis: A I believe the Executive Director and let's do				
A I didn't interpret his testimony that way. Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for the fault is and the Commission's rules adequately account for the fault is along the borehole out of the injection zone." A I believe they do. A I didn't interpret his testimony regarding that rule into this subject. Q Okay. What I'm curious to know, if there's a rule that you can point to and let's do this: Since there's a cross-reference to 331.62(5), can you Page 1192 Page 1 c explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all cassings shall be camented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.		1 1		
Q Okay. Did you hear his testimony regarding his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for A I believe they do. A I believe they do. Q Okay. Did you hear his testimony regarding his concerns as they exist today? Q Okay. What I'm curious to know, if there's a rule that you can point to and let's do this: Since there's a cross-reference to 331.62(5), can you Page 1 explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.		1		
his concerns with the transmissive nature of the faults to the south, specifically the east-west fault Page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for the faults of the fault is, along the borehole out of the injection zone." A I believe they do. Page 1192 Page 1 explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.		1		
page 1192 that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the Commission's rules adequately account for A I believe they do. Page 1192 Page 1 explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.				
Page 1192 1 that lies approximately 4,400 feet to the south of well WDW-315? 3 A I heard his testimony. 4 Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for that the Commission's rules adequately account for A I believe they do. Page 1192 Explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.				
that lies approximately 4,400 feet to the south of well WDW-315? A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Do I understand your position to be that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe they do. 1 explain for me the applicability of 331.62(5) here? A It's titled the "Construction performance standard." Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do.	25	faults to the south, specifically the east-west fault	25	Since there's a cross-reference to 331.62(5), can you
2 well WDW-315? 3 A I heard his testimony. 4 Q Okay. And did you understand him to say that 5 there was a way, through fall-off testing, if 6 conducted under the appropriate parameters, to 7 determine with some reliability whether that fault is, 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 2 A It's titled the "Construction performance standard." 4 Q Okay. Are you able to find 331.62(5)? 5 A Yes. It's 62, parentheses, (5). 6 Q Correct. Would you mind going ahead and reading that rule into the record? 8 A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 14 A I believe they do.		Page 1192		Page 1194
2 well WDW-315? 3 A I heard his testimony. 4 Q Okay. And did you understand him to say that 5 there was a way, through fall-off testing, if 6 conducted under the appropriate parameters, to 7 determine with some reliability whether that fault is, 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 2 A It's titled the "Construction performance standard." 4 Q Okay. Are you able to find 331.62(5)? 5 A Yes. It's 62, parentheses, (5). 6 Q Correct. Would you mind going ahead and reading that rule into the record? 8 A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 14 A I believe they do.	1	that lies approximately 4,400 feet to the south of	1	explain for me the applicability of 331.62(5) here?
A I heard his testimony. Q Okay. And did you understand him to say that there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Okay. Are you able to find 331.62(5)? A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard." A Yes. B A Yes. It's 62, parentheses, (5). C Correct. Would you mind going ahead and reading that rule into the record? B A "All Class" "Construction performance standard." A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." A I believe they do. Q Is there any understanding I'm curious	2		2	
4 Q Okay. And did you understand him to say that 5 there was a way, through fall-off testing, if 6 conducted under the appropriate parameters, to 7 determine with some reliability whether that fault is, 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Are you able to find 331.62(5)? 12 A Yes. It's 62, parentheses, (5). 13 Q Correct. Would you mind going ahead and 14 reading that rule into the record? 15 A "All Class" "Construction performance 16 standard. All Class I wells shall be cased and all 17 casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or 18 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 19 A I believe they do. 10 Q Is there any understanding I'm curious	3	A I heard his testimony.	3	
there was a way, through fall-off testing, if conducted under the appropriate parameters, to determine with some reliability whether that fault is, in fact, transmissive to pressure or whether it acts as a pressure boundary? A Yes. Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe they do. A Yes. A Yes. It's 62, parentheses, (5). Q Correct. Would you mind going ahead and reading that rule into the record? A "All Class" "Construction performance standard. All Class I wells shall be cased and all casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." Q Is there any understanding I'm curious	4		4	Q Okay. Are you able to find 331.62(5)?
7 reading that rule into the record? 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 7 reading that rule into the record? 8 A "All Class" "Construction performance 9 standard. All Class I wells shall be cased and all 10 casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or 12 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 14 Q Is there any understanding I'm curious	5	there was a way, through fall-off testing, if	5	
7 determine with some reliability whether that fault is, 8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 7 reading that rule into the record? 8 A "All Class" "Construction performance 9 standard. All Class I wells shall be cased and all 10 casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or 12 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 13 Q Is there any understanding I'm curious	6	conducted under the appropriate parameters, to	6	Q Correct. Would you mind going ahead and
8 in fact, transmissive to pressure or whether it acts 9 as a pressure boundary? 10 A Yes. 11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 8 A "All Class" "Construction performance 9 standard. All Class I wells shall be cased and all 10 casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or 12 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 13 Q Is there any understanding I'm curious	7		7	
10 A Yes. Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? A I believe they do. 10 casings shall be cemented to prevent the movement of fluids along the borehole into or between USDWs or 12 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 13 Q Is there any understanding I'm curious	8	in fact, transmissive to pressure or whether it acts	8	A "All Class" "Construction performance
11 Q Okay. Do I understand your position to be 12 that the Commission's rules adequately account for 13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 15 Indicate the borehole into or between USDWs or freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." 16 Q Is there any understanding I'm curious	9	as a pressure boundary?	9	standard. All Class I wells shall be cased and all
that the Commission's rules adequately account for Mr. Grant's concerns as they exist today? A I believe they do. 12 freshwater aquifers, and to prevent movement of fluids along the borehole out of the injection zone." Q Is there any understanding I'm curious	10	A Yes.	10	casings shall be cemented to prevent the movement of
13 Mr. Grant's concerns as they exist today? 14 A I believe they do. 13 along the borehole out of the injection zone." 14 Q Is there any understanding I'm curious	11	Q Okay. Do I understand your position to be	11	fluids along the borehole into or between USDWs or
14 A I believe they do. 14 Q Is there any understanding I'm curious	12	that the Commission's rules adequately account for	12	freshwater aquifers, and to prevent movement of fluids
	13	Mr. Grant's concerns as they exist today?	13	along the borehole out of the injection zone."
15 O Can you exactlically identify for me the TCEO 15 whether or not this provision, you believe would	14		14	Q Is there any understanding I'm curious
μο Q can you specificany ruentry for the the TCEQ μο whether of not this provision, you believe, would	15	Q Can you specifically identify for me the TCEQ	15	whether or not this provision, you believe, would
16 rules that would require TexCom to perforate all 16 apply to requiring TexCom to add perforations to	16	rules that would require TexCom to perforate all	16	apply to requiring TexCom to add perforations to
17 145 feet of the proposed injection interval before 17 WDW-410 before it's put into operation.	17		17	WDW-410 before it's put into operation.
18 WDW-410 is placed into operation? 18 A This particular rule?			18	A This particular rule?
19 A There's a provision in the permit that 19 Q Yes, ma'am.	19	A There's a provision in the permit that	19	Q Yes, ma'am.
incorporates the application by reference, and that 20 A Not in this particular rule.		1 11 ,		
would be a requirement. Also, I think in the rules 21 Q Okay. And so let me what I'm trying to				Q Okay. And so let me what I'm trying to
well, let me look in the rules a little bit. 22 accomplish here is if I understand your position,				
Q Please do. 23 is you believe that Mr. Grant's concerns about the		`		
A One applicable rule is 331 I think it's 24 requirement of fall-off testing are addressed in the				
25 (b) 331.44(b)(7) that requires I'll read it, "If 25 rules. And I'm trying to understand which rules you	25	(b) 331.44(b)(7) that requires I'll read it, "If	25	rules. And I'm trying to understand which rules you

11 (Pages 1191 to 1194)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1195		Page 1197
1	believe would require TexCom to perforate their wells	1	completion versus a workover?
2	and before the well is put into operation and then	2	A I don't you're asking to differentiate
3	subject that new injection reservoir to fall-off	3	between a well completion and a work I see. I
4	testing and scrutiny by the Commission before the well	4	think I under well, as a new permit, a newly issued
5	is put into operation.	5	permit on a well that is currently not permitted, I
6	A Could you please repeat the question?	6	think it could be justified that it falls in the
7	Q Sure. Sure. Let's just break it down. Can	7	category of a new well.
8	you point me to a rule that would require TexCom to	8	Q A new well that has already been completed.
9	add the perforations that they've proposed to add	9	Correct?
10	1	10	A It well, it's a new permit.
11		11	Q Okay. But if I read the rule correctly, the
12	1 , 5	12	rule relates to wells and not necessarily relates
13	J	13	to well completion, not necessarily to permit
14		14	issuance. Is that your understanding of the rule?
15	1 11	15	A (No response)
16		16	Q Is it possible
17		17	A It's
18	,	18	Q I'm sorry. Go ahead and answer.
19		19	A Now I've lost my train
20 21		20	Q Okay. Let me ask you this: Is it possible
21 22		21 22	that 311.65(a) Sub (1) might not apply to WDW-410?
23	1	22 23	A I suppose it could be argued either way. O Okay.
24		23 24	Q Okay. A It was my assumption that it would apply.
25		25	Q Okay. Would you personally be responsible
	Page 1196		Page 1198
1	requirements, the reporting requirements under 331.65.	1	for enforcing 331.65(a)(1) against TexCom and ensuring
2	Q And are you referring specifically to	2	that a fall-off test is conducted before the well is
3	333.65(a) Sub (1)?	3	put into operation?
4	A Yes.	4	A They state in their application that they
5	Q Do you recall when WDW-315 was completed?	5 6	will once permits are issued, they will recomplete
6 7	A I'm not I don't clearly remember the year. O Has it been completed within would it have	7	the well and then perform testing, which, as I recall
8	Q Has it been completed within would it have been completed within 90 days before TexCom could put	8	in their procedures, calls for a pressure fall-off test along with a mechanical integrity test.
9	the well into operation?	9	Q You, personally, would not be responsible for
10		10	enforcing 331.65(a)(1) let me use a different term.
11		11	You, personally, would not be
12		12	responsible for ensuring that TexCom was bound to
13	•	13	331.65(a) (1) if indeed it's determined that for some
14		14	reason what they're proposing to do to the well would
15		15	be a completion, and, thus, would subject them to that
16		16	particular rule, or would that responsibility be left
17		17	to somebody else at the Commission?
18		18	A I may be part of the process, but it wouldn't
19	completed, has it not?	19	be my ultimate my ultimate task.
20	A Yes.	20	MR. HILL: Okay. Thank you,
21		21	Ms. Hoffman. That's all of the questions I have.
22		22	I pass the witness.
23		23	JUDGE WALSTON: Aligned Protestants
24		24	Montgomery County and City of Conroe.
25	in their application that would qualify that well as a	25	MS. STEWART: Thank you, Your Honor.

12 (Pages 1195 to 1198)

Page 1199 Page 1201 1 1 **CROSS-EXAMINATION** Also, in doing my review, I relied on a 2 2 study that was done by Dupont in Orangefield, Texas, BY MS. STEWART: 3 regarding borehole closure, and I relied on that as --Q Good morning, Ms. Hoffman. 3 A Good morning. 4 in determining that abandoned boreholes in the Gulf 4 5 Q My name is Julie Stewart. I represent the 5 Coast area would not be conduits for migration of б Aligned Protestants Montgomery County and City of 6 fluids in this application. 7 Conroe. I have a few questions as -- basically, 7 Q The information you relied on independently 8 follow-up on the documents you've testified that you 8 in your review would not be considered information 9 9 either prepared or assisted in preparing in your that was submitted by TexCom as stated in this 10 10 review of the UIC permit applications. technical summary and preliminary decision. Correct? 11 11 The first document I'd like to ask you A Correct. 12 12 Q The explanations that have been given by about is the technical summary and Executive 13 Director's preliminary decision marked as ED Exhibit TexCom regarding the cone of influence you just 13 14 11. On Page 2 of that document, I have a question 14 mentioned that have occurred during the course of this 15 15 regarding a statement that's contained in that hearing and then your own independent modeling 16 16 category titled "technical information." The concerning the cone of influence, have those 17 statement is "Records of all known artificial 17 explanations and your own independent modeling changed 18 the conclusions that you've reached in this technical 18 penetrations within the area of review were examined." 19 19 And my specific question is: How was this conclusion summary? Has that conclusion changed at all? 20 20 reached? A The -- specifically, what part of the 21 21 A TexCom, in their application, describes the conclusion? 22 22 protocol they used to identify wells and artificial Q The second sentence, that information 23 23 penetrations in the area of review, and they supplied submitted by TexCom demonstrates that all wells 24 24 copies of those records in the application. identified were properly constructed, plugged or 25 MR. RILEY: Ms. Stewart, I'm sorry to 25 abandoned to prevent migration of waste from the Page 1200 Page 1202 1 interrupt. Could you keep your voice up a little bit? injection zone. Has that conclusion changed? 1 2 I'm having trouble hearing down this way. 2 A I would more accurately say that information demonstrates that artificial penetrations will not 3 MS. STEWART: Yes. 3 serve as conduits for migration of, formation or 4 MR. RILEY: Thank you. 4 5 MS. STEWART: Is this better? 5 wastewater into USDWs. MR. RILEY: That's much better. Thank Q Okay. Thank you. I have just a couple of 6 6 7 7 questions about another document that you prepared you. based on your site visit. It's marked as ED-5, the 8 Q (By Ms. Stewart) Aren't there a number of 8 9 9 wells located within the area of review which have no memorandum. Could you please explain the purpose of a 10 10 records from the Railroad Commission? site inspection? 11 A The purpose of a site inspection is stated in 11 A There are. 12 the Texas Water Code Section 27.016. 12 Q Could you also explain how the conclusion was reached that information submitted by TexCom 13 13 O And that is to? 14 14 demonstrates that all wells identified within the area A I need to -- I want to read from --15 of review were properly constructed, plugged or 15 specifically, from that section of the water code. 16 abandoned to prevent migration of waste from the 16 Q Okav. 17 17 A The Texas Water Code Section 27.016 is titled injection zone? 18 A In their application, they demonstrated that 18 "Inspection of Well Location." 19 19 the cone of influence -- this is in the application "On receiving an application for a 20 20 permit, the Executive Director shall have an that I reviewed, the cone of influence was very small, 21 around -- basically, I think around 150 feet, and that inspection made of the location of the proposed 22 the wells within that -- well, they gave an disposal well to determine the local conditions and 23 23 explanation in the course of this hearing regarding the probable effect of the well and shall determine 24 24 the depth of some of those wells for which data wasn't the requirements for the setting of casing, as 25 available. provided in Section 27.051," and so forth "of this

13 (Pages 1199 to 1202)

1 code." 2 Q Okay. Thank you. When you personally made the site inspection to determine the local conditions, what were you looking for as far as criteria in your examination of the site? Corrier to go on in interpreting this law. However, when I - I look to see that it appeared to be an accessible location where equipment could be brought in to drill the new wells. 2 wisit you had mentioned, as you just testified, there wisit you had mentioned, as you just testified, there wisit you had mentioned, as you just testified, there wisit you had mentioned, as you just testified, there wisit you had mentioned, as you just testified in the singection to look at whether there would be completed in the offload waste? 1 A That's not something specified in the statute that ask the Executive Director for you to determine the look at whether there would be looking at the many part in responding to the public comments regarding traffic? A Correct, 1 Q You just read that. Q You just read the province of the proposed will be required. Q You just read that.				
2 Q Okay. Thank you. When you personally made the site inspection to determine the local conditions, what were you looking for as far as criteria in your comments regarding traffic? A Our team doesn't have a lot of specific criteria to go on in interpreting this law. However, when I – Hook to see that it appeared to be an accessible location where equipment could be brought in to drill the new wells. Q I noticed in your memorandum of the site visit you had mentioned, as you just testified, there vould be acceptable access from Creighton Road to bring in the necessary equipment to drill the wells. Would it not be part of your consideration in the inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? A That's not something specified in the statute. You have a lot of specific criteria to go on in interpreting that it appeared to be an accessible location where equipment could be brought in to intil the new wells. A In the course of these proceedings, new the wells that were raelly an assumption or conclusion that statement really an assumption or a conclusion that was based on a review of the records for all the wells that were available? A In the course of these proceedings, new they look and that statement really an assumption or a conclusion that was based on a review of the records for all the wells that were areally an assumption or a conclusion that statement really an assumption or a conclusion that was based on a review of the records for all the wells that were areallable? A In the course of these proceedings, new mentioned carlier. MS STEWART: Thank you, Ms. Hoffman. 15 the course of these proceedings, new mentioned carlier. MS STEWART: Thank you, Ms. Hoffman. 15 the course of these proceedings new that stature. 16 the previous question. In the UIC program, typically we regard		Page 1203		Page 1205
the site inspection to determine the local conditions, what were you looking for as far as criteria in your cxamination of the site? A Our team doesn't have a lot of specific criteria to go on in interpreting this law. However, when I I look to see that it appeared to be an a cacestible location where equipment could be brought in to drill the new wells. I Q I noticed in your memorandum of the site visit you had mentioned, as you just testified, there bring in the necessary equipment to drill the wells. Would in not be part of your consideration in the inspection to look at whether there would be caceptable access for the trucks that would be coming in in to fload waste? A That's not something specified in the statute. Q And as far as the part of the statute that probable effect of the well, what criteria are you looking at to make that determination? A Let me back up and elaborate on my answer to Dage 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's - so that's a factor in how we interpret this statute. A Correct. Q You just read that. A Correct. Q You just read that. A And the drilling of the well. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding whether ther land in the area of the proposed wells is being used for residential or commercial purposes? Q You just read that. Q You just read that. A No. That was not part of the UIC - it's not have any part in responding to the public comments regarding whether ther land in the area of the proposed wells is being used for residential or commercial purposes? Q Of Joy ou have any part in responding to the public comments regarding whether ther land in the area of the proposed wells is being used for residential or commercial purposes? Q I like to go back to my original questions A No. That was not part of the UIC - it's not that correct? Q You just read that. Q	1	code."		
4 what were you looking for as far as criteria in your 5 examination of the site? 6 A Our team doesn't have a lot of specific 7 criteria to go on in interpreting this law. However, 8 when 1 - Hook to see that it appeared to be an 9 accessible location where equipment could be brought 11 Q I noticed in your memorandum of the site 12 visit you had mentioned, as you just testified, there 13 would be acceptable access from Creighton Road to 15 bring in the neevessary equipment to drill the wells. 16 inspection to look at whether there would be 17 acceptable access for the trucks that would be coming 18 in to offload waste? 19 A That's not something specified in the 20 statute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 that's a factor in how we interpret this statute. 30 Q Soy on were focusing on the second part of the statute talks about the casings that be will be required. Is 31 that correct? 32 Q You just read that. 33 A Robert and the Currect? 34 Last about the casings that be will be required. Is 35 that correct? 36 A Correct. 37 A Correct. 38 TEWART: Thank you, Ms. Hoffman. 39 A That's not something specified in the 30 A Let me back up and elaborate on my answer to 31 to apply from the welllbead down, and that's - so 40 that's a factor in how we interpret this statute. 41 A A dath defilling of the well. 42 A A dath defilling of the well. 43 A No. That was not part of the Public comments regarding traffic? 44 A No. That was not part of the UIC - it's not that was a wasted on a review of the records of the rec	2		2	
5 examination of the site? 6 A Our team doesn't have a lot of specific 7 criteria to go on in interpreting this law. However, 8 when I - I look to see that it appeared to be an 9 accessfible location where equipment could be brought 10 in to drill the new wells. 11 Q I noticed in your memorandum of the site 12 visit you had mentioned, as you just testified, there 13 would be acceptable access from Creighton Road to 14 bring in the necessary equipment to drill the wells. 15 Would it not be part of your consideration in the 16 inspection to look at whether there would be 17 acceptable access for the trucks that would be coming 18 in to offiload waste? 19 A That's not something specified in the 21 asks the Executive Director for you to determine the 22 probable effect of the well, what criteria are you 23 looking at to make that determination? 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 the previous question. In the UIC program, typically 27 we regard the underground injection well in the permit to apply from the wellhead down, and that'sso 28 Q You just read that. 29 (A Correct. 20 A O A far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used fo	3	the site inspection to determine the local conditions,	3	
6 A Our team doesn't have a lot of specific 7 criteria to go on in interpreting this law. However, 8 when 1 – I look to see that it appeared to be an 9 accessible location where equipment could be brought 11 in to drill the new wells. 12 visit you had mentioned, as you just testified, there 13 vould be acceptable access from Creighton Road to 14 bring in the necessary equipment to drill the wells. 15 Would it not be part of your consideration in the 16 inspection to look at whether there would be 17 acceptable access from Creighton Road to 18 asks the Executive Director for you to determine the 19 astatute. 20 And as far as the part of the statute that 21 asks the Executive Director for you to determine the 22 aprobable effect of the well, what criteria are you 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 A Let me back up and tabout the casings of the that statute, which is the casing — I don't have that in front of me, but the second part of that statute, which is the casing — I don't have that in front of me, but the second part of that statute, which is the casing — I don't have that in front of me, but the second part of that statute, which is the casing and the well. 26 A Correct. 27 A Rob. That was not part of the UIC — it's not part of UIC, or you just read that. 28 that or a factor in how we interpret this statute. 39 A That statute, which is the casing — I don't have that in front of me, but the second part of the statute 40 A far as the exhibit marked ED-3, did you 41 A And the drilling of the well. 42 A No. That was not part of the UIC — it's not part of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 28 Q Id like to go back to my original questions 29 Q Id like to go back to my original questions 20 Q Id like to go back to my original questions 21 The provious questio	4	what were you looking for as far as criteria in your	4	of waste, was that really an assumption or conclusion
7 criteria to go on in interpreting this law. However, 8 when I – I look to see that it appeared to be an 9 accessible location where equipment could be brought 10 in to drill the new wells. 11 Q I noticed in your memorandum of the site 12 visit you had mentioned, as you just testified, there 13 would be acceptable access from Creighton Road to 14 bring in the necessary equipment to drill the wells. 15 Would if not be part of your consideration in the 16 inspection to look at whether there would be 17 acceptable access from Creighton Road to 18 in to offilod waste? 19 A That's not something specified in the 19 astatute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 A Let me back up and elaborate on my answer to 27 Q So you were focusing on the second part of that statute, which is the easing – I don't have that in front of me, but the second part of that statute, which is the casing that be will be required. Is 28 that correct? 29 A A Correct. 20 Q So you were focusing on the second part of that statute, which is the casing that be will be required. Is 29 that correct? 20 A Correct. 21 Q You just read that. 21 Q You just read that. 22 A A Mo. That was not part of the UIC – it's not have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being used for residential or comments regarding whether the land in the area of the proposed wells is being us			5	
8			6	
accessible location where equipment could be brought in to drill the new wells. Q I noticed in your memorandum of the site visit you had mentioned, as you just testified, there would be acceptable access from Creighton Road to bring in the necessary equipment to drill the wells. Would in not be part of your consideration in the inspection to look at whether there would be caceptable access for the trucks that would be coming in to filload waste? A That's not something specified in the statute. Q And as far as the part of the statute that applicable of in the record anywhere, or is this just something you have access to? A Let me back up and elaborate on my answer to that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing - I don't have that talks about the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. Q You just read that. A Ro, That's not something specified in the second part of the statute, which is the casing - I don't have that a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing - I don't have that a factor in how we interpret this statute. Q You just read that. A And the drilling of the well. Q You just read that. A And the drilling of the well. Q You just read that. A Ro, That's not something specified in the second part of the statute with control of the statute that a proposed wells is being used for residential or commercial purposes? A No. Q Mis the course of these proceedings, new information has been made available that - such that I would more accurately make that statement as I would more ac	7		7	
in to drill the new wells. 1				records for all the wells that were available?
1 I outled more accurately make that statement as I would be acceptable access from Creighton Road to bring in the necessary equipment to drill the wells. Would it not be part of your consideration in the inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? A That's not something specified in the statute. Q And as far as the part of the statute that sake the Executive Director for you to determine the probable effect of the well, what criteria are you looking at to make that determination? A Let me back up and elaborate on my answer to Page 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's -so that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the easing - I don't have that talks about the easings that be will be required. Is regarding traffic? A And the drilling of the well. Q You just read that. A And the drilling of the well. A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A It's something was that state that as a factor in how we interpret this statute. A And the drilling of the well. Q So you were focusing on the second part of that statute, which is the casings that be will be required. Is regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q Did you have any part in responding to	9	accessible location where equipment could be brought	9	A In the course of these proceedings, new
12 wisit you had mentioned, as you just testified, there would be acceptable access from Creighton Road to bring in the necessary equipment to drill the wells. 14 Would it not be part of your consideration in the inspection to look at whether there would be caceptable access for the trucks that would be coming in to offload waste? 16 acceptable access for the trucks that would be coming in to offload waste? 18 A That's not something specified in the statute. 19 A That's not something specified in the statute. 19 A That's not something specified in the statute. 19 A Let me back up and elaborate on my answer to 19 A Let me back up and elaborate on my answer to 10 A Correct. 10 Q So you were focusing on the second part of the statute, which is the casing – I don't have that in front of me, but the second part of the statute, 10 A Correct. 10 A And the drilling of the well. 20 Did you have any part in responding to the public comments regarding traffice; 20 Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 20 Old I like to go back to my original questions 21 A Correct. 22 A No. That was not part of the UIC – it's not commercial purposes? 23 Old I like to go back to my original questions 24 A No. That was not part of the UIC – it's not commercial purposes? 24 A No. That was not part of the eland in the area of the proposed wells is being used for residential or commercial purposes? 24 A No. That was not part of the UIC – it's not commercial purposes? 25 A No. That was not part of the UIC – it's not public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 24 A No. That was not part of the UIC – it's not public comments regarding whe		in to drill the new wells.	10	information has been made available that such that
Mould be acceptable access from Creighton Road to bring in the necessary equipment to drill the wells. 14 I pass the witness. 15 Would it not be part of your consideration in the inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? 18 I pass the witness. 16 I pass the witness. 17 I pass the witness. 18 I pass the witness. 18 I pass the witness. 18 I pass the witness. 19 A That's not something specified in the statute. 20 And as far as the part of the statute that a probable effect of the well, what criteria are you looking at to make that determination? 24 25 A Let me back up and elaborate on my answer to 26 A Let me back up and elaborate on my and the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so 3 that's a factor in how we interpret this statute. 4 A correct. 10 A Correct. 10 A Correct. 11 Q You just read that. 12 A A Mand the drilling of the well. 24 A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding traffic? Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 20 Q I'd like to go back to my original questions 21 A No. That was not part of the UIC it's not commercial purposes? 22 Q I'd like to go back to my original questions 23 A No. Can't remember exactly. It was large, and for or eratin reasons, I (Phone ringing) 24 A No. That was large, and for or eratin reasons, I (Phone ringing) 25 A No. Can't remember exactly. It was large, and for or eratin reasons, I (Phone ringing) 25 A No. Can't remember exactly. It was large, and for or eratin reasons, I (Phone ringing) 25 A No. Can't remember exactly. It		Q I noticed in your memorandum of the site	11	I would more accurately make that statement as I
bring in the necessary equipment to drill the wells. Would it not be part of your consideration in the inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? A That's not something specified in the 20 statute. Q And as far as the part of the statute that asks the Executive Director for you to determine the 21 probable effect of the well, what criteria are you 22 probable effect of the well, what criteria are you 23 probable effect of the well, what criteria are you 24 looking at to make that determination? A Let me back up and elaborate on my answer to 25 probable effect of the well, what criteria are you 26 probable effect of the well, what criteria are you 27 probable effect of the well, what criteria are you 28 probable effect of the well, what criteria are you 29 probable ef		visit you had mentioned, as you just testified, there	12	mentioned earlier.
15 Would it not be part of your consideration in the inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? 18	13	would be acceptable access from Creighton Road to	13	MS. STEWART: Thank you, Ms. Hoffman.
15 Would it not be part of your consideration in the inspection to look at whether there would be access for the trucks that would be coming in to offload waste? 18	14	bring in the necessary equipment to drill the wells.	14	
16 inspection to look at whether there would be acceptable access for the trucks that would be coming in to offload waste? 17 A That's not something specified in the 20 statute. 28 A That's not something specified in the 21 statute. 29 And as far as the part of the statute that asks the Executive Director for you to determine the 22 probable effect of the well, what criteria are you looking at to make that determination? 29 A Let me back up and elaborate on my answer to 25 A Let me back up and elaborate on my answer to 26 the previous question. In the UIC program, typically 27 we regard the underground injection well in the permit 30 to apply from the wellhead down, and that's so 4 that's a factor in how we interpret this statute. 20 A So you were focusing on the second part of 4 that statute, which is the casings I don't have that 1 talks about the casings that be will be required. Is 4 A And the drilling of the well. 21 Q You just read that. 12 A And the drilling of the well. 24 A No. 15 A N	15		15	JUDGE WALSTON: I just have one quick
17 acceptable access for the trucks that would be coming 1 in to offload waste? 18 In in to offload waste? 19 A That's not something specified in the statute. 20 Statute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 22 A Let me back up and elaborate on my answer to 25 A Let me back up and elaborate on my answer to 26 the previous question. In the UIC program, typically 20 we regard the underground injection well in the permit 21 to apply from the wellhead down, and that's - so 20 that's a factor in how we interpret this statute. 25 that's a factor in how we interpret this statute. 26 that's tatute, which is the casing -1 don't have that 27 in front of me, but the second part of 28 that correct? 30 A Correct. 31 A And the drilling of the well. 32 A And the drilling of the well. 34 A and the drilling of the well. 35 Q As far as the exhibit marked ED-3, did you 4 have any part in responding to the part of UIC. 40 Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 4 A No. 4 Carlot of the did like to go back to my original questions 5 and for certain reasons, I - (Phone ringing) 4 Carlot of the application or angefield study, is that part of the application or in the record anywhere, or is this just something you have access to? A It's something to the application or in the record in the record anywhere, or is this just something to the application or in the record in the part of the application or in the record anywhere, or is this just something to the application or in the record in the try relied on in my reviews in some applications. I don't know that it's in the record. 3 IUDGE WALSTON: Okay. Thank you. 4 discovery, but I don't know that it's in the record. 3 IUDGE WALSTON: Okay. Thank you. 4 discovery, but I don't know that it's in the	16		16	
18 in to offload waste? A That's not something specified in the 20 statute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 the previous question. In the UIC program, typically 27 we regard the underground injection well in the permit to apply from the wellhead down, and that's so 28 that's a factor in how we interpret this statute. 30 So you were focusing on the second part of that statute, which is the casing I don't have that talks about the casings that be will be required. Is 31 that correct? 32 That's not something specified in the part of the application or in the record anywhere, or is this just something you have access to? 4 A Let me back up and elaborate on my answer to 4 The previous question. In the UIC program, typically 2 we regard the underground injection well in the permit to apply from the wellhead down, and that's so 4 that's a factor in how we interpret this statute. 4 Co you overe focusing on the second part of that statute, which is the casing I don't have that talks about the casings that be will be required. Is 4 that correct? 4 Q You just read that. 5 That was not part of the UIC it's not part of UIC. 6 Q You just read that. 7 A No. That was not part of the UIC it's not part of UIC. 8 Q Did you have any part in responding to the public comments regarding traffic? 9 Public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? 2 A No. 2 Q I dilike to go back to my original questions 2 (Phone ringing) 2 Is its Dupont to the application or in the record anywhere, or is this just something you have access to? A It's something you have access to? A It's something you have access to? A It's something that I had in my files in my office that I've relied on in my reviews in some applicable situations.	17		17	CLARIFYING EXAMINATION
20 statute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 Page 1204 1 the previous question. In the UIC program, typically 2 we regard the underground injection well in the permit to apply from the wellhead down, and that's so 3 that's a factor in how we interpret this statute. 5 Q So you were focusing on the second part of that statute, which is the casing I don't have that in infront of me, but the second part of that statute, at laks about the casings that be will be required. Is 4 A Correct. 10 A Correct. 11 Q You just read that. 12 A And the drilling of the well. 13 Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? 14 A No. That was not part of the UIC it's not of the proposed wells is being used for residential or commercial purposes? 2 Q Id like to go back to my original questions 2 taging traffic my under the application or in the execotd anywhere, or is this just something you have access to? A It's something that I had in my files in my office that I've relied on in my reviews in some applicable situations. I don't it wasn't part of the application, as I recall, and it was available for Page 1204 1 the previous question. In the UIC program, typically the applicable situations. I don't know that it's in the record. 2 JUDGE WALSTON: Okay. Thank you. Individual Protestants. 4 MR. FORSBERG: 7 Q Good morning, Ms. Hoffman. A Good morning. 9 Us it Dr. Hoffman? A No. Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of infl	18		18	BY JUDGE WALSTON:
20 statute. 21 Q And as far as the part of the statute that 22 asks the Executive Director for you to determine the 23 probable effect of the well, what criteria are you 24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to 26 Page 1204 1 the previous question. In the UIC program, typically 2 we regard the underground injection well in the permit to apply from the wellhead down, and that's so 3 that's a factor in how we interpret this statute. 5 Q So you were focusing on the second part of that statute, which is the casing I don't have that in infront of me, but the second part of that statute, at laks about the casings that be will be required. Is 4 A Correct. 10 A Correct. 11 Q You just read that. 12 A And the drilling of the well. 13 Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? 14 A No. That was not part of the UIC it's not of the proposed wells is being used for residential or commercial purposes? 2 Q Id like to go back to my original questions 2 taging traffic my under the application or in the execotd anywhere, or is this just something you have access to? A It's something that I had in my files in my office that I've relied on in my reviews in some applicable situations. I don't it wasn't part of the application, as I recall, and it was available for Page 1204 1 the previous question. In the UIC program, typically the applicable situations. I don't know that it's in the record. 2 JUDGE WALSTON: Okay. Thank you. Individual Protestants. 4 MR. FORSBERG: 7 Q Good morning, Ms. Hoffman. A Good morning. 9 Us it Dr. Hoffman? A No. Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of infl	19	A That's not something specified in the	19	Q Is this Dupont Orangefield study, is that
Q And as far as the part of the statute that asks the Executive Director for you to determine the asks the Executive Director for you to determine the probable effect of the well, what criteria are you looking at to make that determination? A Let me back up and elaborate on my answer to Page 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so at that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A It's something you have access to? A It's something you have application my review in some applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't it wasn't part of the applicable situations. I don't how that it's in the record. I discovery, but I don't know t	20		20	part of the application or in the record anywhere, or
asks the Executive Director for you to determine the probable effect of the well, what criteria are you looking at to make that determination? A Let me back up and elaborate on my answer to Page 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing I don't have that talks about the casings that be will be required. Is talks about the casings that be will be required. Is Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q Id like to go back to my original questions A Let me back up and elaborate on my answer to 24 applicable situations. I don't it wasn't part of the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I recall, and it wasn't part of the application, as I	21	O And as far as the part of the statute that	21	
probable effect of the well, what criteria are you looking at to make that determination? A Let me back up and elaborate on my answer to Page 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing I don't have that in front of me, but the second part of that statute, which is the casing sthat be will be required. Is talks about the casings that be will be required. Is Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. 21 Q I'd like to go back to my original questions A Let me back up and elaborate on my answer to 25 the applicables situations. I don't it wasn't part of the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, and it was available for the application, as I recall, an			22	
24 looking at to make that determination? 25 A Let me back up and elaborate on my answer to Page 1204 1 the previous question. In the UIC program, typically 2 we regard the underground injection well in the permit 3 to apply from the wellhead down, and that's so 4 that's a factor in how we interpret this statute. 5 Q So you were focusing on the second part of 6 that statute, which is the easing I don't have that 7 in front of me, but the second part of that statute easing shat be will be required. Is 8 that correct? 9 Q You just read that. 11 Q As far as the exhibit marked ED-3, did you 12 A No. That was not part of the UIC it's not 17 part of UIC. 18 Q Did you have any part in responding to the 19 public comments regarding whether the land in the area 20 of the proposed wells is being used for residential or 21 Commercial purposes? 24 applicable situations. I don't it wasn't part of the application, as I recall, and it was available for Page 1204 1 discovery, but I don't know that it's in the record. JUDGE WALSTON: Okay. Thank you. Individual Protestants. 4 MR. FORSBERG: Yes, Your Honor. CROSS-EXAMINATION BY MR. FORSBERG: Q Good morning, Ms. Hoffman. A Good morning. Q Is it Dr. Hoffman? A No. 10 Ms. Hoffman, Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q Uhat was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)			23	
A Let me back up and elaborate on my answer to Page 1204 the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing I don't have that in front of me, but the second part of that statute eaths about the casings that be will be required. Is that correct? Q You just read that. Q You just read that. Q A And the drilling of the well. Q As far as the exhibit marked ED-3, did you thave any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions Page 1204 Page 1206 Page 1206 A discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery, but I don't know that it's in the record. I discovery		1		
Page 1204 1 the previous question. In the UIC program, typically 2 we regard the underground injection well in the permit 3 to apply from the wellhead down, and that's so 4 that's a factor in how we interpret this statute. 5 Q So you were focusing on the second part of 6 that statute, which is the casing I don't have that 7 in front of me, but the second part of the statute 8 talks about the casings that be will be required. Is 9 that correct? 1 Q You just read that. 1 Q A And the drilling of the well. 1 Q As far as the exhibit marked ED-3, did you 1 have any part in responding to the public comments 1 regarding traffic? 2 Q Did you have any part in responding to the 1 public comments regarding whether the land in the area 2 of the proposed wells is being used for residential or 2 CROSS-EXAMINATION 1 B Q Did you have any part in responding to the 2 public comments regarding whether the land in the area 3 of the proposed wells is being used for residential or 2 CROSS-EXAMINATION 1 D A CORRECT. 2 Q Good morning, Ms. Hoffman. 3 A Good morning. 9 Q Is it Dr. Hoffman? 4 A No. 1 Q Ms. Hoffman. Okay. My name is Kevin 1 Forsberg and I represent Individual Protestants in 1 this matter. And I'm going to skip around a bit, so I 2 apply it is a discovery, but I don't know that it's in the record. 3 Individual Protestants. 4 MR. FORSBERG: 9 Q Good morning, Ms. Hoffman. 4 A Good morning. 9 Q Is it Dr. Hoffman? 4 A No. 1 Q Ms. Hoffman. Okay. My name is Kevin 1 this matter. And I'm going to skip around a bit, so I 3 question before I forget to ask it later: You said 4 that you had done some reservoir modeling over the 4 Weekend. Is that correct? 4 A Yes. 9 Q What was the cone of influence that you 4 determined? 5 Q What was the cone of influence that you 5 determined? 6 A I can't remember exactly. It was large, and 6 for certain reasons, I 9 (Phone ringing)		$\boldsymbol{\varepsilon}$		
the previous question. In the UIC program, typically we regard the underground injection well in the permit to apply from the wellhead down, and that's so that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing I don't have that talks about the casings that be will be required. Is talks about the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions discovery, but I don't know that it's in the record. JUDGE WALSTON: Okay. Thank you. Individual Protestants. MR. FORSBERG: Yes, Your Honor. CROSS-EXAMINATION BY MR. FORSBERG: Q Good morning, Ms. Hoffman. A Good morning. Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A No. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions 1 discovery, but I don't know that it's in the record. MR. FORSBERG: Q Good morning, P Q Is it Dr. Hoffman. A Good morning. Q Ms. Hoffman. Okay. My name is Kevin this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence th		·		
2 we regard the underground injection well in the permit to apply from the wellhead down, and that's so 4 that's a factor in how we interpret this statute. 5 Q So you were focusing on the second part of 6 that statute, which is the casing I don't have that 7 in front of me, but the second part of that statute, which is the casings that be will be required. Is 8 talks about the casings that be will be required. Is 9 that correct? 10 A Correct. 11 Q You just read that. 12 A And the drilling of the well. 13 Q As far as the exhibit marked ED-3, did you 14 have any part in responding to the public comments 15 regarding traffic? 16 A No. That was not part of the UIC it's not 17 part of UIC. 18 Q Did you have any part in responding to the public comments regarding whether the land in the area 10 of the proposed wells is being used for residential or 21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 24 I Can't remember exactly. It was large, and for certain reasons, I 24 (Phone ringing)	1	the provious question. In the LHC program typically	1	
to apply from the wellhead down, and that's so that's a factor in how we interpret this statute. Very So you were focusing on the second part of that statute, which is the casing I don't have that in front of me, but the second part of the statute talks about the casings that be will be required. Is that correct? A Correct. Very You just read that. A And the drilling of the well. A No. A Good morning. A No. A No. A No. A No. A Torrect. A Yes. A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
that's a factor in how we interpret this statute. Q So you were focusing on the second part of that statute, which is the casing I don't have that in front of me, but the second part of the statute in front of me, but the second menning, Ms. Hoffman. A Good morning, Ms. Hoffman. A Good morning. Q Is it Dr. Hoffman? La No. La No. La Second part of the via in the front in front of meritance in the statute in front of meritance. A No. That was not part of the UIC it's not part of UIC. La MR. FORSBERG: A Good morning, Ms. Hoffman. A Good morning. Q Is it Dr. Hoffman? La Was. Hoffman. Okay. My nam				
5 Q So you were focusing on the second part of 6 that statute, which is the casing I don't have that 7 in front of me, but the second part of the statute 8 talks about the casings that be will be required. Is 9 that correct? 10 A Correct. 11 Q You just read that. 12 A And the drilling of the well. 13 Q As far as the exhibit marked ED-3, did you 14 have any part in responding to the public comments 15 regarding traffic? 16 A No. That was not part of the UIC it's not 17 part of UIC. 18 Q Did you have any part in responding to the 19 public comments regarding whether the land in the area 10 of the proposed wells is being used for residential or 21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 5 CROSS-EXAMINATION 6 BY MR. FORSBERG: 7 Q Good morning, Ms. Hoffman. 8 A Good morning. 9 Q Is it Dr. Hoffman? 10 A No. 11 Q Ms. Hoffman. Okay. My name is Kevin 12 Forsberg and I represent Individual Protestants in 13 this matter. And I'm going to skip around a bit, so I 14 apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? 18 A Yes. 19 Q What was the cone of influence that you determined? 20 determined? 21 can't remember exactly. It was large, and for certain reasons, I 23 (Phone ringing)				
that statute, which is the casing I don't have that in front of me, but the second part of the statute talks about the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions BY MR. FORSBERG: Q Good morning, Ms. Hoffman. A Good morning. Q Is it Dr. Hoffman? A No. Q Ms. Hoffman. Okay. My name is Kevin this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
in front of me, but the second part of the statute talks about the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. A And the drilling of the well. A And the arilling of the part of UIC. A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or C Mis Hoffman. A Good morning, Ms. Hoffman. A No. Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions T Q Good morning, Ms. Hoffman. A Good morning. A No. Q Ms. Hoffman. Okay. My name is Kevin this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
talks about the casings that be will be required. Is that correct? A Correct. Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. A Good morning. A No. Q Is it Dr. Hoffman? A No. Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I Q I'd like to go back to my original questions A Good morning. A No. Q Is it Dr. Hoffman? A No. Q Ms. Hoffman. Okay. My name is Kevin this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
that correct? A Correct. Q You just read that. A And the drilling of the well. A And the drilling of the well. A And the drilling of the public comments G As far as the exhibit marked ED-3, did you Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to the public comments Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip around a bit, so I Forsberg and I represent Individual Protestants in Have any part in responding to skip a				
A Correct. Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions A No. A No. D Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I Q I'd like to go back to my original questions A No. 12 A No. 13 A No. 14 A No. 15 G Ms. Hoffman. Okay. My name is Kevin 16 Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
Q You just read that. A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions 11 Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I Q I'd like to go back to my original questions 12 Q Ms. Hoffman. Okay. My name is Kevin Forsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I Q I'd like to go back to my original questions				•
A And the drilling of the well. Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions Porsberg and I represent Individual Protestants in this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
13 Q As far as the exhibit marked ED-3, did you have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions 13 this matter. And I'm going to skip around a bit, so I apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
have any part in responding to the public comments regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions 14 apologize in advance. And as one just an initial question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
regarding traffic? A No. That was not part of the UIC it's not part of UIC. Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions 15 question before I forget to ask it later: You said that you had done some reservoir modeling over the weekend. Is that correct? 18 A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)				
16 A No. That was not part of the UIC it's not 17 part of UIC. 18 Q Did you have any part in responding to the 19 public comments regarding whether the land in the area 20 of the proposed wells is being used for residential or 21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 26 that you had done some reservoir modeling over the weekend. Is that correct? 28 A Yes. 29 Q What was the cone of influence that you determined? 20 determined? 21 Can't remember exactly. It was large, and for certain reasons, I 23 (Phone ringing)				
17 part of UIC. 18 Q Did you have any part in responding to the 19 public comments regarding whether the land in the area 20 of the proposed wells is being used for residential or 21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 25 weekend. Is that correct? 26 A Yes. 27 Q What was the cone of influence that you determined? 28 A I can't remember exactly. It was large, and for certain reasons, I 29 (Phone ringing)				
Q Did you have any part in responding to the public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions A Yes. Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)		1		
public comments regarding whether the land in the area of the proposed wells is being used for residential or commercial purposes? A No. Q I'd like to go back to my original questions Q What was the cone of influence that you determined? A I can't remember exactly. It was large, and for certain reasons, I (Phone ringing)		1		
20 of the proposed wells is being used for residential or 21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 20 determined? 21 A I can't remember exactly. It was large, and 22 for certain reasons, I 23 (Phone ringing)				
21 commercial purposes? 22 A No. 23 Q I'd like to go back to my original questions 21 A I can't remember exactly. It was large, and 22 for certain reasons, I 23 (Phone ringing)				
22 A No. 22 for certain reasons, I 23 Q I'd like to go back to my original questions 23 (Phone ringing)		1 1		
Q I'd like to go back to my original questions 23 (Phone ringing)				
DA magarding the comments that were in the technical DA A 1 41-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				
	24		24	A do not think that it was
summary and Executive Director's preliminary decision 25 JUDGE WALSTON: Hang on just a second.	25	summary and Executive Director's preliminary decision	25	JUDGE WALSTON: Hang on just a second.

14 (Pages 1203 to 1206)

	m beendi we. 302 or 2073		edę bocker No. 2007 0201 WbW
	Page 1207		Page 1209
1	(Brief Pause)	1	results over the weekend were reliable or not?
2	JUDGE EGAN: Okay. They went away.	2	A I compared them with other information that
3	(Laughter)	3	has been presented in this hearing and I compared them
4	A I think that the model that I have in my	4	with the applicant's model results and I decided that
5	records was more realistic because the pressures at	5	I think the model that I initially ran in my review
6	the wellbore were greater than but closer to those	6	was more reasonable.
7	produced by the BOAST98 model. That's the reason I	7	Q So you believe that your initial model which
8	decided to stay with my original model, but the models	8	showed approximately 150 feet cone of influence
9	are as Phil Grant explained, they're different	9	A Yes.
	types of models.	10	Q is more reliable than the model based upon
11	Q (By Mr. Forsberg) Okay. And just to	11	the information you learned in this hearing which
12	clarify and I'm going to ask this one more time:	12	resulted in a cone of influence of 5,000-some feet
13	What was your finding with regards to the cone of	13	of
14	influence over the weekend?	14	A I am not clear on what you mean by the term
15	A It was thousands of feet. I can't remember	15	"reliable."
16	exactly.	16	Q Well, I'm trying to understand. Why are
17	Q So you did some modeling over the weekend and	17	you why are you going back to your original cone of
18	you found a cone of influence of thousands of feet?	18	influence as being more acceptable or reliable than
19	A Yes.	19	this one that you just did this past weekend?
20	Q And you said that you had some concern	20	A Because the model I ran on the weekend had
21	regarding those that finding with regards to its	21	pressures at the wellbore that were way, vastly higher
22	reliability?	22	than those produced by the BOAST98 model. And, also,
23	A Yes.	23	I think that the thickness of sands that are available
24	Q What did you do to go back and try and fix	24	for the waste is far in excess of 145 feet, and so I
10 111 112 113 114 115 116 117 118 119 220 221 222 223	that or attempt other modeling to show that that was	25	think that was, you know, too just too conservative
	Page 1208		Page 1210
1	not correct?	1	on the extreme. I think there's enough conservatism
2	A Well, I don't have I didn't have a basis	2	built into the model I ran before to be reasonable.
3	for trying to I'm not sure what you're asking me.	3	Q Then why did you run the model over the
4	Q Well, if you suspected that your finding	4	weekend?
5	of let me go back one step.	5	A Just out of curiosity to see what the number
6	You say it was your cone of influence	6	would be.
7	was thousands of feet?	7	Q If you were considering a worst-case
8	A Yes.	8	scenario, would it not be a concern to you that at
9	Q Is that 5, 10, 15? Can you sort of	9	least one model did show a cone of influence of
	A I think it was between 5 and 10.	10	5,000 feet?
10 11 12	Q Okay. So you did a modeling of the	11	A It depends on the assumptions made and the
12	reservoir which you've done for other UIC wells in	12	parameters input into that model.
13	the past over the weekend based upon information	13	Q But you made the model that resulted in the
14	you learned during this hearing?	14	5,000-foot cone of influence.
15	A Right.	15	A Yes, but I thought that the value I put in
16	Q And it showed a cone of influence of	16	for thickness was unreasonably small, not reflecting
17	5,000-plus feet?	17	what will happen in reality when the well is used for
18	A Yes.	18	injection.
13 14 15 16 17 18 19	Q Okay. Did you go back and try to input any	19	Q Then why did you not go back and redo the
20	other data to test the reliability of that finding?	20	model with a different thickness?
21	A Could you clarify what you mean by "inputting	21	A Because I have no basis to choose another
22	other data to test the reliability"?	22	thickness. I have no basis to choose another
23	Q And let me just let me re-ask the question	23	thickness.
24	a different way.	24	Q What was the injection pressure that you used
25	What did you do to determine if your	25	in your model over the weekend?
_	Hat did job do to determine it jour		James James Company

15 (Pages 1207 to 1210)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1211		Page 1213
1	A The injection pressure was not an input	1	Q So it doesn't concern you at all even if it
2	parameter to that model.	2	includes, maybe, some parameters that you find
3	Q Okay. And what pressure did you find at the	3	unreasonable that you should take into account this
4	wellbore?	4	new modeling of 5,000 feet cone of influence?
5	A Oh, I can't remember what it was. It was	5	A Well, there are other considerations that
6	vastly greater than what the BOAST98 model produced.	6	come into play here. What I'm thinking of is the fact
7	Q Why would you input those parameters if you	7	that my assumption has been that after if these
8	find them unreasonable?	8	permits are issued, the applicant is bound by their
9	A Which parameters are you asking about?	9	permit to reperforate the well and completely retest
10		10	the well with a pressure fall-off test and mechanical
11 12 13		11	integrity testing and turn in a completion report that
12		12	contains all of the information required by the rule.
13		13	I believe it's 331.65 for them it would be a
14		14	permittee at that time for the the permittee to
15		15	turn in the completion report containing all of the
16		16	information required in 331.65, and that includes
17		17	that includes, in Item No. (a)(1)(I), includes "the
18		18	calculated area of review and cone of influence based
19	A That's the the reservoir thickness is the	19	on data obtained during logging and testing of the
	only parameter I changed between what I used when I	20	well and the formation, and where necessary, revisions
21	initially did my review and what I did on the weekend.	21	to the information submitted under 331.121 of this
22	JUDGE WALSTON: Can I ask a clarifying	22	title (relating to Class I Wells). "
23		23	So in my mind, that concern is mitigated
20 21 22 23 24		24	by this post-permitting testing and reporting that
25		25	will be done and that will be required. That
	Page 1212		Page 1214
1	you input or is that a result of the	1	mitigates the uncertainty about the extent of the cone
2	A It was a result.	2	of influence.
3	JUDGE WALSTON: Okay. I understand.	3	Q So just to try and understand, is it your
4	A It was a result. And when I looked at	4	testimony that TexCom should spend millions of dollars
5	that it was a result.	5	preparing the site and then figure out if it works or
6	MR. FORSBERG: Thank you, Your Honor.	6	not?
7	Q (By Mr. Forsberg) As you sit here today, do	7	A I'm sorry. I don't understand the question.
8	you believe the cone of influence is 150 feet?	8	Q Well, the statute you just read suggests that
9	A I believe that's a reasonable assumption	9	after the site is up and running, that they can
10	\mathcal{C}	10	provide test results of what occurs. Correct?
11		11	A No.
12		12	Q Okay.
13	,	13	A My assumption, according to what I read in
14		14	their application, is that once they receive permits,
15		15	they would reperforate the well and retest the well,
16		16	and our agency requires a completion report for new
17	1 7 1 6	17	wells. Then it's by assumption that that's applicable
18	1 1	18	to these wells, all four of these wells.
19		19	Q Okay. You're obviously, you're not going
20		20	to reperforate a well that doesn't exist. You're
21		21	talking about reperforating the one well that exists
	Q Would it not be safe and within the goal or	22	and then
	Č		
22 23	mission statement of TCEQ to be most protective of	23	A Right, and then
	mission statement of TCEQ to be most protective of underground sources of drinking water?		

16 (Pages 1211 to 1214)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	11 DOCKET NO. 302 07 2073		CHQ DOCKHI NO. 2007 0201 WDW
	Page 1215		Page 1217
1	Q Okay.	1	Q Okay. How many well records have you looked
2	A Each of all of the wells at some point in	2	at in regards to the Conroe oil field when considering
3	time would have to have a completion report.	3	this application?
4	Q Could the model you did over the weekend	4	A I went through all of them.
5	even if unlikely, could it be correct?	5	Q All "all" meaning how many?
6	A I think it's unrealistic.	6	A Well, I went through there were three I
7	Q Okay. And I want to know	7	believe, if I'm not mistaken, there were three volumes
8	A For the configuration that this well will	8	of records submitted, and I did go through them all.
9	have after it's reperforated.	9	Q Okay. And it's your testimony, in your
10		10	experience, that there's no way that even with a
11		11	5,000-foot cone of influence any of that fluid could
12	3	12	ever come up through a well into an underground source
13		13 14	of drinking water?
14 15	6	15	A Well, that's an extreme statement that I couldn't make.
16		16	Q So it's possible that they could serve as a
17		17	conduit into the underground source of drinking water
18		18	for waste material?
19		19	A I don't believe they will.
20		20	Q I know you don't believe they will, but could
21		21	it?
22		22	A Under some undisclosed could you rephrase
23		23	your question? I'm not clear what you're asking.
24		24	Q Is it possible and I understand that you
25		25	don't believe it would, but is it possible that these
	Page 1216		Page 1218
1	pressure build-up model. The reservoir pressure is an	1	abandoned oil wells or plugged oil wells or wellbores
2	input parameter.	2	could serve as a conduit in the Conroe oil field for
3	Q Okay. And if the model you did was correct	3	waste streams into an underground source of drinking
4	and you have a 5,000-plus cone of influence foot	4	water?
5	cone of influence how many oil wells are in that	5	A Are you asking
6	5,000-plus foot cone potential cone of influence?	6	Q I'm just asking if it's possible.
7	A In this area, there would be a number a	7	A As a result of injection into these wells?
8	large number a number.	8	Q Yes.
9	Q Have you considered the effect on all of	9	A I don't think so.
10		10	Q It's impossible?
11		11	(Brief Pause)
12	1	12	JUDGE WALSTON: If you can can you
13	1	13	answer the question?
14	· ·	14	A Pardon?
15 16	3	15 16	JUDGE WALSTON: Can you answer the
17		17	question? A I can I
18	J J	18	(Brief Pause)
19		19	A I just the fact that you've used, you
20		20	know, the extreme terminology "impossible, ever," you
21		21	know, "never," I can't agree that under any
22		22	circumstances, ever, never could it be possible.
23		23	Q (By Mr. Forsberg) Okay. So I'm just saying:
24	5	24	Even under some unlikely scenario, there is a
25		25	theoretical possibility at least that these abandoned

17 (Pages 1215 to 1218)

			eng bocker no. 2007 0201 wbw
	Page 1219		Page 1221
1	oil wells could serve as a conduit for waste material	1	MR. FORSBERG: Thank you, Your Honor.
2	into an underground source of drinking water?	2	Q (By Mr. Forsberg) Ms. Hoffman, before our
3	A "Theoretical"? What do you mean by that?	3	break I believe we were on the topic, generally, of
4	Q Well, I'm just	4	Page 4 of your testimony and you discussed some of
5	JUDGE WALSTON: I think you're kind of	5	your duties with regards to coordinating rulemaking.
6	beating a dead horse. I think you got the answer you	6	A Yes.
7	wanted, and maybe you ought to move on.	7	Q In your experience, when does TCEQ normally
8	MR. FORSBERG: Okay.	8	institute a rulemaking change?
9	JUDGE WALSTON: She said it's possible.	9	A It can be done in response to legislation or
10		10	it can be done if someone petitions our agency for a
11	Q (By Mr. Forsberg) Do you have your prefiled	11	rulemaking or it can also be initiated within our
12	testimony in front of you?	12	within the TCEQ.
13	A Yes.	13	Q Okay. So is that something, for example, you
14		14	would have the ability to do or to at least initiate
15	modeling with regards to these this application?	15	the process if you so chose to do so?
16		16	A Via my via input to my team leader, I
17	Q Could you turn to Page 4 of your prefiled	17	suppose I could be. Yes, uh-huh.
18		18	Q Okay. Do rulemaking changes, in your
19		19	experience, ever result from opinions by appellate
20		20	courts that interpret legislation?
21 22 23 24		21	A I imagine that is the case.
22		22	Q Okay. Have you looked into the existence of
23		23	any Class II wells in Montgomery County?
24		24	A No.
25	Q Can you just explain to me what you mean by	25	Q Okay. Can you identify what a Class II well
	Page 1220		Page 1222
1	"Coordinate rulemaking"?	1	is in relation or as compared to a Class I well?
2	A I've been involved in a few rulemaking	2	A Class II wells are wells that are involved
3	projects related to underground injection control.	3	with exploration and production of oil and gas.
4	There was some rulemaking related to a prohibition of	4	They're the Railroad Commission has jurisdiction
5	hazardous waste disposal in salt dome caverns that I	5	over Class II wells.
6	was involved in and there was rulemaking implementing	6	Q Okay. Are there more regulations and
7	new rules for pre-injection units associated with	7	requirements for Class II wells or Class I wells in
8	non-hazardous noncommercial injection wells that I was	8	your experience?
9	involved with, and, also, some legislation that passed	9	A For Class I wells.
10		10	Q So it's much easier to get a permit for a
11		11	Class II well. Is that fair?
12		12	A Yes, typically.
13		13	Q Okay. Why is that the case?
14		14	A Because I'm not thoroughly familiar with
15		15	their regulations, but it's my understanding that
16	\mathcal{C}	16	their regulations are not as stringent as those for
17		17	Class I wells.
18	,	18	Q Okay. Is that at all related to the
19		19	materials being injected into the wells?
20		20	A Could you please rephrase your question?
21		21	Q In your experience I think you testified
22		22	that Class I permits are more difficult to obtain than
23 24		23	a Class II permit, and, in your experience, is that at
24		24	all related to the types of materials that are being
25	continue.	25	injected into the wells?

18 (Pages 1219 to 1222)

	Page 1223		Page 1225
1		1	
1 2	A Into the Class II wells? Q Yes.	2	that those wells did not play a part in your review of the TexCom application?
3	A I really don't know. I don't know all the	3	A Well, the ones that any that would have
4	reasons for as to how the Class II wells well	4	been identified on the area of review map as such
5	regulations were developed. I really don't have	5	wells would have played a part in the review.
6	enough background in that subject to give a good	6	Information that was submitted in the application in
7	answer.	7	regard to those wells would have I guess I want to
8	Q Okay. That's fair enough.	8	back up a little bit to when I said I wasn't aware
9	When you considered the TexCom	9	I only became aware of such wells in the course of
10		10	this proceeding. I know that there are Class II
11	11	11	injection wells in the area. Yes. I knew that.
12		12	Q Okay.
13		13	A I just became aware in this hearing in
14		14	this hearing, I believe, it was Dr. Langhus was
15	A That's true as far as only in regards to	15	aware of a specific number of the wells.
16	artificial penetrations the Class II wells were	16	Q Do you recall what that number was?
17	Class II wells part of my consideration.	17	A I believe it was 50-something.
18	Q Okay. And can you expand on what you mean by	18	Q Okay. Do you have any personal knowledge of
19		19	what the status of any of those wells is?
20 21	• 1	20	A No.
21		21	Q Is it fair to say that just because a permit
22		22	was issued on a well at some point in history that it
23		23	may not be operational today?
24	C	24	A Yes. If a permit was issued for a well at
25	requirements.	25	some point in history, it may not be operational
	Page 1224		Page 1226
1	Q Okay. Were there any Class II wells in the	1	today.
2	area of review?	2	Q And, in fact, we don't know or you don't
3	A Yes.	3	know, as you sit here today, how many operational
4	Q How many?	4	Class II wells are in Montgomery County.
5	A Well, there are a large number.	5	A I don't know.
6	Q Okay.	6	Q And the number Mr. Langhus was referring to
7	A A large number. I don't have an exact	7	was the number of permits that had been issued at some
8	number.	8	point in the past. Is that your understanding?
9	Q Did the existence of those wells make you	9	A I can't remember specifically whether he
10	more of less upt to upprove the Texcom uppreation of	10	mentioned permits or operating wells.
11		11	Q Okay. Are there other permits that, in your
12		12	knowledge, are Class I wells in Montgomery County
13		13	pending currently?
14		14	A Not that I'm aware of. Not that I can think
15		15	of at the moment anyway. I wouldn't necessarily have
16	, I	16	knowledge of all of the applications that are being
17	1	17	reviewed you know, currently under review by our
18	1 1	18	team.
19 20		19 20	Q Correct. And I'm not asking you to
20 21		20 21	speculate. I'm just asking you based on your knowledge.
21 22		22 22	
22 23		23	A Right.Q On Page 7 of your prefiled testimony if
رخ		24 24	you could, turn to that, please.
2.4			
24 25		25	A (Witness complied)

19 (Pages 1223 to 1226)

1	Page 1227		Page 1229
1	Q On Line 17, there's a question with regards	1	MR. FORSBERG: 62 is the one I'm going
2	to sources of information you relied upon in	2	to be referring to. And, specifically, Page 28 of
3	conducting your review of the application. Is that	3	Exhibit 62.
4	correct?	4	Q (By Mr. Forsberg) Are you at TexCom Exhibit
5	A Yes.	5	62, Page 28?
6	Q One of the sources is a letter from the	6	A Yes.
7	Railroad Commission. Is that correct?	7	Q Is this the letter from the Railroad
8	A Yes.	8	Commission that you were referring to in your prefiled
9	Q What is the purpose or how do you rely upon	9	testimony?
10		10	A I believe it is.
11		11	Q Okay. Would you agree with me that the first
12		12	line of the letter says "The Railroad Commission staff
13 14	· · · · · · · · · · · · · · · · · · ·	13 14	has reviewed your application received September 16,
15	, I	1 4 15	2005 for your Class I injection wells"? A Yes, pretty much. It
16		16	Q Off a word or
17		17	A Yes.
18		18	Q a preposition or two.
19		19	What's the date of the letter?
20		20	A The date of the letter is September 16th,
21		21	2005.
22		22	Q Based upon this letter, it appears that the
23		23	Railroad Commission received the application on
24		24	September 16th, 2005 and issued a letter of approval
25		25	on September 16th, 2005. Would you agree?
	Page 1228		Page 1230
1	application a letter from the Railroad Commission	1	A That's what it appears. That is what
2	concluding that drilling or using the disposal well	2	appears.
3	and injecting industrial and municipal waste into the	3	Q If you know, and if you do not I'm not
4	subsurface stratum will not endanger or injure any	4	asking you to speculate about what the Railroad
5	known oil or gas reservoir."	5	Commission does, but based upon TCEQ's reliance of
6	Q Would you agree with me that the purpose of	6	this letter from the Railroad Commission, does it
7	providing that letter to TCEQ is to advise TCEQ that	7	cause you any concern that it appears that an
8	some kind of investigation was done and that you don't	8	application was received on September 16th, 2005 and
9	have to worry about that part of it?	9	then a letter issued on the same day?
10		10	A I really don't know enough about the Railroad
11		11	Commission's process and how efficient it is, how
12	1	12	readily available the information they may have needed
13	1	13	to do their evaluation was. I really don't have
14	7 1	14	enough information to speculate.
15	1	15	Q Okay. Fair enough. How long did you work on
16		16	these applications?
17 10		17 18	A The technical review was oh, I have it in
18 19		18 19	my prefiled testimony. It's something like six to eight months. Something like that. Six or seven
20		19 20	months. Something like that. Six of seven
21		21	Q Does the Railroad Commission assign different
22		22	well numbers to these wells than TCEQ the
23		23	underground injection wells that are being proposed?
		24	A I really don't know how you're talking
24			

20 (Pages 1227 to 1230)

1 Q Yes. 2 A Whether the Railroad Commission assigns different numbers to them? 3 Q Correct. 5 A I don't know. 6 Q Okay. How does the TCEQ go about assigning numbers to wells? 8 A We — my knowledge of that is that when an application comes in — my knowledge of the first that a supplication some in, they are assigned numbers by the people who do that kind of task. You law, know, as they come in, they're assigned WDW numbers as applications come in. 6 Q Would that be after you receive the letter from the Railroad Commission or before? 1 A Well, it's when — I assume you're asking about a Class I mjection well application that comes into our agency. 2 Q Yes. 2 A It's very early in the process when an application is received and logged into our system. 2 a prolification is received and logged into our system. 2 Then I believe, right away, it receives a number. 2 That's my understanding of the process. I don't have a role in it. 2 Q Okay. Could you turn to Page 15 of your Page 1232 1 prefiled testimony, please? 2 A (Witness complied) 3 of you identify an operating — operating requirements pursuant to 30 TAC Section 331.63. And, specifically. I'm looking al etter (a), It says, 6 "All Class I wells shall be operated to prevent the movement of fluich stat could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unautorized zones; 10 MR. RILEY: Coursel, I assume you mean rule. Correct? A Yes, the rule. Q Of the rule. I apologize. I keep referring to statute. A Yes, the rule. Q Of the rule. I apologize. I keep referring to that the statute says "could result in the pollution of of underground source of drinking water and to prevent the movement of fluich stat action of runderground source of drinking water and to prevent the movement of fluich stat action of the rule. I apologize it keep referring to statute. A Yes, the rule. Q Or the rule. I apologize. I keep referring to that the statute says "could result in the pollution of an underground source of drinking w			<u> </u>	
A Whether the Railroad Commission assigns different numbers to them? Q Correct, A I John't know. Q Okay. How does the TCEQ go about assigning numbers to wells? A A Whether the subjection comes in — my knowledge of the process is that as application comes in — my knowledge of the process is that as applications come in, they are assigned MDW numbers as applications come in. Q Would that be after you receive the letter from the Railroad Commission or before? A Well, it's when — lassume youre asking about a Class I nijection well application that comes into our agency. Q Yes. A It's very early in the process when an application is received and logged into our system. Than's my understanding of the process. I I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 Therefield testimony, please? A (Winess complied) Q You identify an operating — operating of an underground source of drinking water, "you would agree, then, that under this situation in the application. as submitted by TexCom, there could be — revelled any ploace of drinking water," you would agree, then, that under this situation in the application. as submitted by TexCom, there could be — Page 1232 Therefield testimony, please? A (What mechanism is in mind behind your question? Q Yes. A It's very early in the process when an application is received and logged into our system. Than's my understanding of the process. I I don't have a received and logged into our system. Than's my understanding of the process. I I don't have a received and logged into our system. Page 1232 Therefield testimony, please? A (Winness complied) Q Out identify an operating — operating of an underground source of drinking water and to prevent the movement of fluids that could result in the pollution of an interpretation of the rules, there would hence he any injection wells permitted any place. Q Or the rule. I apologize. I keep referring to statute. A (Winness complicity) A Yes, the rule of the pollution of an interpretation of the rules, there woul		Page 1231		Page 1233
different numbers to them? Q Correct. A I don't know. Q Coay. How does the TCEQ go about assigning numbers to wells? A We — my knowledge of that is that when an application comes in — my knowledge of the process is that as applications come in, they are assigned numbers by the people who do that kind of task. You numbers by the people who do that kind of task. You show, as they come in, they are assigned mumbers by the people who do that kind of task. You show, as they come in, they re assigned WDW numbers as applications come in. Q Would that be after you receive the letter from the Railroad Commission or before? A Well, it's when — I assume you're asking about a Class I injection well application that comes into our agency. Q Yes. A It's very early in the process when an application is received and logged into our system. Then't believer, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 A (Witness complied) Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says. A (Witness complied) Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says. A MR. PICRSBERG: Yeah. Yeah. A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of on underground source of drinking water and to prevent leaks from the well into unauthorized zones." A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water and to prevent leaks from the well into unauthorized zones." A Yes, the rule. A Yes, believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. A Yes, the rule. A Yes, the rule. A Yes, the rule. A Yes, the r	1		1	
Q Okay. How does the TCEQ go about assigning numbers to wells? A We — my knowledge of that is that when an application comes in — my knowledge of the process is that as applications come in, they are assigned WDW numbers as applications come in. Q Would that be after you receive the letter letter about a Class I injection well application that comes into or agency. A Well, it's when — I assume youre asking about a Class I injection well application that comes into or agency. A It's very early in the process when an application is received and logged into our system. Than's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 The prefiled testimony, please? A (Witness complied) Q You identify an operating equirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, for an underground source of drinking water and to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones.' A Well I think we already established ectodle be a pollution — there could be pollution from this operation into the Catahoula aquifer. Yeu question? A What mechanism is in mind behind your question? Q Yany mechanism. A Could — Q Oy All there be pollution from this facility into the Catahoula aquifer? A Under — are you asking a hypothetical question under any possible circumstances that one could think of? A I's served and logged into our system. Than's my understanding of the provess. I don't have a proposable there could be a pollution in the Catahoula aquifer. A Well arready established ectodle be. A What mechanism is in mind behind your question? A Under — are you asking a hypothetical question in the catahoula aquifer? A View provided think of? A View provided think of? A Well think ered application and there of the polluti		· · · · · · · · · · · · · · · · · · ·		assume that there's an underground source of drinking
5 Q Okay, How does the TCEQ go about assigning numbers to wells? 8 A We — my knowledge of that is that when an application comes in — my knowledge of the process is that as applications come in, they are assigned numbers by the people who do that kind of task. You law, as they come in, they are assigned the numbers by the people who do that kind of task. You law, as they come in, they are assigned WDW numbers as applications come in. Q Would that he after you receive the letter from the Railroad Commission or before? A Well, it's when — I assume you're asking about a Class I injection well application that comes into our agency. Q Yes. A If ye very early in the process when an application is received and logged into our system. That's my understanding of the process. I don't have a role in it. D Q Okay. Could you turn to Page 15 of your Page 1232 The I believe, right way, it receives a number. A (Witness compiled) Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, so when the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." I that a caxet word for word out from the statute? A MR, FORSBERG: Yeah, Yeah. A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water and to prevent leaks from the well into unauthorized zones." A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water and to prevent leaks from the well into unauthorized and the process are and the process are an access to the reservoir pressure that could evaluate the variable process and increase		different numbers to them?	3	
6 Q Okay. How does the TCEQ go about assigning numbers to wells? 8 A We - my knowledge of that is that when an application comes in - my knowledge of the process is that as application comes in - my knowledge of the process is that as application come in, they are assigned an application some in, they are assigned WDW numbers as applications come in. 10 Q would that be after you receive the letter from the Raifroad Commission or before? 11 A We - my knowledge of that is that when an applications come in, they are assigned WDW numbers as applications come in. 12 Q Nould that be after you receive the letter from the Raifroad Commission or before? 13 about a Class I injection well application that comes into our agency. 14 a paper into our gency. 15 Then I believe, right away, it receives a number. 16 Then I believe, right away, it receives a number. 17 Then I believe, right away, it receives a number. 18 a role in it. 19 prefiled testimony, please? 10 Page 1232 1 prefiled testimony, please? 11 prefiled testimony, please? 12 A (Witness complied) 13 Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, it is that a received from the statute? 10 A What mechanism is in mind behind your question? 11 A What mechanism is in mind behind your question? 12 A Well think is Q Could there be pollution from this facility into the Catahoula aquifer. Yen a Could - A What mechanism is in mind behind your question? 14 A What mechanism is in mind behind your question? 15 A Well with the pollution of a could think or? 26 A I's very carly in the process when an application is received and logged into our system. 27 Then I believe, right away, it receives a number. 28 Then I believe, right away, it receives a number. 29 Prefiled testimony, please? 20 A (Witness complied) 21 prefiled testimony please? 22 A (Witness complied) 23 Q You identify an operating with the pollution of an underground source of drinking water and to make the pollution of an underground				
7 numbers to wells? 8 A We - my knowledge of that is that when an application comes in - my knowledge of the process is that as applications come in, they're assigned numbers by the people who do that kind of task. You know, as they come in, they're assigned WDW numbers as application scome in. 12 know, as they come in, they're assigned WDW numbers as application scome in. 13 application scome in. 14 Q Would that be after you receive the letter for the Railroad Commission or before? 15 from the Railroad Commission or before? 16 A Well, it's when - I assume you're asking about a Class I injection well application that comes into our agency. 19 Q Yes. 10 A It's very early in the process when an application is received and logged into our system. 11 That's my understanding of the process. I don't have a role in it. 12 Q Oay. Could you turn to Page 15 of your 12 Page 1232 1 prefiled testimony, please? 2 A (Witness complied) 2 Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically. I'm looking at letter (a). It systs, and an underground source of drinking water and to prevent leaks from the well into unauthorized zones. Is Is that an exact word for word out from the statute? 13 A Q (By Mr. FORSBERG: Yeah. Yeah. 14 A Yes. I believe it is. 15 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? 18 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring to attent. 21 Are you aware that there's an underground source of drinking water of the underground sour				
A We - my knowledge of that is that when an application comes in - my knowledge of the process is that as application comes in - my knowledge of the process is that as application come in, they are assigned when you can be the application come in, they reassigned MVD numbers as applications come in, they reassigned MVD numbers as applications come in. Q Would that be after you receive the letter from the Railroad Commission or before? A What mechanism is in mind behind your question? Q Any mechanism. A Could - Q Could there be pollution from this facility into the Catahoula aquifer? A Under - are you asking a hypothetical question under any possible circumstances that one could think of? Q Yes. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. A Could three be pollution from this facility into the Catahoula aquifer? Q Ves. Q Yes. Q Yes. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Page 1232 Then I believe, right away, it receives a number. A (Witness complied) Page 1232 Then I believe, right away, it receives a number. A (Witness complied) Page 1232 The prefiled testimony, please? A (Witness complied) Q Oxay. Could you turn to Page 15 of your Page 1232 The prefiled testimony please? A (Witness complied) Q Vive identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to movement o				
paplication come in my knowledge of the process is 10 that as applications come in, they re assigned WDW numbers as applications come in, they re assigned WDW numbers as applications come in, they re assigned WDW numbers as applications come in, they re assigned WDW numbers as applications come in. Q Would that be after you receive the letter from the Railroad Commission or before? A Well, it's when I assume you're asking about a Class I injection well application that comes into our agency. Q Yes. A If's very early in the process when an application is received and logged into our system. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 prefited testimony, please? A (Witness complied) Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, specifically, I'm looking at letter (a). It says, specifically, I'm looking at letter (a). It says, and an exact word for word out from the statute? And you're welcome to verify. MR, RILEY: Counsel, I assume you mean that the statute says "could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. A reyou aware that there's an application station to the daton the ring the process and the process. I don't have a statute say is could result in the pollution of an underground source of drinking water. That's my understanding of the process. I don't have a role in it. Q Or the rule, I apologize. I keep referring to the volution of the statute? A Yes, the rule. A Yes, the rule. A Rye, the rule. A reyou aware that there's an underground source of drinking water "? A Rye, the rule. A reyou awa				
that as applications come in, they are assigned that as applications come in, they are assigned MDW numbers as applications come in. Q Would that be after you receive the letter from the Railroad Commission or before? The A Well, it's when - I assume you're asking about a Class I injection well application that comes into our agency. A RIs very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 The Gold - A What mechanism is in mind behind your question? Q Any mechanism. A Could - Q Could there be pollution from this facility into the Catahoula aquifer? A Linagine that's true. Q Okay. So when you interpret this statute that says "could result in the pollution of an underground source of drinking water," you would a garee, then, that under this situation in the application, as submitted by TexCom, there could be - Page 1234 The Could there be pollution from this facility into the Catahoula aquifer? A Linagine that's true. Q Okay. So when you interpret this statute that asys "could result in the pollution of an underground source of drinking water," you would a garee, then, that under this situation in the application, as submitted by TexCom, there could be - Page 1234 The Could there be pollution from this facility into the Catahoula aquifer? A Linagine that's true. Q Okay. So when you interpret this statute that asys "could result in the pollution of an underground source of drinking water." you would a garee, then, that under this situation in the application, as submitted by TexCom, there could be - Page 1234 The Could there be pollution from this facility into the Catahoula aquifer? A Linagine that's true. Q Okay. So when you interpret this statute that asys "could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." I shat an exac				
1.1 numbers by the people who do that kind of task. You 1.2 know, as they come in, they're assigned WDW numbers as applications come in. 1.2				
12 know, as they come in, they're assigned WDW numbers as applications come in. 13 applications come in. 14 Q Would that be after you receive the letter from the Railroad Commission or before? 15 A Well, it's when - I assume you're asking about a Class I nijection well application that comes into our agency. 19 Q Yes. 20 A It's very early in the process when an application is received and logged into our system. 21 Their I believe, right away, it receives a number. 22 That's my understanding of the process. I don't have a role in it. 23 Q Okay. Could you turn to Page 15 of your Page 1232 1 prefiled testimony, please? 2 A (Witness complied) 3 Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, and an underground source of drinking water and to prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 A Could there be pollution from this facility into the Catahoula aquifer? 12 A Could there be pollution from this facility into the Catahoula aquifer? 13 A Could - Q Could there be pollution from this facility into the Catahoula aquifer? 14 A Under - are you asking a hypothetical question under any possible circumstances that one could think of? 2 Q Yes. 2 A I imagine that's true. 2 Q Okay. So when you interpret this statute at says "could result in the pollution of an underground source of drinking water and to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." 15 Is that an exact word for word out from the statute? 16 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? 18 A Yes, I believe it is. 19 Q (By Mr. Forsberg) When you reviewed the Town and a process of drinking water directly above the Jackson shale known as the Catahoula? A Pull Llast Division of an underground source				· · · · · · · · · · · · · · · · · · ·
13 applications come in. 4 Q Would that be after you receive the letter 15 from the Railroad Commission or before? 16 A Well, it's when I assume you're asking a about a Class I injection well application that comes into our agency. Q Yes. 20 A If's very early in the process when an application is received and logged into our system. 21 application is received and logged into our system. 22 Then I believe, right away, it receives a number. 23 That's my understanding of the process. I don't have 24 a role in it. 25 Q Okay. Could you turn to Page 15 of your 26 Page 1232 Page 1232 Prefiled testimony, please? 27 A (Witness complied) 28 a requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, 29 a requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a) It says, 30 A Vou identify an operating requirements pursuant to do underground source of drinking water and to prevent leaks from the well into unauthorized zones. 31 Is that an exact word for word out from the statute? 32 A Well, it's when I assume you mean run. Correct? 33 A Well, it's when I assume you mean run. Correct? 44 MR. FORSBERG: Yeah. Yeah. 45 Yes. I believe it is. 46 Could there be pollution from this facility into the Catahoula aquifer? 47 A Under are you asking a hypothetical question under any possible circumstances that one could think of? 49 O Yes. 40 I imagine that's true. 40 Okay. So when you interpret this statute 41 that says "could result in the pollution of an underground source of drinking water and to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the will into unauthorized zones. 41 Intended that be a result of pollution of an underground source of drinking water and to prevent well and the prevent was an interpretation of the rules, there would never be any injection wells permitted any place. 42 Okay Mr. Forsberg Well well well and the prevent well and the				•
Q Could there be pollution from this facility from the Railroad Commission or before? A Well, it's when — I assume you're asking about a Class I nijection well application that comes into our agency. Q Yes. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 prefiled testimony, please? A (Witness complied) Q You identify an operating — operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a.) It says, MR RILEY: Counsel, I assume you mean rule. Correct? And you're welcome to verify. MR RILEY: Counsel, I assume you mean rule. Correct? A Well, it's when — I assume you reasking a hypothetical question under any possible circumstances that one could think of? Q Yes. A I imagine that's true. Q Okay. So when you interpret this statute that asys "could result in the pollution of an underground source of drinking water," you would agree, then, that under this situation in the application, as submitted by TexCom, there could be — Page 1232 Page 1234 there could be a result of pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells or whether — or the practice of injecting wells. I'm just asking, based upon the words I see on paper — and I think we've agreed on what those words are — JUDGE WALSTON: Okay. Why don't you go about other injection, did you note anywhere that there's an underground source of drinking water''? A Yes, the rule. Q Or the rule. I apologize. I keep referring to tatute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? A result that a Call think of? A Under — are you asking a hypothetical ucustion inder could think of? A I mineground source of drinking wate				- •
15 from the Railroad Commission or before? A Well, it's when — I assume you're asking 16 about a Class I injection well application that comes 17 into our agency. 18 into our agency. 19 Q Yes. 20 A It's very early in the process when an 21 application is received and logged into our system. 21 Then I believe, right wawy, it receives a number. 22 Then I believe, right way, it receives a number. 23 That's my understanding of the process. I don't have a role in it. 24 a role in it. 25 Q Okay. Could you turn to Page 15 of your 26 Page 1232 27 Page 1232 28 Prefiled testimony, please? 29 A (Witness complied) 20 Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, specifically, I'm looking at letter (a). It says, specifically, I'm looking at letter (a) the provent leaks from the well into unauthorized zones." 21 And you're welcome to verify. 22 MR. FORSBERG: Yeah. Yeah. 23 A Yes. I believe it is. 24 Q Okay. Could you agree with me that the statute says "could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." 25 I shat an exact word for word out from the statute? 26 Q Way Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water and to prevent leaks from the well into unauthorized zones." 26 Q Way Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water." 27 MR. FORSBERG: Yeah. Yeah. 28 A Yes, I believe it is. 39 Use the says "could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." 30 A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. 30 A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells or whether —		11		
A Well, it's when — I assume you're asking about a Class I injection well application that comes into our agency. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe in it. Q Okay. Could you turn to Page 15 of your Page 1232 The ground source of drinking water and to yerewent be any injection wells permitted any place. A (Witness complied) Q You identify an operating — operating arequirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to yervent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? A Wes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of drainking water and to yervent leaks from the well into unauthorized zones." MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of an underground source of drinking water"? A Yes, the rule. A Yes, the				
about a Class I injection well application that comes into our agency. Q Yes. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 prefiled testimony, please? A (Witness complied) Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirement pursuant to 30 TAC section 331.63. And, and an underground source of drinking water? A (Witness complied) Q You identify an operating requirements pursuant to 30 TAC section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirement pursuant to 30 TAC section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirement pursuant to 30 TAC section 331.63. And, and an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. Then a prevent the movement of fluids that could result in the pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just as				
into our agency. Q Yes. A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 Page 1232 A (Witness complied) Q You identify an operating - operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, Mall Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. MR RILEY: Counsel, I assume you mean rule. Correct? MR RILEY: Counsel, I assume you mean rule. Correct? MR FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of an underground source of drinking water" and to of underground source welcome to verify. MR RILEY: Counsel, I assume you mean rule. Correct? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the lackson shale known as the Catahoula? A - understand what you were referring to.		•		
19 Q Yes. 20 A It's very early in the process when an application is received and logged into our system. 21 Then I believe, right away, it receives a number. 22 That's my understanding of the process. I don't have a role in it. 23 That's my understanding of the process. I don't have a role in it. 24 a role in it. 25 Q Okay. Could you turn to Page 15 of your Page 1232 1 prefiled testimony, please? 2 A (Witness complied) 3 Q Yes. Page 1232 1 prefiled testimony, please? 2 A (Witness complied) 3 Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, and a requirement and to prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean rule. Correct? 13 A Yes, I believe it is. 14 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water," you would an underground source of drinking water," you would a role that says "could result in the pollution of an underground source of drinking water," you would a role that says "could result in the pollution of an underground source of drinking water," you would a role that says "could result in the pollution of an expell that says "could result in the pollution of the received the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are I JUDGE WALSTON: Okay. Why don't you go alead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. FORSBERG: Weah. A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. A Yes, the rule. A Yes, the rule. A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. A I wat a		3 11		
A It's very early in the process when an application is received and logged into our system. Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 Page 1232 Page 1232 prefiled testimony, please? A (Witness complied) Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, Mall Class I wells shall be operated to prevent the of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. And you're welcome to verify. A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of an underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to dead of the rules and regreting water flierctly above the lackson shale known as the Catahoula? A I imagine that's true. Q Okay. So when you interpret this statute at that says "could result in the pollution of an underground source of drinking water," you would agree, then, that under this situation in the application, as submitted by TexCom, there could be Page 1232 there could be a result of pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. Q That wasn't my question. I'm not asking about other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are I JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: Tll move on. I think she's said enough on that. A Yes, the rule. Q Or the rule. I apologize. I keep referring to the politic on the edito				
application is received and logged into our system. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe, right away, it receives a number. Then I believe it is. Then I believe it is. Then I believe, right away, it receives a number. Page 1232 That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 Page 1234 there could be a result of pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells or whether or the practice of injecting wells or whether or the practice of	20			`
Then I believe, right away, it receives a number. That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 1 prefiled testimony, please? A (Witness complied) Q Vou identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, A''All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones.'' I shat an exact word for word out from the statute? And you're welcome to verify. And you're welcome to verify. And you're welcome to verify. And Posserg. Yeah. Yeah. C (By Mr. Forsberg) Would you agree with me that statute says "could result in the pollution of underground source of drinking water.'' you would agree, then, that under this situation in the application, as submitted by TexCom, there could be Page 1234 there could be a result of pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. Q That wasn't my question. I'm not asking about other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what tosse words are JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. RILEY: Objection to the editorial. MR. RILEY: Objection to the editorial. MR. RILEY: Objection to the rules, she's said enough on that. MR. RILEY: Objection to the editorial. MR. RILEY: Objection to the editorial. MR. RILEY: Objection to the editorial. MR. Porsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the mreservoir pressure that could exceed the mreservoir pressure that could exceed the mreservoir pressure	21			
That's my understanding of the process. I don't have a role in it. Q Okay. Could you turn to Page 15 of your Page 1232 prefiled testimony, please? A (Witness complied) Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? MR. FORSBERG: Yeah. Yeah. A Yes, the rule. Q Or the rule. I apologize. I keep referring to the lackson shale known as the Catahoula? I a rule. Zea we far you aware that there's an underground source of drinking water," you would agree, then, that under this situation in the application, as submitted by TexCom, there could be a paplication, as submitted by TexCom, there could be Page 1232 There could be a result of pollution of an underground source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. Q That wasn't my question. I'm not asking about other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. FORSBERG: I'll move on. I think she's said enough on that. JUDGE WALSTON: Overruled. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum	22	Then I believe, right away, it receives a number.	22	
Page 1232 Page 1232 Page 1232 A (Witness complied) Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, 6 "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? A Yes, I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to drinking water directly above the lacks from you address the words our conditions are preferring to developed to the precision of the precision wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think if you take this kind of an interpretation of the rules, there would never be any injection wells or whether or the practice of injecting wells. I'm just asking about other injection wells or whether or the practice of injecting wells. I'm just asking about other words I see on paper and I think we've agreed on what those words are JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entire	23	That's my understanding of the process. I don't have	23	
page 1232 1 prefiled testimony, please? 2 A (Witness complied) 3 Q You identify an operating operating 4 requirements pursuant to 30 TAC Section 331.63. And, 5 specifically, I'm looking at letter (a). It says, 6 "All Class I wells shall be operated to prevent the 7 movement of fluids that could result in the pollution 8 of an underground source of drinking water and to 9 prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution that the statute says "could result in the pollution of drinking water"? 18 MR. RILEY: Objection to the editorial. 19 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring to statute. 21 A reyou aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? 10 Is that an exact word for word out from the statute? 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. FORSBERG: Yeah. Yeah. 13 Is that an exact word for word out from the statute? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the	24			agree, then, that under this situation in the
1 there could be a result of pollution of an underground source of drinking water? 2 A (Witness complied) 3 Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 And you're welcome to verify. 13 Tule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of the editorial. 17 A Yes, the rule. 18 Q Or the rule. I apologize. I keep referring to statute. 29 Are you aware that there's an underground source of drinking water." 20 A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. 4 Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells permitted any place. 4 Q That wasn't my question. I'm not asking about other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are 1 JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. 1 JUDGE WALSTON: Overruled. 2 (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there would never be any injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are 1 JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. 2 (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there words I see on paper	25	Q Okay. Could you turn to Page 15 of your	25	application, as submitted by TexCom, there could be
A (Witness complied) Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." And you're welcome to verify. And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me for that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? Source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there or of place. Q That wasn't my question. I'm not asking		Page 1232		Page 1234
A (Witness complied) Q You identify an operating operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, "All Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." And you're welcome to verify. And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me for that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? Source of drinking water? A Well, I think if you take this kind of an interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there would never be any interpretation of the rules, there or of place. Q That wasn't my question. I'm not asking	1	prefiled testimony, please?	1	there could be a result of pollution of an underground
Q You identify an operating requirements pursuant to 30 TAC Section 331.63. And, specifically, I'm looking at letter (a). It says, injection wells permitted any place. Mall Class I wells shall be operated to prevent the movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. A reyou aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? A Well, I think if you take this kind of an interpretation of the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or the rules, there would never be any injection wells or whether or the about other injection wells or whether or the apout other injecti	2		2	
5 specifically, I'm looking at letter (a). It says, 6 "All Class I wells shall be operated to prevent the 7 movement of fluids that could result in the pollution 8 of an underground source of drinking water and to 9 prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me 17 that the statute says "could result in the pollution of underground source of drinking water"? 18 A Yes, the rule. 19 Q Or the rule. I apologize. I keep referring to statute. 20 Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? 5 Injection wells permitted any place. Q That wasn't my question. I'm not asking about other injection wells or whether or the paractice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are 10 JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you 1'm sorry. I didn't entirely 2 Q Okay. A understand what you were referring to.	3	Q You identify an operating operating	3	A Well, I think if you take this kind of an
6 "All Class I wells shall be operated to prevent the 7 movement of fluids that could result in the pollution 8 of an underground source of drinking water and to 9 prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me 17 that the statute says "could result in the pollution 18 of underground source of drinking water"? 19 MR. RILEY: Objection to the editorial. 10 JUDGE WALSTON: Overruled. 11 JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. 12 MR. FORSBERG: I'll move on. I think she's said enough on that. 13 JUDGE WALSTON: Overruled. 14 She's said enough on that. 15 MR. RILEY: Objection to the editorial. 16 JUDGE WALSTON: Overruled. 17 Q (By Mr. Forsberg) When you reviewed the 18 TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? 19 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring to statute. 21 Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? 21 to statute. 22 Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? 24 the Jackson shale known as the Catahoula? 25 Q Okay. 26 That wasn't my question. I'm not asking about other injection wells or whether or the practice of injecting wells. I'm just asking, bacd upon the words I see on paper and I think we've agreed on what those words are 28 I think twe've agreed on what those words are 29 Upon the words I see on paper and I think we've agreed on what those words are 29 Upon the words I see on paper and I think we've agreed on what those words are 29 Upon the words I see on paper and I think we've adea and just	4	requirements pursuant to 30 TAC Section 331.63. And,	4	interpretation of the rules, there would never be any
movement of fluids that could result in the pollution of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? A sout other injection wells or whether or the practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are 10 JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.	5		5	injection wells permitted any place.
of an underground source of drinking water and to prevent leaks from the well into unauthorized zones." Is that an exact word for word out from the statute? And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? B practice of injecting wells. I'm just asking, based upon the words I see on paper and I think we've agreed on what those words are JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.				
9 prevent leaks from the well into unauthorized zones." 10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me 17 that the statute says "could result in the pollution 18 of underground source of drinking water"? 19 upon the words I see on paper and I think we've 10 agreed on what those words are 11 JUDGE WALSTON: Okay. Why don't you go 12 ahead and just ask her the question. Be clear. 13 MR. FORSBERG: I'll move on. I think 14 she's said enough on that. 15 MR. RILEY: Objection to the editorial. 16 JUDGE WALSTON: Overruled. 17 Q (By Mr. Forsberg) When you reviewed the 18 TexCom application, did you note anywhere that there 19 was an increase in the reservoir pressure that could exceed the maximum allowable pressure? 18 Are you aware that there's an 29 underground source of drinking water directly above 20 Okay. 21 the Jackson shale known as the Catahoula? 22 A understand what you were referring to.				
10 Is that an exact word for word out from the statute? 11 And you're welcome to verify. 12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me 17 that the statute says "could result in the pollution 18 of underground source of drinking water"? 19 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring 21 to statute. 22 Are you aware that there's an 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 20 In what those words are 21 JUDGE WALSTON: Okay. Why don't you go 22 ahead and just ask her the question. Be clear. 23 MR. FORSBERG: I'll move on. I think 24 she's said enough on that. 25 MR. RILEY: Objection to the editorial. 26 JUDGE WALSTON: Overruled. 27 Q (By Mr. Forsberg) When you reviewed the 28 TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? 26 A In what part of the application are you 27 I'm sorry. I didn't entirely 28 Q Okay. 29 Okay. 20 Okay. 20 Okay.				
And you're welcome to verify. MR. RILEY: Counsel, I assume you mean rule. Correct? MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. Are you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? And you're welcome to verify. JUDGE WALSTON: Okay. Why don't you go ahead and just ask her the question. Be clear. MR. FORSBERG: I'll move on. I think she's said enough on that. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.				
12 MR. RILEY: Counsel, I assume you mean 13 rule. Correct? 14 MR. FORSBERG: Yeah. Yeah. 15 A Yes. I believe it is. 16 Q (By Mr. Forsberg) Would you agree with me 17 that the statute says "could result in the pollution 18 of underground source of drinking water"? 19 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring 21 to statute. 22 Are you aware that there's an 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 21 ahead and just ask her the question. Be clear. 12 ahead and just ask her the question. Be clear. 13 MR. FORSBERG: I'll move on. I think 14 she's said enough on that. 15 MR. RILEY: Objection to the editorial. 16 JUDGE WALSTON: Overruled. 17 Q (By Mr. Forsberg) When you reviewed the 18 TexCom application, did you note anywhere that there 19 was an increase in the reservoir pressure that could 20 exceed the maximum allowable pressure? 21 A In what part of the application are you 22 I'm sorry. I didn't entirely 23 Q Okay. 24 A understand what you were referring to.				
rule. Correct? MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. A re you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? MR. FORSBERG: I'll move on. I think she's said enough on that. MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.		•		
MR. FORSBERG: Yeah. Yeah. A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q Or the rule. I apologize. I keep referring to statute. A re you aware that there's an underground source of drinking water directly above the Jackson shale known as the Catahoula? A Yes, I believe it is. B MR. RILEY: Objection to the editorial. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. JUDGE WALSTON: Overruled. A Greyou avare that the pollution TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.				
A Yes. I believe it is. Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely underground source of drinking water directly above the Jackson shale known as the Catahoula? A Yes, the rule. A Yes, the rule. A Yes, the rule. A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.				
Q (By Mr. Forsberg) Would you agree with me that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely underground source of drinking water directly above the Jackson shale known as the Catahoula? A Ug (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.	1 E			
that the statute says "could result in the pollution of underground source of drinking water"? A Yes, the rule. Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? Are you aware that there's an anderground source of drinking water directly above the Jackson shale known as the Catahoula? Q (By Mr. Forsberg) When you reviewed the TexCom application, did you note anywhere that there was an increase in the reservoir pressure that could exceed the maximum allowable pressure? A In what part of the application are you I'm sorry. I didn't entirely Q Okay. A understand what you were referring to.				
18 of underground source of drinking water"? 19 A Yes, the rule. 20 Q Or the rule. I apologize. I keep referring 21 to statute. 21 Are you aware that there's an 22 Underground source of drinking water directly above 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 18 TexCom application, did you note anywhere that there 29 was an increase in the reservoir pressure that could 20 exceed the maximum allowable pressure? 21 A In what part of the application are you 22 I'm sorry. I didn't entirely 23 Q Okay. 24 A understand what you were referring to.				
19 A Yes, the rule. 19 was an increase in the reservoir pressure that could 20 Q Or the rule. I apologize. I keep referring 21 to statute. 22 Are you aware that there's an 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 29 was an increase in the reservoir pressure that could 20 exceed the maximum allowable pressure? 21 A In what part of the application are you 22 I'm sorry. I didn't entirely 23 Q Okay. 24 A understand what you were referring to.		· 1		
Q Or the rule. I apologize. I keep referring 1 to statute. 21 A In what part of the application are you 22 Are you aware that there's an 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 20 exceed the maximum allowable pressure? 21 A In what part of the application are you 22 I'm sorry. I didn't entirely 23 Q Okay. 24 A understand what you were referring to.		C C		
to statute. 21 A In what part of the application are you 22 Are you aware that there's an 22 I'm sorry. I didn't entirely 23 underground source of drinking water directly above 24 the Jackson shale known as the Catahoula? 21 A In what part of the application are you 22 I'm sorry. I didn't entirely 23 Q Okay. 24 A understand what you were referring to.				
Are you aware that there's an 22 I'm sorry. I didn't entirely 23 underground source of drinking water directly above 23 Q Okay. 24 the Jackson shale known as the Catahoula? 24 A understand what you were referring to.	21			
23 underground source of drinking water directly above 23 Q Okay. 24 the Jackson shale known as the Catahoula? 24 A understand what you were referring to.				
24 the Jackson shale known as the Catahoula? 24 A understand what you were referring to.	23	•		· · · · · · · · · · · · · · · · · · ·
	24	the Jackson shale known as the Catahoula?	24	
	25	A I didn't review in detail that part of the	25	Q Do you understand that there's a maximum

21 (Pages 1231 to 1234)

	Page 1235		Page 1237
1	allowable pressure	1	Q And then they're given an opportunity to
2	A Yes.	2	correct that?
3	Q with regards to mud plugs or pushing mud	3	A Yes.
4	plugs up through abandoned wells?	4	Q How many opportunities to correct do they
5	A I yeah. I you're I thought	5	have?
6	Q And I should have prefaced the question	6	A Typically
7	better. I certainly agree.	7	Q Go ahead. I'm sorry.
8	A Yes. I understand that there's a calculated	8	A In our normal team process at this time,
9	pressure that would be required to displace a mud	9	typically two formal opportunities via notices of
10		10	deficiency.
11	1 6	11	Q Okay. Are you familiar with the waste
12		12	compatibility requirement in the or instruction in
13		13	the instructions for the application?
14		14	A Yes.
15	1	15	Q And it may be helpful to get a copy of the
16	e s	16	instructions in front of you. The copy I have is in
17		17	Philip Grant's deposition testimony or I'm
18		18	sorry the direct examination of Philip Grant, but
19		19	there also may be another source.
20	Q Okay.	20	A Do you know where I would find it?
21	A If I'm understanding the question correctly.	21	Q Well, it's not that long. I can just read
22	Q Do you recall a number 456 with regards to	22	it, if that would be helpful.
23		23	A Okay.
24	an increase in pressure to 456 psi?	24	Q And if it gets to be too cumbersome, then
25	A I'm not recalling that number at the moment.	25	I'll find it we'll find it for you.
	Page 1236		Page 1238
1	I may not have understood your question.	1	JUDGE WALSTON: Where are you in
2	Q And I'm not going to belabor the point. I'm	2	Mr. Grant's testimony?
3	not. I'm probably not asking the question properly,	3	MR. FORSBERG: Exhibit 11, Page 32 of
4	so I'm just going to move on. It's a minor point.	4	32.
5	And I am switching gears here again.	5	JUDGE WALSTON: Just so the record is
6	With regards to the application itself, is it	6	clear, that's Lone Star's Exhibit 11.
7	important that the instructions to the application be	7	MR. FORSBERG: Yes.
8	followed?	8	Q (By Mr. Forsberg) Section X of the
9	A Yes. It's important.	9	instructions is titled "Waste Compatibility" and the
10		10	instructions
11		11	A I'm sorry. I may I think I'll be able to
12	to be instructions and I'm probably going to choose to	12	find it.
13	ignore those instructions, and as a result, suffer	13	Q Oh, okay.
14	hours of misery. When an applicant is going through	14	A Could you tell me the section or page again,
15	their instructions for filling out this application,	15	please?
16		16	Q Page 32 of 32, Exhibit 11.
17	requirement carefully or their application will be	17	A Okay.
18	denied. Correct?	18	Q Okay. The instruction is "Submit test
19		19	results for determination of the compatibility of the
20	the rules that actually determines whether their	20	proposed injection fluid with the formation, and
21		21	formation fluids, at expected pressures and
22	Q Okay. But if they don't follow the	22	temperatures." Was that done in this case with
23		23	regards to TexCom?
24	them. Is that fair?	24	A I'm sorry. I'm not I'm on Page 32 of 32
25	A Yes.	25	in Section XI. Right?

22 (Pages 1235 to 1238)

Q Exhibit 11. And it's Paragraph, I guess, 10 corr - Roman, or X. A Okay. You're asking about the test results for determination of compatibility. Q Yes. Were those submitted by l'exCom? A Those — they submitted a discussion. Testing was not done because the actual waste isn't available yet. Q Would you agree that there's a list of waste that has been provided in the TexCom application? A Yes. Q Does this instruction — and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? MR. RILEY: You mean other than the next sentence, counsel? Is that what you're saking the witness? MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q (By Mr. Forsberg) Is the en be one well that is constructed one will was constructed? A Ryes. Q Could sampling be done with regards to proposed materials with regards to proposed materials with regards to that well, or proposed materials with regards to that well, or proposed materials with regards to that well or proposed materials with regards to the determination of the compatibility of the proposed injection fluid with the formation and formation and formation fluid and cores? MR. RILEY: It was the actual was a cattern that the settlement agreement. Page 1240 Page 1242 Page 1242 Page 1242 Page 1242 Page 1244 Page 1242 Page 1242 Page 1242 Page 1242 Page 1244 Page 1244 Page 1242 Page 1242 Page 1242 Page 1244 Page 1244 Page 1244 Page		Page 1239		Page 1241
2 or - Roman, or X. 3 A Okay. You're asking about the test results 4 for determination of compatibility. 5 Q Yes. Were those submitted by TexCom? 6 A Those – they submitted a discussion. 7 Testing was not done because the actual waste isn't available yet. 8 available yet. 9 Q Would you agree that there's a list of waste that hat been provided in the TexCom application? 11 A Yes. 12 Q Does this instruction – and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 15 MR. RILEY: You mean other than the next sentence, Counsel? I stat what you're asking the you for providing that information. 14 when waste has not been brought into the facility yet? 15 MR. RILEY: I'm as just curious. 16 Q (By Mr. Forsberg) Is there one well that's constructed? 17 when waste has not been devel agree with you, Counsel. It says "facility." 18 A Yes. 19 Q (Ry Mr. Forsberg) Is the – the one well that is constructed? 20 A Yes. 21 A Yes. 22 O Okay. So I believe the execond sentence is inapplicable to the first well. 23 A Yes. 24 Q (Ry Mr. Forsberg) Is the – the one well that is constructed? 24 A Right. 25 A Yes. 26 A Right. 27 Q (Ry Mr. Forsberg) Is the – the one well that is constructed? 28 A Yes. 29 Q Could sampling be done with regards to proposed materials with regards to that well, or testing? 29 Q Could sampling be done with regards to proposed materials with regards to that well, or testing? 20 Q (Ry Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a filled break it a filled break it a filled bit casier. What about the existing well makes it impossible for TexCom the facility yet? 20 A Yes. 21 What about the exist sim yell makes it in impossible for TexCom the facility yet? 22 constructed? 23 A Yes. 24 Q (Ry Mr. Forsberg) Is the enext exact yet the existing well? 25 A Yes. 26 Q (Ry Mr. Forsberg) Is the – the one well that's in the application, but – i have to provide text results for the determination of the compatibility of	1		1	
A Okay. You're asking about the test results for the remination of compatibility. Yes. Were those submitted by TexCom? A Those — they submitted a discussion. Testing was not done because the actual waste isn't available yet. O Would you agree that there's a list of waste that has been provided in the TexCom application? A Yes. O Does this instruction — and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? MR. RILEY: You mean other than the next sentence, Counset? Is that what you're asking the witness? MR. FORSBERG: Actually, no, but thank you for providing that information. MR. RILEY: It was just curious. O (By Mr. Forsberg) Is there one well that's constructed? A Yes. O (By Mr. Forsberg) Is there one well that's inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." O (By Mr. Forsberg) Is the — the one well that is that a sonstructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By Mr. Forsberg) Is the envel of the very constructed? A Yes. O (By				
for determination of compatibility. Q Ves. Were those submitted by TexCom? A Those—they submitted a discussion. Testing was not done because the actual waste isn't available yet. Q Would you agree that there's a list of waste that has been provided in the TexCom application? A Yes. Q Does this instruction—and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? MR. RILEY: You mean other than the next sentence, Counsel? Is that what you're asking the witness? MR. FORSBERG: But I'm asking — JUDGE WALSTON: I'll overnule that objection. And she can answer it if she can. If she can!, she can!, can you answer the question? A My answer was going to be that at this time injection is prohibited into the well? A My answer was going to be that at this time injection is prohibited into the well? A My answer was going to be that at this time injection is prohibited into the well? A My answer was going to be that at this time injection in the well except for the testing that's specified in the settlement that the can't, she can!, she can				
5 Q Yes. Were those submitted by TexCom? 6 A Those — they submitted a discussion. 7 Testing was not done because the actual waste isn't available yet. 9 Q Would you agree that there's a list of waste that has been provided in the TexCom application? 10 that has been provided in the TexCom application? 11 a Yes. 12 Q Does this instruction — and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 15 MR. RILEY: You mean other than the next witness? 16 sentence, Counsel? Is that what you're asking the witness? 17 MR. RILEY: It is a just curious. 18 Q (By Mr. Forsberg) Is there one well that's constructed? 19 Q (By Mr. Forsberg) Is the ence well that's constructed? 20 Q (By Mr. Forsberg) Is the — the one well that is constructed one with vast of waste fluids are—constructed? 21 A Yes. 22 Q (By Mr. Forsberg) Is the — the one well that is constructed one will was constructed? 23 A Yes. 24 Q (By Mr. Forsberg) Is the — the one well that is constructed? 25 In that was to read that it is the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 26 (Brief Pause) 27 A It's — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 28 (Brief Pause) 29 What about the existing well makes it impossible for TexCom to provide tests results for the determination of the compatibility of the proposed injection fluid with the formation and formation in the well and correct — because they listed them is not in evell keep to do the with regards to proposed materials with regards to have the exact waste fluids are—constructed? 20 Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide tests results for the determination of the compatibility of the proposed injection fluid with the f				
6 A Those — they submitted a discussion. 8 available yet. 9 Q Would you agree that there's a list of waste that has been provided in the TexCom application? 10 A Yes. 11 A Yes. 12 Q Does this instruction — and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 13 reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 14 MR. RILEY: You mean other than the next senence. Counsel? Is that what you're asking the witness? 18 MR. FORSBERG: Actually, no, but thank you're rowing that information. 19 MR. RILEY: I was just curious. 20 MR. RILEY: I was just curious. 21 Q (By Mr. Forsberg) Is there one well that's constructed? 22 constructed? 23 A Yes. 24 Q Okay. So I believe the second sentence is inapplicable to the first well. 25 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." 21 Q MR. MILEY: If it said "well," I would agree with you, Counsel. It says "facility." 22 Q And exists? 24 A Yes. 25 Q Could sampling be done with regards to ne well was constructed — okay. Just — we agree that one well was constructed — okay. Just — we agree that one well was constructed? 3 A Yes. 4 A It's — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 3 A They not finding Section X. 4 (Brief Pause) 3 A It's — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 4 I mon finding Section X. 5 (Q By Mr. Forsberg) Well, let me just that impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation fluid with the formation				
7 Testing was not done because the actual waste isn't a variable yet. 9 Q Would you agree that there's a list of waste that has been provided in the TexCom application? 10 A Yes. 11 Q Does this instruction and maybe I'm not reading it properly. Does it make an exception for values? 12 Q Does this instruction and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 14 MR RILEY: You mean other than the next sentence, Counsel? Is that what you're asking the witness? 15 MR. FORSBERG: Actually, no, but thank you for providing that information. 16 MR. RILEY: I was just curious. 17 Q (By Mr. Forsberg) Is there one well that's constructed? 18 A Yes. 19 Q Oday. So I believe the second sentence is inapplicable to the first well. 10 MR. RILEY: If it said "well," I would a gree with you, Counsel. It says "facility." 11 Lesting? 12 A Right. 13 A Right. 14 MR. RILEY: If it said "well," I would a gree with you, Counsel. It says "facility." 15 A Right. 16 A Right. 17 Q And exists? 18 A Yes. 19 Q Could sampling be done with regards to proposed materials with regards to that well, or testing? 10 A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. 18 (Brief Pause) 29 A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. 18 (Brief Pause) 29 A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. 20 (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide text results for the decirity have the start give the text at this time in the application? 21 A I'm reference in the settlement agreement. 22 A Rechancical integrity test o			6	
9 Q Would you agree that there's a list of waste 10 that has been provided in the TexCom application? 11 A Yes. 12 Q Does this instruction — and maybe I'm not 13 reading it properly. Does it make an exception for 14 when waste has not been brought into the facility yet? 15 MR, RILEY: You mean other than the next to sentence, Counsel? Is that what you're asking the 16 scentence, Counsel? Is that what you're asking the 17 witness? 18 MR, FORSBERG: Actually, no, but thank you for providing that information. 19 you for providing that information. 20 (By Mr, Forsberg) Is there one well that's 21 constructed? 22 A Yes. 23 A Yes. 24 Q Okay. So I believe the second sentence is inapplicable to the first well. 25 mapplicable to the first well. 26 A Right. 27 Q And exists? 28 A Yes. 39 Q Could sampling be done with regards to nor well was constructed? 30 A Rish. I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 30 Q (By Mr, Forsberg) Well, let me just backtrack, and maybe I can break it a little bit easier. 31 What about the existing well makes it impossible for TexCom to provided in the TexCom application to the compatibility of the proposed injection fluid with the formation and formation fluid at expected pressures and temperatures for the existing well? 30 A Yes. 31 A R. R. F. I wan to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 32 BUTDEWALSTON: I can't, she can't. 33 C By Mr. Forsberg) I well where and the textility in the proposed materials with regards to the waste fluids are application, but — I have to get the next volume, I think. 33 C By Mr. Forsberg) Well, let me just backtrack, and maybe I c	7		7	
that has been provided in the TexCom application? 1 A Yes. 2 Q Does this instruction — and maybe I'm not vehor waste has not been brought into the facility yet? 3 MR. RILEY: I was used that the next with the formation and formation of the constructed? 3 A Yes. 4 Q Okay. So I believe the second sentence is inapplicable to the first well. 5 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." 4 Q (By Mr. Forsberg) Is the — the one well that is one well was constructed? 5 A Right. 5 Q Ould sampling be done with regards to proposed materials with regards to the application, but — I have to get the next volume, I think. 6 (Brief Pause) A Im not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it in the application for the compatibility of the proposed in jection in the waste fluids to the testing that with the spondard proposed in jection in the well? 5 A Trey would have to have samples of the waste fluids to be tested. 5 Q Ould sampling be done with regards to proposed materials with regards to that well, or testing? A I'rs — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 6 (Brief Pause) A I'rs — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. 6 (Brief Pause) A I'rs — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think formation and formation of the compatibility of the proposed injection fluid with the formation and formation of the compatibility of the proposed injection fluid with the formation and formation of the compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A No. Q Ox TexCom could perform a testing for compatibility of the propo	8	available yet.	8	MR. FORSBERG: But I'm asking
1.1 A Yes. 1.2 Q Does this instruction — and maybe I'm not reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 1.5 MR, RILEY; You mean other than the next wines? 1.6 sentence, Counsel? Is that what you're asking the winess? 1.8 MR, RILEY; I was just curious. 1.9 Q (By Mr, Forsberg) Is there one well that's constructed? 1.0 A Yes. 1.1 Can't, she can't. 1.2 Can you answer the question? 1.2 A my answer was going to be that at this time injection is prohibited into the well except for the testing that's specified in the settlement agreement. 1.0 Q (By Mr, Forsberg) Do the tests — do the tests require actual injection into the well? 1.2 A Yes. 2.3 A Yes. 2.4 Q Okay. So I believe the second sentence is inapplicable to the first well. 2.5 inapplicable to the first well. 2.6 A Right. 2.7 Q (By Mr, Forsberg) Is the — the one well that is constructed — okay. Just — we agree that one well was constructed? 2.5 A Right. 2.6 Q And exists? 3. A Yes. 4. A Right. 5. A Yes. 4. A They would have to have samples of the waste fluids to be tested. 5. They would have to have samples of the waste fluids to be tested. 5. Q But they know what the waste fluids to be tested. 5. Q But they know what the waste fluids are — correct — because they listed them in the application, but — I have to get the next volume, I think. 5. G A Yes. 5. Q Could sampling be done with regards to proposed materials with regards to that well, or testing? 5. A I'm not finding Section X. 6. Q (By Mr, Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide a determination of the compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? 5. A I'm not finding Section X. 5. Q (By Mr, Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it im little wite asier. 5. A Prove of the existing well? 5. A I'm not finding Section X. 6. Q (By Mr, Fo	9	Q Would you agree that there's a list of waste	9	JUDGE WALSTON: I'll overrule that
1	10			objection. And she can answer it if she can. If she
13 reading it properly. Does it make an exception for when waste has not been brought into the facility yet? 15 MR. RILEY: You mean other than the next sentence, Counsel? Is that what you're asking the vitness? 16 MR. FORSBERG: Actually, no, but thank you for providing that information. 20 MR. RILEY: I was just curious. 21 Q (By Mr. Forsberg) Is there one well that's constructed? 22 constructed? 23 A Yes. 24 Q Okay. So I believe the second sentence is inapplicable to the first well. 25 inapplicable to the first well. 26 A Right. 27 Q And exists? 3 Q Gby Mr. Forsberg Is the - the one well at that is constructed - okay. Just - we agree that one well was constructed? 4 A Yes. 9 Q Could sampling be done with regards to new lew as constructed? 4 A Yes. 9 Q Could sampling be done with regards to that well, or testing? 10 proposed materials with regards to that well or testing? 11 A N. O. 12 Q (By Mr. Forsberg) Is the - the one well was constructed? 24 A Yes. 9 Q Could sampling be done with regards to the well and temperatures for the exact waste fluids available to them? Is that in your compatibility of the proposed injection fluid with the formation and formation Iluids at expected pressures and temperatures for the existing well? 14 time injection is prohibited into the well except for the testing that's specified in the settlement agreement. 16 destroy in the testing that's specified in the settlement agreement. 16 determination in the twell exceved the tests require actual injection into the well. 21 Q But would a test for the determination of the companibility of reposed injection into the well. 22 a that would require injection into the well. 23 A They would have to have the waste fluids to be tested. 24 D But they know what the waste fluids arecorrect - because they listed them in the application? 25 D But they know what the waste fluids arecorrect - because they listed them in the application? 26 A They did, in general form. 27 A No. 28 Q (By Mr. Forsberg) Well let me just any applicant ever going to				can't, she can't.
when waste has not been brought into the facility yet? MR. RILEY: You mean other than the next sentence, Counsel? Is that what you're asking the witness? MR. FORSBERG: Actually, no, but thank you for providing that information. MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q (By Mr. Forsberg) Is there one well that's constructed of the first well. Page 1240 MR. RILEY: I it it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well that is constructed okay. Just we agree that one well was constructed? A Right. A Yes. Q Could sampling be done with regards to on proposed materials with regards to that well, or testing? A It's I want to refer to the application to make ure I don't misstate something that's in the application, but I have to get the next volume, I think. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the determination of the compatibility of proposed injection fluid with the formation and formation fluids a the settlement dagreement. Q (By Mr. Forsberg) Do the tests do the testing that's specified into the well? A A mechanical integrity test or a pressure fall-loff test would require injection into the well? A A we can decist or a pressure fall-off test would require injection into the well? A A test would atest for the determination of the conspatibility of proposed injection fluid with the formation and formation fluids and formation fluids are streamly agreement. The would require injection into the well? A They would require injection into the well? A They would anve to have samples of the waste fluids to be tests require actual injection into the well? A They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids are correct because they listed them in the application? A They would have to have samples of the waste f		•		
MR. RILEY: You mean other than the next witness? MR. FORSBERG: Actually, no, but thank witness? MR. FORSBERG: Actually, no, but thank witness? MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q (By Mr. Forsberg) Is the ene well that's constructed? MR. RILEY: If it said "well," I would are witney out. Counsel. It says "facility." Q (By Mr. Forsberg) Is the ene well well. Page 1240 MR. RILEY: If it said "well," I would are with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the ene well was constructed - okay. Just - we agree that one well was constructed? A Right. Q And exists? A Yes. Q Could sampling be done with regards to the proposed materials with regards to that well, or testing? A It's - I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Q (By Mr. Forsberg) Is the rewall. A I'm not finding Section X. Q (By Mr. Forsberg) Is the rewall makes it impossible for TexCom to provide test results for the determination of the compatibility of proposed misterials with regards to that well, or testing? A I'm not finding Section X. Q (By Mr. Forsberg) Is the rewall was constructed a fall-off test would require injection into the well. Q But would a test for the determination of the compatibility of proposed injection fluid with the formation and formation fluids I mean, would that be necessary for that? A They would have to have samples of the waste fluids to be tested. But they know what the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any papicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids are experience, does that occur? A No. Q So Te				
sentence, Counsel? Is that what you're asking the witness? MR. FORSBERG: Actually, no, but thank you for providing that information. MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q Okay. So I believe the second sentence is inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Well was constructed? A They would have to have the waste fluids are — to be tested. Q But they know what the waste fluids are — to be tested. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that — in your experience, does that occur? A Yes. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can breat in the proposed injection fluid with the formation and formation and formation and formation and formation and formation and formation fluids with the ferse would have to have the waste fluids to be tested. Q (By Mr. Forsberg) Well with the formation of the c				
witness? MR. FORSBERG: Actually, no, but thank you for providing that information. MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. Q Okay. So I believe the second sentence is inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is there one well that's page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." A Right. Q And exists? A Yes. Q Oad as sonstructed? A Right. Q And exists? A Yes. Q Could sampling be done with regards to proposed materials with regards to that well, or lesting? A Trey or Down and Formation and formation for a reason. A Trey - I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. Q (By Mr. Forsberg) Do the tests — do the tests require actual injection into the well? A A mechanical integrity test or a pressure fall-off test would require injection fint the well? Q But would a test for the determination of the compatibility of the proposed injection fluid with the formation and formation fluids — I mean, would that be necessary for that? A They would have to have the waste fluids to be tested. Q But they know what the waste fluids are — correct — because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that — in your experience, does that occur? A Yes. Q (By Mr. Forsberg) Well, let me just be necessary for that? A They would have to have samples of the waste fluids are — correct — because they listed them in the application? A They did, in general form. Q Os and I assume that this instruction is here for a reason. A Yes. Q (By Mr. Forsberg) Well, let me just be acktrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it				
tests require actual injection into the well? NR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's A Yes. O Okay. So I believe the second sentence is imaplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would a gree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well that's constructed? A Right. A Right. O Could sampling be done with regards to proposed materials with regards to that well, or resting? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. O But would a test for the determination of the compatibility of proposed injection fluid with the formation and formation fluids I mean, would that be necessary for that? A They would have to have the waste fluids. Page 1240 They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay, So I believe the second sentence is inapplicable to the first well. They would have to have the waste fluids to be tested. Q But they know what the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay, And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A A Yes. Q Soy TexCom could perform a testing for compatibility testing following completion of the well and retrieval of reservoir injude of the compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatur		,		
you for providing that information. MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. A Right. Q And exists? A Yes. A Tey would sampling be done with regards to proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Q By Mr. Forsberg) Wat the waste fluids are that is a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of proposed injection fluid with the formation and formation proposed injection into the well. Q But would a test for the determination of the compatibility of proposed injection fluid with the formation and formation proposed injection into the well. Q But would a test for the determination of the compatibility of proposed injection fluid with the formation and formation proposed injection fluid with the formation and formation and formation into the well. Q But would have to have samples of the waste fluids to be tested. They would have to have the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A Yes. Q By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation and formation of the compatibility of the proposed injection fluid with the formation of the compatibility of the proposed injection fluid with the formation of the compatibility of the proposed injection fluid with the formation of the compatibility of the proposed injection fluid with the formation of the compatibilit				
MR. RILEY: I was just curious. Q (By Mr. Forsberg) Is there one well that's constructed? A Yes. MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well that is constructed okay. Just we agree that one well was constructed? A Right. Q Could sampling be done with regards to proposed materials with regards to the sample. A It's I want to refer to the application to make sure I don't mistate something that's in the application, but I have to get the next volume, I fability. A I's I want to refer to the application to make sure I don't mistate something that's in the application, but I have to get the next volume, I to it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation and formation A Yes. A They would have to have the waste fluids. Page 1240 They would have to have the waste fluids. Page 1242 They would have to have the waste fluids. Page 1242 They would have to have the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is amy applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation of the compatibility of the proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?		· · · · · · · · · · · · · · · · · · ·		1 0
Q (By Mr. Forsberg) Is there one well that's Constructed? A Yes. Q Okay. So I believe the second sentence is inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well that is constructed okay, Just we agree that one well was constructed? A Right. Q Could sampling be done with regards to proposed materials with regards to the testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I A Pin not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the determination of the compatibility of proposed injection fluid with the formation and formation Page 1240 Page 1240 They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids are correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant regoing to have the exact waste fluids available to them? Is that in your experience, does that occur? A Yes. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the cital ittle bit easier. What about the existing well makes it impossible for TexCom to provide test results for the detailed proposal for compatibility testing following completion of the would have to have the waste fluids. Page 1240 They would have to have the waste fluids to be tested. Q But they know what the waste fluids to be tested. Q But they know what the waste fluids to be tested. Q Colda and provide testification to application? A They dould have to have samples of the waste fluids to be tested. Q But they know what the waste fluids an exested. Q Colda and provide testification to application? A No. Q	19	, ,		
compatibility of proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be formation and formation fluids I mean, would that be not not proposed injection fluid with the formation and formation fluids I mean, would that be not proposed injection fluid with the formation and formation fluids I mean, would that be normation and formation fluids I mean, would that be normation and formation fluids I mean, would that be normation and formation fluids I mean, would that be normation fluids I mean, would that be normation and formation fluids I mean, would that be normation and formation fluids I mean, would that be normation fluids I mean, would that be normation and formation fluids I mean, would that be normation and formation fluids I mean, would have to have the waste fluids. Page 1242 They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids to be tested. A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the exact waste fluids and several exact waste fluids any applicant ever going to have the exact waste fluids any applicant ever going to have the v	20	•		
A Yes. Q Okay. So I believe the second sentence is inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well that is constructed okay. Just we agree that one well was constructed? A Right. Q And exists? A Yes. Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A I's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation fluids I mean, would that be necessary for that? A They would have to have samples of the waste fluids are correct because they listed them in the application? Q But they know what the waste fluids are correct because they listed them in the application. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here formation and formation fluids at expected pressures and temperatures for the existing well? A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a determination of the compatibility of the proposed of the waste fluids are correct because they listed them in the application? Q But they know what the waste fluids arecorrect because they listed them in the application? Q Okay. And prior to opening a new well, is any application to opening a new well, is any applic	2 Z			
Q Okay. So I believe the second sentence is inapplicable to the first well. Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the the one well as constructed okay. Just we agree that one well was constructed? A Right. Q And exists? A Yes. Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation 24 injection fluid with the formation and formation 24 injection fluid with the formation and formation and formation and formation and formose in page 1242 A They would have to have the waste fluids. Page 1242 They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids arecorrect because they listed them in the application? Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A A They owusdid have to have samples of the waste fluids to be tested. Q But they know what the waste fluids arecorrect because they listed them in the application? A They did in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that	22			
page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well that is constructed — okay. Just — we agree that one well was constructed? A Right. Q And exists? Q Could sampling be done with regards to proposed materials with regards to that well, or 10 proposed materials with regards to that well, or 11 testing? 12 A I's — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the impossible for TexCom to provide test results for the impostion fluid with the formation and formation Page 1242 They would have to have the waste fluids. Page 1242 They would have to have the waste fluids to be tested. Q But they know what the waste fluids are — correct — because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids are — correct — because they listed them in the application? A They would have to have samples of the waste fluids to be tested. Q But they know what the waste fluids to be tested. Q D And prior to opening a new well, is any applicant ever going to have the exact waste fluids are — correct — because they listed them in the application? A They double have to have samples of the waste fluids to be tested. Q D Au at a sum application? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a determination of the compatibility of the proposed injecti	23 04			
Page 1240 MR. RILEY: If it said "well," I would agree with you, Counsel. It says "facility." Q (By Mr. Forsberg) Is the — the one well one well was constructed — okay. Just — we agree that one well was constructed? A Right. Q And exists? Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A It's — I want to refer to the application to make sure I don't misstate something that's in the application, but — I have to get the next volume, I think. (Brief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation 24 injection fluid with the formation and formation and reservoir fluid and cores? In They would have to have samples of the waste fluids to be tested. D But they know what the waste fluids are — correct — because they listed them in the application? A They did, in general form. A They d				
1 MR. RILEY: If it said "well," I would 2 agree with you, Counsel. It says "facility." 3 Q (By Mr. Forsberg) Is the the one well 4 that is constructed okay. Just we agree that 5 one well was constructed? 6 A Right. 7 Q And exists? 8 A Yes. 9 Q Could sampling be done with regards to 10 proposed materials with regards to that well, or 11 testing? 12 A It's I want to refer to the application to 13 make sure I don't misstate something that's in the 14 application, but I have to get the next volume, I 15 think. 16 (Brief Pause) 17 A I'm not finding Section X. 18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make 20 it a little bit easier. 21 What about the existing well makes it 22 impossible for TexCom to provide test results for the 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 24 They would have to have samples of the waste fluids to 2 be tested. 3 Q But they know what the waste fluids are 2 correct because they listed them in the 2 determination of the waste fluids to 2 be tested. 3 Q But they know what the waste fluids are 2 correct because they listed them in the 2 detersed. 3 Q But they know what the waste fluids are 4 correct because they listed them in the 2 deplication? 4 They would have to have samples of the waste fluids are 2 correct because they listed them in the 2 detersed. 3 Q But they know what the waste fluids are 4 correct because they listed them in the 2 detersed. 3 Q But they know what the waste fluids are 4 They would have to have samples of the waste fluids are 4 correct because they listed them in the 4 application? 4 They would have to have samples of the waste fluids are 4 Correct because they listed them in the 4 application? 4 They would have to have samples of the waste fluids are 4 They would have to have samples of the waste fluids are 4 They would have to have samples of the safe fluids are 5 application? 4 They w		Transcript of the control of the con	2.5	
2 agree with you, Counsel. It says "facility." 3 Q (By Mr. Forsberg) Is the the one well 4 that is constructed okay. Just we agree that 5 one well was constructed? 6 A Right. 7 Q And exists? 8 A Yes. 9 Q Could sampling be done with regards to 10 proposed materials with regards to that well, or 11 testing? 12 A It's I want to refer to the application to 13 make sure I don't misstate something that's in the 14 application, but I have to get the next volume, I 15 think. 16 (Brief Pause) 17 A I'm not finding Section X. 18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make it a little bit easier. 20 (By Mr. Forsberg) Well makes it impossible for TexCom to provide test results for the detailed proposal of the well and retrieval of reservoir fluid with the formation and formation of the compatibility of the proposed injection of the well and retrieval of reservoir fluid and cores?		Page 1240		Page 1242
Q (By Mr. Forsberg) Is the the one well that is constructed okay. Just we agree that one well was constructed? A Right. Q And exists? Q Could sampling be done with regards to proposed materials with regards to testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. G Brief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make ti a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the one well that is constructed okay. Just we agree that correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here 13 for a reason. 4 Correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				They would have to have samples of the waste fluids to
that is constructed okay. Just we agree that one well was constructed? A Right. Q And exists? A Yes. Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Grief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the application of the compatibility of the proposed injection fluid with the formation and formation 4 correct because they listed them in the application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? 1 A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
one well was constructed? A Right. Q And exists? B A Yes. Q Could sampling be done with regards to proposed materials with regards to testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Brief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the injection fluid with the formation and formation application? A They did, in general form. Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a determination of the compatibility of the proposal or compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
6 A Right. 7 Q And exists? 8 A Yes. 9 Q Could sampling be done with regards to 10 proposed materials with regards to testing? 11 testing? 12 A It's I want to refer to the application to 13 make sure I don't misstate something that's in the 14 application, but I have to get the next volume, I 15 think. 16 (Brief Pause) 17 A I'm not finding Section X. 18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make 10 it a little bit easier. 21 What about the existing well makes it 22 impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation 24 injection fluid with the formation and formation 25 A They did, in general form. 7 Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? 11 A No. 12 Q And I assume that this instruction is here 13 for a reason. 14 A Yes. 15 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? 18 A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
Q And exists? R A Yes. Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. R I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation for the well and retrieval of reservoir fluid and cores? Q Okay. And prior to opening a new well, is any applicant ever going to have the exact waste fluids available to them? Is that in your experience, does that occur? A No. Q And I assume that this instruction is here for a reason. A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
8 A Yes. 9 Q Could sampling be done with regards to 10 proposed materials with regards to testing? 11 testing? 12 A It's I want to refer to the application to 13 make sure I don't misstate something that's in the 14 application, but I have to get the next volume, I 15 think. 16 (Brief Pause) 17 A I'm not finding Section X. 18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make 20 it a little bit easier. 21 What about the existing well makes it 22 impossible for TexCom to provide test results for the 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 8 any applicant ever going to have the exact waste 9 fluids available to them? Is that in your experience, does that occur? 10 experience, does that occur? 11 A No. 12 Q And I assume that this instruction is here 13 for a reason. 14 A Yes. 15 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? 19 A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
Q Could sampling be done with regards to proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Grief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it mpossible for TexCom to provide test results for the make sure I don't misstate something that's in the application, but I have to get the next volume, I A Yes. Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
proposed materials with regards to that well, or testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Grief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the make sure I don't misstate something that's in the application to 12 Q And I assume that this instruction is here 13 for a reason. 14 A Yes. 15 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation and formation fluids at expected pressures and temperatures for the existing well? A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
testing? A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. Brief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the second sentence here that is for unconstructed that they actually could provide a determination of the compatibility of the proposed injection fluid with the formation and formation the second sentence here that is for unconstructed detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?		Q Could sampling be done with regards to		
A It's I want to refer to the application to make sure I don't misstate something that's in the application, but I have to get the next volume, I think. CBrief Pause) A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the proposed injection of the well and retrieval of reservoir fluid and cores? Q And I assume that this instruction is here for a reason. A Yes. D So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation A Yes. A Yes. A Yes. A Yes. A Yes. A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?	_	proposed materials with regards to that well, or		=
make sure I don't misstate something that's in the application, but I have to get the next volume, I think. 15				
14 application, but I have to get the next volume, I 15 think. 16 (Brief Pause) 17 A I'm not finding Section X. 18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make 20 it a little bit easier. 21 What about the existing well makes it 22 impossible for TexCom to provide test results for the 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 25 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation 26 compatibility of the proposed injection fluid with the formation and formation 27 A Yes. 28 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation injection fluid with the formation and formation 27 A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?				
think. 15 Q So TexCom could perform a testing for compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? 18 Q (By Mr. Forsberg) Well, let me just 18 and temperatures for the existing well? 19 backtrack, and maybe I can break it up here and make 19 A Are you suggesting that they could do the 19 second sentence here that is for unconstructed 19 second sentence here that is for unconstructed 19 facilities, that they actually could provide a 19 detailed proposal for compatibility testing following 19 determination of the compatibility of the proposed 19 injection fluid with the formation 19 fluid and cores?				
16 (Brief Pause) 1 A I'm not finding Section X. 1 Q (By Mr. Forsberg) Well, let me just 1 backtrack, and maybe I can break it up here and make 2 it a little bit easier. 2 What about the existing well makes it 2 impossible for TexCom to provide test results for the 2 determination of the compatibility of the proposed 2 injection fluid with the formation and formation 2 compatibility of the proposed injection fluid with the 2 formation and formation fluids at expected pressures 2 and temperatures for the existing well? 2 second sentence here that is for unconstructed 2 facilities, that they actually could provide a 2 detailed proposal for compatibility testing following 2 completion of the well and retrieval of reservoir 3 fluid and cores?				
A I'm not finding Section X. Q (By Mr. Forsberg) Well, let me just 18 backtrack, and maybe I can break it up here and make 20 it a little bit easier. What about the existing well makes it 21 impossible for TexCom to provide test results for the 22 detailed proposal for compatibility testing following 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 17 formation and formation fluids at expected pressures 28 and temperatures for the existing well? 29 A Are you suggesting that they could do the 20 second sentence here that is for unconstructed 21 facilities, that they actually could provide a 22 detailed proposal for compatibility testing following 23 completion of the well and retrieval of reservoir 24 fluid and cores?	16			
18 Q (By Mr. Forsberg) Well, let me just 19 backtrack, and maybe I can break it up here and make 20 it a little bit easier. 21 What about the existing well makes it 22 impossible for TexCom to provide test results for the 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 28 and temperatures for the existing well? 29 A Are you suggesting that they could do the 20 second sentence here that is for unconstructed 21 facilities, that they actually could provide a 22 detailed proposal for compatibility testing following 23 completion of the well and retrieval of reservoir 24 fluid and cores?		,		
backtrack, and maybe I can break it up here and make it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation A Are you suggesting that they could do the second sentence here that is for unconstructed facilities, that they actually could provide a detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?		8		
it a little bit easier. What about the existing well makes it impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation 20 second sentence here that is for unconstructed 21 facilities, that they actually could provide a 22 detailed proposal for compatibility testing following 23 completion of the well and retrieval of reservoir 24 fluid and cores?				
What about the existing well makes it 21 facilities, that they actually could provide a 22 impossible for TexCom to provide test results for the 23 determination of the compatibility of the proposed 24 injection fluid with the formation and formation 24 fluid and cores?				
impossible for TexCom to provide test results for the determination of the compatibility of the proposed injection fluid with the formation and formation detailed proposal for compatibility testing following completion of the well and retrieval of reservoir fluid and cores?	21			
determination of the compatibility of the proposed 23 completion of the well and retrieval of reservoir 19 injection fluid with the formation 24 fluid and cores?		· · · · · · · · · · · · · · · · · · ·		
24 injection fluid with the formation and formation 24 fluid and cores?				
				fluid and cores?
	25			Q No. And I'm not trying to suggest anything.

23 (Pages 1239 to 1242)

testing performed on the existing well prior to in the well that we have agreed is existing and constructed—1 understand there's a word "facility" is used, but you we already agreed that there's enough of a facility is used, but you've already agreed that there's enough of a facility is used, but you've already agreed that there's enough of a facility is used, but you've already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you we already agreed that there's enough of a facility is used, but you well. To could—let me rephrase. Page 1244 could—let me rephrase. What additional facilities on the sist in order to do the testing that's discussed in this waste compatibility section? A I fley well. a facility is used to the waste that's proposed to be injected. Q Which would probably be subject to some sort of settlement agreement that we couldn't see? A No. No. Q Which would probably be subject to some sort of settlement agreement that we couldn't see? A Not that issue. Q Okay, But you don't recall that— A I don't. Q What don't reall that— Q Okay. A Here's—what do they look like? A Well, there's—what do they look l		11 DOCKET NO. 302 07 2073		elg bocker wo. 2007 0201 wbw
2 on the well that we have agreed is existing and constructed—I understand there's a word "facility" is used, but you've already agreed that there's enough of a facility enter to do the testing for the taken? 2 or Could—let me rephrase. 3 a Very size in order to do the testing in the thing was the order to correct. 4 If it were ferasible. 5 determination of compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? 4 A If it were ferasible. 5 determination of compatibility of the proposed injection fluid with the formation and formation fluids are expected pressures and temperatures for the existing well? A If—I suppose if they have samples available, some tests, potentially, could be run. C You understand that some core samples were taken? A Yes. O The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" is used, but you've already agreed that there's enough a vell. 2 or of a facility enter to do the test in the rules. 2 of I understand. And I'm just asking you 2 of a facility fler to do the testing that the very thing? 3 the test experiment of the waste that's proposed to be injected. 4 No. No. 4 No. No. 4 No. No. 5 A The would probably be subject to some sort of settlement agreement that we couldn't see? 4 No. No. 5 O The second part of this sentence says "For unconstructed facilities, provide a detailed proposal well. 5 A Well, "facility" is defined in the rules. 6 Q I understand. And I'm just asking you 2 well. 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core samples and formation fluids, an independent—you know, they would have to be done by a laboratory or some— 5 A If they have the core—access to core samples and formation fluids, an independent—you know, they would have to be done by a laboratory or some— 5 Q Okay. 5 A They wouldn't have—I don't		Page 1243		Page 1245
2 on the well that we have agreed is existing and constructed—1 understand there's a word "facility" in the second sentence, but I'm only looking at the first sentence. Could TexCom do the testing for the first sentence. Could TexCom do the testing for the determination of compatibility of the proposed injection fluid with the formation and formation fluids at expected pressures and temperatures for the satisfing well? A I'm I superfose single samples and formation fluids and proper samples of the waste that's proposed to be injected. Bayanjes of the formation fluids and the samples of the waste that's proposed to be injected. Bayanjes of the formation fluids and the samples of the waste that's proposed to be injected. Bayanjes of the formation fluids and the samples of the waste that's proposed to be injected. Bayanjes of the waste that's proposed to be injected. Bayanjes of the formation fluids and the samples of the waste that's proposed to be injected. Bayanjes of the formation of WDW-315, and I don't know that formation from cores available, some tests, potentially, could be run. Cy Ou understand that some core samples were taken? A Yes. O The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" is used, but you ve already agreed that there's enough of a facility devo to do the test on the existing well. A Well, "facility" is defined in the rules. Q Understand. And I'm just asking you Page 1244 Could – let me rephrase. A Highey have access to core samples and formation fluids, an independent – you know, they during the provided and proper samples of the waste that's propose	1	I'm simply asking: With regards to the first sentence	1	testing performed on the existing well prior to
the second sentence, but I'm only looking at the first sentence. Could FexCom do the testing for the determination of compatibility of the proposed in fluids at expected pressures and temperatures for the existing well? A I'm - I suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation fluids and the samples of the formation from cores available, some tests, potentially, could be run. Q You understand that some core samples were taken? A Yes. Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal of a facility there to do the test on the existing well. A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you well. A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you Page 1244 could - let me rephrase. What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core - the core samples and the formation fluids? Could they run tests on those? Is that the question. Are you asking if they have access to core - the core samples and formation fluids, an independent - you know, they would have to be done by a laboratory or some - Q Okay. A They would have to be done by a laboratory or some - Q Okay. Q Okay. A They would have to be done by a laboratory or some - Q Okay. A They would have to be done by a laboratory or some - Q Okay. A They would have to be done by a laboratory or some - Q Okay. A They would have to be done by a laboratory or some - Q Okay. A They would have to be done by a laboratory or l	2	on the well that we have agreed is existing and	2	
5 first sentence. Could TexCom do the testing for the determination of compatibility of the proposed injection fluid with the formation and formation of fluids at expected pressures and temperatures for the existing well? 5 A If -1 suppose if they have samples available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are available, the tests could be run. If there are samples of the formation fluids and the samples of the formation flow of the formation fluids and the samples of the formation flow on the test on the existing was performed after the completion of WDW-315, and I don't know that information. 5 Q You understand that some core samples were the formation from cores available, some tests, potentially, could be run. 6 Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word 'facility' so used, but you've already agreed that there's enough of a facility there to do the test on the existing well. 10 A Well, "facility here to do the test on the existing well. 11 a could let me rephrase. 12 a what additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 2 A Yes. 2 D I understand. And I'm just asking you 12 a could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 2 Could bey run tests on those? I shath the question? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 A I guess I'm a little bit confused about the question. 5 A I fithey have the core access to core samples and formation fluids,	3		3	
5 first sentence. Could TexCom do the testing for the determination of compatibility of the proposed injection fluid with the formation and formation and formation of lindis at expected pressures and temperatures for the existing well? 4 A If -1 suppose if they have samples available, the tests could be run. If there are awailable, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, potentially, could be run. 5 Q You understand that some core samples were the formation from cores available, some tests, potentially, could be run. 6 Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word 'facility' a sued, but you've already agreed that there's enough of a facility there to do the test on the existing well. 7 A Well, "facility" is defined in the rules. 9 Q I understand. And I'm just asking you Page 1244 2 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core - the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, Q Do you believe it would be prudent to require that testing for the existing wall since it has been sisting idle for over a decade? 3 JUDGE WALSTON: Did you finish your question? The not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources and proper samples of the waste that's proposed to be injected. A A Cacess to core samples and formation fluids and proper samples of the waste that's proposed to be injected. A Lessible? A Lestything 1 can think of at the moment. I'm and proper samples of the waste that's proposed testification of WDW-315, and I don't know that information of	4	in the second sentence, but I'm only looking at the	4	Q Okay. And what would require it to be
injection fluid with the formation and formation fluids at expected pressures and temperatures for the existing well? A If -1 suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, potentially, could be run. Q You understand that some core samples were taken? A Yes. Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" is used, but you've already agreed that there's enough of a facility there to do the test on the existing well. A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you Page 1244 could let me rephrase. What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? I sthat the question? Q Without any additional facilities on the site, yes. A If they have the core access to core amples and formation fluids, an independent you know, they wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JIUDGE WALSTON: Did you finish your question? The not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A Well, when I as I can recall from the site inspection I did, I guess I'w a lift or increasing in speciformed after the completion of WIDW-315, and I don't know that information. Information. Information. Q Which would probably be subject to some sort of settlement agreement that we couldn't see? A No. No. Q Okay. But you don't recall that A Not that issue. Q Okay. You've worked on a number of UIC undergrou	5	first sentence. Could TexCom do the testing for the	5	
7 injection fluid with the formation and formation fluids are expected pressures and temperatures for the existing well? A If -I suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, potentially, could be run. Q You understand that some core samples were taken? A Yes. Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility resting." Now, the word "facility" to a facility there to do the test on the existing well. A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you Page 1244 could - let me rephrase. What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guss I'm a little bit confused about the question. Are you asking if they have access to core - the core samples and formation fluids, an independent - you samples of the waste that's proposed to be injected. Q I sthat everything? A Everything I can think of at the moment. I'm also wondering whether such testing was performed after the completion of WDW-315, and I don't know that information. Q Which would probably be subject to some sort of settlement agreement that we couldn't see? A No. No. Q Okay. But you don't recall that - Q Okay. But you don't recall that as you sit here today whether that was done or not? A I don't. Q Okay. You've worked on a number of UIC underground injection well permits and applications. Correct? A Correct. Page 1244 Page 1246 Q Have you visited a number of these sites that are in operation? A Have you wished a number of these sites that are in operation? Q Without any additional facilities on the site. Q Okay. A The facility itself - I've been to sites that range from chemical plants that have injection wells to wells that we're here about today? A In terms of - Q With a dot have been ever a cacess to core a decade? I JUDGE WALSTON: Did yo	6	determination of compatibility of the proposed	6	A Access to core samples and formation fluids
9 existing well? 10 A IF — I suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, available, some tests, 12 potentially, could be run. 11 Q You understand that some core samples were taken? 12 A Yes. 13 Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" si used, but you've already agreed that there's enough of a facility there to do the test on the existing well. 14 A Well, "facility" is defined in the rules. 25 Q I understand. And I'm just asking you 15 A I guess I'm a little bit confused about the question. Are you asking if they have access to core core — the core samples and the formation fluids, an independent — you saking and formation fluids, an independent — you saw, they wouldn't have — I don't believe they have lab facilities on the site. 16 Q Okay. 17 Q I shat everything I can think of at the moment. I'm also wondering whether such testing was performed after the completion of VDW-315, and I don't know that information. 18 Q Which would probably be subject to some sort of settlement agreement that we couldn't see? 19 A No. No. 20 Okay. But you don't recall that — A Not that issue. 21 Q Okay. You've worked on a number of UIC underground injection well permits and applications. 22 Correct. 23 A Correct. 24 Q Have you visited a number of these sites that are in operation? 25 A Correct. 26 Q What do they look like? 27 A Correct. 28 A Well, there's — what do they look like in terms of what? I'm just not clear on — the proposed wells that we're here about today? 28 A They wouldn't have — I don't believe they have lab facilities on the site. 29 Q Okay. 30 I the tests of the wild wild be prudent to require that testing for the existing well since it has been sitting of the existing well since it has been sitting of the existing well since it has been sitting of the existing well since it	7		7	
9 existing well? 10 A IF — I suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, available, some tests, 12 potentially, could be run. 11 Q You understand that some core samples were taken? 12 A Yes. 13 Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" si used, but you've already agreed that there's enough of a facility there to do the test on the existing well. 14 A Well, "facility" is defined in the rules. 25 Q I understand. And I'm just asking you 15 A I guess I'm a little bit confused about the question. Are you asking if they have access to core core — the core samples and the formation fluids, an independent — you saking and formation fluids, an independent — you saw, they wouldn't have — I don't believe they have lab facilities on the site. 16 Q Okay. 17 Q I shat everything I can think of at the moment. I'm also wondering whether such testing was performed after the completion of VDW-315, and I don't know that information. 18 Q Which would probably be subject to some sort of settlement agreement that we couldn't see? 19 A No. No. 20 Okay. But you don't recall that — A Not that issue. 21 Q Okay. You've worked on a number of UIC underground injection well permits and applications. 22 Correct. 23 A Correct. 24 Q Have you visited a number of these sites that are in operation? 25 A Correct. 26 Q What do they look like? 27 A Correct. 28 A Well, there's — what do they look like in terms of what? I'm just not clear on — the proposed wells that we're here about today? 28 A They wouldn't have — I don't believe they have lab facilities on the site. 29 Q Okay. 30 I the tests of the wild wild be prudent to require that testing for the existing well since it has been sitting of the existing well since it has been sitting of the existing well since it has been sitting of the existing well since it	8	fluids at expected pressures and temperatures for the	8	injected.
A ÎrI suppose if they have samples available, the tests could be run. If there are samples of the formation fluids and the samples of the formation from cores available, some tests, potentially, could be run. Q You understand that some core samples were taken? A Yes. Q The second part of this sentence says "For unconstructed facilities, provide a detailed proposal for compatibility testing." Now, the word "facility" is used, but you've already agreed that there's enough for compatibility testing." Now, the word "facility" is used, but you've already agreed that there's enough ell. A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you Page 1244 A Well, "facility" is defined in the rules. Q I understand. And I'm just asking you Page 1244 Could - let me rephrase. What additional facility do you need on site in order to do the testing that's discussed in this wast compatibility section? Q Without any additional facilities on the site, yes. A If they have the core access to core			9	
Page 1244 Could let me rephrase.			10	
Page 1244 Could let me rephrase.	11		11	
Page 1244 Could let me rephrase.	12			
Page 1244 Could let me rephrase.	13			
Page 1244 Could let me rephrase.	14			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	15			
Page 1244 Could let me rephrase.	16			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	17			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	18			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	19			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	20			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	21			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	2.2			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	23			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some the proposed wells that we're here about today? 14 A They wouldn't have I don't believe they have lab facilities on the site. 10 Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 10 Gl Have you visited a number of these sites that are in operation? 3 A I have. 4 Q What do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? 10 A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	24			
Page 1244 1 could let me rephrase. 2 What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? 3 site in order to do the testing that's discussed in this waste compatibility section? 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? 6 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 1 A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some to some to you have lab facilities on the site. 1 Q Have you visited a number of these sites that are in operation? 3 A I have. 4 Well, there's what do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	25			
Could let me rephrase. What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources				Page 1246
What additional facility do you need on site in order to do the testing that's discussed in this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? If mot sure I underground sources are in operation? A I have. A Well, there's what do they look like? A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A I have. Q What do they look like? A Well, there's what do they look like in terms of what? T'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that we're here about today? A I heres of what? T'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. W	1		1	
3 site in order to do the testing that's discussed in 4 this waste compatibility section? 5 A I guess I'm a little bit confused about the 6 question. Are you asking if they have access to 7 core the core samples and the formation fluids? 8 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the site, yes. 10 site, yes. 11 A If they have the core access to core 12 samples and formation fluids, an independent you 13 know, they would have to be done by a laboratory or 14 some 15 Q Okay. 16 A They wouldn't have I don't believe they 16 have lab facilities on the site. 17 A In terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? 19 JUDGE WALSTON: Did you finish your question? I'm not sure I understood. 20 (By Mr. Forsberg) In carrying out the sitting in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
this waste compatibility section? A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A Well, there's what do they look like in terms of what? I'm just not clear on A Well, there's what do they look like in terms of what? I'm just not clear on A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground sinjection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural		what additional facility do you need on		
A I guess I'm a little bit confused about the question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A Well, there's what do they look like in terms of what? I'm just not clear on Q If you were standing in front of a typical underground injection well facility, what would you describe? A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
question. Are you asking if they have access to core the core samples and the formation fluids? Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources Guestion				
7 core the core samples and the formation fluids? 8 Could they run tests on those? Is that the question? 9 Q Without any additional facilities on the 10 site, yes. 11 A If they have the core access to core 12 samples and formation fluids, an independent you know, they would have to be done by a laboratory or some 14 Q Okay. 15 A They wouldn't have I don't believe they 16 A They wouldn't have I don't believe they 17 have lab facilities on the site. 18 Upde WALSTON: Did you finish your question? I'm not sure I understood. 20 (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources 21 If you were standing in front of a typical underground injection well facility, what would you describe? 22 A Without any additional facilities on the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
Could they run tests on those? Is that the question? Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources Step (A) The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
Q Without any additional facilities on the site, yes. A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q Without any additional facilities on the hat trange from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
A If they have the core access to core samples and formation fluids, an independent you know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A The facility itself I've been to sites that range from chemical plants that have injection wells to wells that are quite isolated in a rural area. Q How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural				
know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	10			
know, they would have to be done by a laboratory or some Q Okay. A They wouldn't have I don't believe they have lab facilities on the site. Q Do you believe it would be prudent to require that testing for the existing well since it has been sitting idle for over a decade? JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources A How would you describe the one the proposed wells that we're here about today? A In terms of Q Well, is I'm sorry. That was poorly phrased. What area would you describe as is it more rural or more urban or in a chemical factory? How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	ΙΙ			
JUDGE WALSTON: Did you finish your 21 How would you describe the current proposal? 4 Well, when I as I can recall from the site 23 In carrying out the 24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	12			=
JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	13			
JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	14			
JUDGE WALSTON: Did you finish your 21 How would you describe the current proposal? 4 Well, when I as I can recall from the site 23 In carrying out the 24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	15			
JUDGE WALSTON: Did you finish your 21 How would you describe the current proposal? 4 Well, when I as I can recall from the site 23 In carrying out the 24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	16			
JUDGE WALSTON: Did you finish your 21 How would you describe the current proposal? 4 Well, when I as I can recall from the site 23 In carrying out the 24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	17			
JUDGE WALSTON: Did you finish your 21 How would you describe the current proposal? 4 Well, when I as I can recall from the site 23 In carrying out the 24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	т8			±
JUDGE WALSTON: Did you finish your question? I'm not sure I understood. Q (By Mr. Forsberg) In carrying out the mission of the TCEQ in protecting underground sources How would you describe the current proposal? A Well, when I as I can recall from the site inspection I did, I guess I would characterize it as partly rural, maybe agriculture, and partly rural	T9			
24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	20			
24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	21			
24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	22			
24 mission of the TCEQ in protecting underground sources 24 partly rural, maybe agriculture, and partly rural	23			
OF of desirable as words as would it he amadest to have the DF on mand residential	24			
25 of furthing water, would it be prudent to have the 25 of furthing water, would it be prudent to have the	25	of drinking water, would it be prudent to have the	25	or rural-residential.

24 (Pages 1243 to 1246)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1247		Page 1249
1	Q Okay. So although you didn't participate in	1	any regards to potential nuisances created?
2	the public comment response, I believe you testified	2	A Nuisances in terms of the public interest
3	in regards to whether the area was rural or	3	demonstration or what context?
4	residential or commercial industrial. In your	4	Q Well, I believe that part of the statute
5	opinion, it's at least there's residents around	5	that's relevant to this states that TCEQ won't allow
6	there; it's partly residential.	6	facilities and I'm not trying to state it verbatim
7	A I believe there are.	7	by any means, can't operate to create nuisances. Are
8	Q And are there other underground injection	8	you familiar with that?
9	facilities that you have seen that are in operation	9	A Yes, I am.
10	that are going to be similar based upon your review of	10	Q Okay. And that's the that is the nuisance
11	the proposal in appearance to the TexCom facility?	11	I'm referring to. Did you look at when you looked
12	A Well, as far as the UIC well, you know, it	12	at the TexCom applications, was it part of your review
13	just consists of the wellhead down. The surface units	13	to look to see if those nuisances existed or
14	were not a part of my review.	14	potentially could exist?
15	Q Okay. But have you seen operational surface	15	A Well, the UIC the Class I UIC application
16		16	covers from the wellhead down plus the annulus
17	A I've seen operational surface facilities.	17	monitoring system and so that my review consists of
18		18	those components.
19		19	Q Okay. So you're not your review did not
20		20	include a review of any nuisances created by surface
21 22	A I know that the application contains a	21	facilities or anything
22		22	A That's correct.
23		23	Q above ground?
24		24	A That's correct.
25		25	Q Okay. Whose responsibility would that have
	Page 1248		Page 1250
1	A I really can't remember whether the layout of	1	been?
2	one I'm thinking of is real similar to this lay I	2	A I believe that question would be more
3	can't accurately remember enough that in terms of	3	relevant to the surface permit for the surface
4	they each probably have tanks and so forth, yes.	4	units that are that would be associated with the
5	Q Okay. Are these something that you would	5	wells.
6	want in your backyard?	6	Q Is that Mr. Graeber?
7	MR. WILLIAMS: Objection.	7	A Yes.
8	JUDGE WALSTON: I don't think that's	8	Q Am I pronouncing that
9	relevant, whether she wants it in her backyard or not.	9	A Yes, Mike Graeber.
10		10	Q Okay. Thank you.
11		11	When you consider the TexCom
12		12	application well, let me preface this a little
13		13	better. Are there parts of the state that have had a
$\frac{13}{14}$		14	history of an increased amount of illegal dumping of
15		15	classified waste products?
16		16	
17		17	MR. WILLIAMS: Objection, relevance. JUDGE WALSTON: What's the relevance?
		18	
18 19		19	MR. FORSBERG: I was just going to ask a
		19 20	couple of questions if they considered the existence
20 21		20 21	of Montgomery County as being a historical dumping
21 22			ground for waste, whether that played any role in
∆ ∠ O 2		22	their review of the application.
23		23	JUDGE WALSTON: Okay. Why don't you
24 25		24 25	just ask that question. MR. FORSBERG: Okay. I was trying to
ر ہے	Q Okay. Did you review the application with	دع	MIK. POKSDEKO. Okay. I was trying to

25 (Pages 1247 to 1250)

	Page 1251		Page 1253
1	give her some kind of preface there to not but I'll	1	MR. FORSBERG: I probably have, maybe,
2	say that.	2	another 30 minutes.
3	Q (By Mr. Forsberg) Did you consider whether	3	JUDGE WALSTON: Why don't we go ahead
4	Montgomery County has a history of being a dumping	4	and we'll break for lunch now. We'll resume at
5	ground for classified waste products in your review of	5	1:00.
6	the TexCom application?	6	(Lunch recess: 11:46 a.m. to 1:02 p.m.)
7	MR. WILLIAMS: Objection. I would like	7	(=====================================
8	Mr. Forsberg to be more specific as to whether it was	8	
9	illegal dumping or permitted disposal.	9	
10	MR. FORSBERG: I used the word	10	
11	"illegal." I meant to use the word "illegal."	11	
12	JUDGE WALSTON: Illegal?	12	
13	MR. FORSBERG: Yes.	13	
14		14	
15	your evaluation?	15	
16	A My team doesn't have that information.	16	
17	Q (By Mr. Forsberg) Okay. So it wasn't	17	
18	considered?	18	
19	A No.	19	
20	Q Okay.	20	
21	A Wait. We read a news article, but that's not	21	
22	part of our normal team process of considerations we	22	
23	make in evaluating compliance with the rules.	23	
24	Q Did you rely on that newspaper article at all	24	
25	or just reviewed it?	25	
	Page 1252		Page 1254
1	A Reviewed it. Just read it.	1	AFTERNOON SESSION
2	Q Okay.	2	TUESDAY, JANUARY 18, 2007
3	A But it may have come out after our technical	3	(1:02 p.m.)
4	review. I can't remember the time frame of it	4	JUDGE EGAN: Back on the record. Are we
5	well, actually, I believe it was not long before the	5	still on cross go ahead, Mr. Forsberg.
6	public meeting, at around the time of the public	6	MR. FORSBERG: Your Honors in the
7	meeting.	7	JUDGE EGAN: Just a second. You may go
8	Q When you consider the TexCom application,	8	ahead.
9	does the owner of the facility, the proposed	9	MR. FORSBERG: Doing our part in
10		10	aiding keeping this moving, we have passed the
11	•	11	witness.
12	A Yes.	12	JUDGE EGAN: All right. Is it
13	Q Okay. Is there any rule in place at TCEQ to	13	Ms. Collins?
14	deal with the possibility of an ownership change	14	MS. COLLINS: Thank you, Judges.
15	during a pending application?	15	PRESENTATION ON BEHALF OF
16 17	A A rule dealing with an ownership change	16	THE EXECUTIVE DIRECTOR (Continued)
17	during an application?	17	KATHRYN HOFFMAN,
18	Q Yes, before a final permit is issued.A I would have to look into the rules. I know	18 19	having been previously duly sworn, testified as
19 20	that sometimes I would have to I would have	20	follows: CROSS-EXAMINATION
20 21	to I'd have to look into it.	20 21	BY MS. COLLINS:
22	JUDGE WALSTON: Mr. Forsberg, do you	22	Q Ms. Hoffman, did you review the public
23	know about how much more you have? Judge Egan and I	23	interest demonstration, including the alternative
24		24	section of the application?
25	minutes early.	25	A I reviewed the public interest demonstration.
<u> </u>			was prome interest demonstration.

26 (Pages 1251 to 1254)

	Page 1255		Page 1257
1	I'm not sure what you mean by including the	1	A Yes, (d) lists the criteria that we use on
2	alternatives.	2	our team when we do these reviews.
3	Q Okay.	3	Q Okay.
4	A Oh, the alternatives to using an injection	4	A .051 yes.
5	well?	5	Q So you looked for the general things that are
6	Q Correct.	6	stated in that statutory section?
7	A Yes.	7	A Yes.
8	Q Okay. So you did review that then?	8	Q Okay. Did your review include looking at
9	A I did.	9	capacity of other potential injection facilities?
10	• · · · · · · · · · · · · · · · · · · ·	10	A I didn't do I didn't have any additional
11		11	information besides what was presented in the
12	3	12	application.
13		13	Q Okay. Would you call your review qualitative
14		14	or quantitative?
15		15	A Qualitative.
16	1 7 11	16	Q Okay. So when the statute speaks to
17	, ,	17	economics of potential alternatives, you wouldn't call
18		18	that a quantitative analysis?
19		19	A That's correct.
20	\mathcal{E}	20	Q Okay.
21		21	A Our team doesn't have data to perform a
22		22	quantitative analysis.
23		23	Q Okay. Do you look for any cost estimates in
24		24 25	your analysis of potential alternatives?
25	, , , , , , , , , , , , , , , , , , ,	25	A Only as described in the material in the
	Page 1256		Page 1258
1	WITNESS HOFFMAN: I'm sorry, could I	1	application. If such information is presented, then
2	have the pages again?	2	it's considered.
3	MR. RILEY: Page 195 of 314.	3	Q Okay.
4	Q (By Ms. Collins) So you're there at Page 195	4	A Even yes, it's considered in I think in
5	of 314?	5	a comparative way.
6	A Yes.	6	Q Okay. Do you in your opinion, is it
7	Q And do you recall reviewing this section of	7	valuable to consider alternatives to injection for
8	the application?	8	commercial nonhazardous industrial wastewater?
9	A Yes.	9	A Yes.
10		10	Q Do you think it's valuable for a well that
11		11	would be proposed to be built in Gulf Coast geology?
12		12	A Yes.
13	11	13 14	Q Okay. Why do you think that? A Well, just in just by a general well,
14 15	Č	15	
16		16	first, in compliance with the statute, it's required by Texas law, that's mainly the basis. It's a
17		17	requirement of Texas law to do that consideration and
18	5	18	that's what I based my review on.
19	, & &	19	Q So outside of the requirement that they look
20		20	at it, you don't have an opinion that it's necessary
21		21	to look at it or not?
22		22	A Well, I try to focus my I try to focus my
23		23	work on the requirements of the statutes and the laws.
24		24	Q Fair enough. What's a treatability study?
25		25	Do you know?
ت			,

27 (Pages 1255 to 1258)

	Page 1259		Page 1261
1	A It's not a treatability study? Not in any	1	Q Okay. If you have said earlier that
2	depth.	2	A or depth.
3	Q Do you know	3	Q Or depth. I'm sorry. I didn't mean to cut
4	A I don't know in any depth.	4	you off.
5	Q Do you know that the application requests	5	I think you said earlier to me that you
6	treatability studies for the as I'm calling it	6	can't really consider things like capacity unless it's
7	the alternatives analysis?	7	provided in the application. Is that right? The
8	A I need to read through this to refresh my	8	need
9	memory. Are you saying that's stated in this section	9	A That's right. Because our team doesn't
10	in the alternatives?	10	collect information. We don't have the resources or
11		11	the information available to make that kind of a
12	demonstration is required in the application. It's	12	determination.
13	Page 12 of 314, I believe, if you want to look at	13	Q Okay. Does that means that you don't have
14		14	any knowledge of existing capacity in Texas for this
15		15	sort of waste in injection wells?
16		16	A Could you could you please just ask me
17		17	again?
18		18	Q Sure. Do you have any knowledge of what
19		19	existing the existing capacity in Texas is of
20	11 2	20	permitted Class I nonhazardous industrial wastewater?
21		21	A Not without going through our database and
22		22	gathering gathering data and gathering information.
23		23	Q So it's something that might be available to
24		24	you, but it's not something you reviewed for this
25	study is?	25	application?
	Page 1260		Page 1262
1	A Well, it would be it would have to do with	1	A Correct.
2	treating the waste for to change its	2	Q Okay.
3	characteristics so that it could be treatment is	3	A It's actually something that wouldn't
4	kind of a broad term but to well, I would rely	4	typically be done by our team in our review process.
5	on the definition in the rules for treatment.	5	Q Okay. Do you have your deposition testimony
6	Q For treatment?	6	in front of you at all?
7	A Or treatability.	7	A If somebody could
8	Q Okay. We can defer to that if it's there.	8	Q I can give it to you.
9	But you don't need to go there. I'll ask you	9	JUDGE EGAN: That's Volume 15.
10		10	MS. COLLINS: Yeah, Exhibit 62.
11		11	Q (By Ms. Collins) Did you find it? I can
12	·	12	bring you my copy.
13	*	13	A I was putting away another volume. I'm
14		14	sorry.
15		15	Q That's okay.
16	,	16	MS. COLLINS: Can I approach?
17	1 0	17	JUDGE EGAN: Yes.
18		18	MS. COLLINS: Okay. I'm referring
19		19	specifically, Counsel, to Page 18 of 66 in TexCom
20		20	Exhibit 62, Lines 26 through 28.
21	1 11	21	Q (By Ms. Collins) Do you see that?
22	· 1	22	A Yes.
23		23	Q Could you explain what was meant by what
24		24	you understood to be meant by "precedents" in your
25	A I don't believe not in any detail	25	answer to that question?

28 (Pages 1259 to 1262)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

1 A By precedents I assume it mean what's 2 typically been done before in this regard. 3 Q Okay, But do you think it's referring 4 specifically to your team's policies and how they've 5 handled things in the past or potentially contested 6 case precedents? What's your understanding? 7 A My understanding would just our team's - 8 team's procedures. 9 Q Okay. I noticed that you have worked mainly 10 on noncommercial injection facilities. Is that 11 correct? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than 14 facilities, but you understood that, I suppose. 15 Do you think it's you are comparing a team's procedures. 9 Q Okay. I noticed that you have worked mainly 10 on noncommercial injection facilities. Is that 11 correct? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than 14 facilities, but you understood that, I suppose. 15 Do you think alternatives if you are comparing a that case? 16 disposal can be adequately evaluated by comparing a facilities? 17 commercial disposal facilities? 18 disposal facilities? 19 A I don't think those are I think they would be a factor in the consideration, but not they 20 could be a factor, but not directly comparable. I'm 21 assking. 22 sorry, maybe I didn't really understand what you're 23 asking. 24 Q That's okay. Do you think that they are 25 comparable in evaluating whether alternatives exist, 26 Q Okay. 27 A Well, yes, in some yes, 3 Q They are comparable? 4 A In evaluating whether alternatives to disposal exist - 4 Q Okay. 5 A Jusses I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the speaking of the fact that there's been a change of the cone of influence of		D 1262		David 1005
2 Upsically been done before in this regard. 3 Q Okay. But do you think it's eferring 4 specifically to your team's policies and how they've 5 handled things in the past or operationally contested 6 case precedents? What's your understanding? 7 A My understanding would just our team's - 10 team's procedures. 9 Q Okay. I noticed that you have worked mainly 11 cornect? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than 14 facilities, but you understood that, I suppose. 15 Do you think alternative methods of 16 disposal can be adequately evaluated by comparing 17 commercial disposal facilities? 18 disposal facilities? 19 A I don't think those are I think they would 20 be a factor in the consideration, but not they 21 could be a factor, but not directly comparable. 22 sarking. 23 asking. 24 Q That's okay. Do you think that they are 25 comparable in evaluating whether alternatives exist, 26 Q Okay. 27 A Well, yes, in some yes. 38 Q They are comparable? 4 A In evaluating whether alternatives exist? 5 disposal exist 6 Q Okay. 7 A A regretical and feasible alternatives to disposal facilities? 9 A I guess Fm having trouble because I'm not 10 there are differences for sure in the consideration 20 you know, in one case an entity is disposing of the possibly different than alternatives to a possibly different than alternatives are a commercial and poeration. So in that way they're not comparable. 10 Q I right. 11 condities a commercial facilities? 12 Q I right. 13 don't hink they are comparable? 14 noncommercial and commercial facilities? 15 noncommercial and feasible alternatives exist? 16 Q I right. 17 do That's what I vase curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclusion and then the cannot of the consideration in the statute? 16 A I'm not sure 17 Q Tahs's what I vase curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to		Page 1263		Page 1265
3				
4 specifically to your team's policies and how they've banked things in the past or potentially contested case precedents? What's your understanding? A My understanding would just our team's — team's procedures. 9 Q Okay. I noticed that you have worked mainly on noncommercial injection facilities. Is that correct? 10 a Correct. 11 correct? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than facilities, po you think alternative methods of disposal can be adequately evaluated by comparing commercial disposal facilities? 15 A Dol Think I could come to a conclusion in that case? 16 A Correct. 17 Q Yeah, if that were the only comparison being done? 18 A don't think those are — I think they would be a factor in the consideration, but not — they comparable in evaluating whether alternatives exist, a king. 19 Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, a king. 20 They are comparable? 1 noncommercial and commercial facilities? A Well, yes, in some — yes. Q They are comparable? 1 noncommercial and feasible alternatives exist? Q Okay. 1 noncommercial and feasible alternatives exist? Q They are comparable? 1 noncommercial and feasible alternatives exist? Q Okay. 1 noncommercial and feasible alternatives exist? Q They are comparable? 1 noncommercial and feasible alternatives exist? Q Yes. A I think you compare commercial disposal options and then you compare — you would compare them separately. They would have separate criterial think. Q Okay. That was my question. Page 1266 A I'm sorry. Thank you for — being so slow. Q No, I think it was me. MS. COLLINS: I list think those are my questions. If I can approach. MR. WILLIAMS: No, go ahead. CLARIPYING EXAMINATION Q Ji right. A I hove the themetive of including alternatives with the material that is significant. A I may or you want me to wait — MR. WILLIAMS: No, go ahead. CLARIPYING EXAMINATION Q Jin's what I was curious about, if the — if you're comparing a generator to a dispo				
5 handled things in the past or potentially contested case precedents? What's your understanding? 7 A My understanding would just our team's 8 team's procedures. 8 team's procedures. 9 Q Okay. I noticed that you have worked mainly 10 on noncommercial injection facilities. Is that 11 correct? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than 14 facilities, but you understood that, I suppose. 15 Do you think alternative methods of disposal can be adequately evaluated by comparing of disposal facilities? 16 disposal facilities? 17 commercial disposal facilities to noncommercial injection facility evaluated by comparing of facilities would have? 18 disposal facilities? 19 A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. The could be a factor, but not directly comparable in evaluating whether alternatives exist, 25 commercial facility evaluated by comparing commercial injection facility one could you make a determination based on practically evaluated by comparing a commercial injection facility for the type of waste proposed commercial injection facility? 20 Yeah, if that were the only comparing a commercial injection facility? 21 A I don't think those are I think they would be a factor in the consideration, but not they a saking. 22 a saking. 23 a Dynamable in evaluating whether alternatives exist, 24 Q That's okay. Do you think that they are comparable in evaluating whether alternatives to disposal exist Q Okay. 24 A Mell, yes, in some yes. 3 Q They are comparable? 4 A I really understand injection facility? 4 A I think you compare commercial disposal options and then you compare you would compare them separately. They would have separate criteria I think. 4 Q Okay. That was me. 4 A I was me. 5 A Ol, that's tough. It depends on commercial injection facility. 5 Covernation and consumercial injection facility. 6 Q Right. If you were commercial injection facility. 7 A I think you coundare -				
6 case precedents? What's your understanding? 7 A My understanding would just our team's— 8 team's procedures. 9 Q Okay. I noticed that you have worked mainly 10 on noncommercial injection facilities. Is that 11 correct? 12 A Correct. 13 Q Or I should say wells, perhaps, rather than 14 facilities, but you understood that, I suppose. 15 Do you think alternative methods of 16 disposal facilities? 18 disposal facilities? 19 A I don't think those are—I think they would 20 be a factor in the consideration, but not—they 21 could be a factor in the consideration, but not—they 22 sorry, maybe I didn't really understand what you're 23 asking. 24 Q That's okay. Do you think that they are 25 comparable in evaluating whether alternatives exist. 26 Q That's okay. Do you think that they are 27 a Well, yes, in some—yes. 28 A Well, yes, in some—yes. 39 A I guess I'm having trouble because I'm not—there are differences for sure in the consideration—1 to there are differences for sure in the consideration—1 you know, in one case an entity is disposing of the there are differences for sure in the consideration so that way they're not comparable. 4 Q Pres. 4 A I guess I'm having trouble because I'm not—there are differences for sure in the consideration—1 you know, in one case an entity is disposing of the possibly different than alternatives for a commercial trace in the consideration on that way they're not comparable. 4 Q Pres. 4 A I me are difference so for sure in the consideration—1 you know, in one case an entity is disposing of the possibly different than alternatives would be possibly different than alternatives for a commercial to the are differences for sure in the consideration on that the consideration on that the consideration in the defendence of the consideration in the statute? 9 A I may not you want to clarify, during Mr. Hill's questioning he asked—he mentioned or discussed the fact that there's been a change of the cone of influence				
that case? Qokay. I noticed that you have worked mainly on noncommercial injection facilities. Is that on noncommercial disposal can be adequately evaluated by comparing of facilities, but you understood that, I suppose. I don't hink those are but hink they would disposal facilities? A I don't think those are but hink they would be a factor, but not directly comparable. A I don't think those are but hink they are of comparable in evaluating whether alternatives exist, Page 1264 noncommercial and commercial facilities? A Well, yes, in some by es. A Well, yes, in some by es. A I guess I'm having trouble because I'm not there are differences for sure in the consideration but				
8				
9 Q Ökay. I noticed that you have worked mainly on noncommercial injection facilities. Is that correct? 11 A Correct. 12 A Correct. 13 Q Or I should say wells, perhaps, rather than facilities, but you understood that, I suppose. 14 Facilities, but you understood that, I suppose. 15 Do you think alternative methods of disposal can be adequately evaluated by comparing commercial disposal facilities to noncommercial operations, but not—they could be a factor in the consideration, but not—they comparable in evaluating whether alternatives exist, 25 a Well, yes, in some—yes. 24 Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, 25 a Well, yes, in some—yes. 26 Q Neys. 27 A —practical and commercial facilities? 27 A —practical and feasible alternatives exist? 28 Q Yes. 30 Q No, I think with was me. 31 Q Okay. 32 Page 1264 a poperation. So in that way they're not comparable. 34 questions. So in that way they're not comparable. 35 Q All right. 4 I m not sure—10 there are differences for sure in the consideration—10 there are differences for sure in the consideration—10 question. So in that way they're not comparable. 14 questions for a commercial provided that alternatives do or do not exist based on 21 that han't generated the waste, is it possible to 19 that han't generated the waste, is it possible to 19 that han't generated the waste, it is possible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposible to 19 that han't generated the waste, it is toposibl				
volumercial injection facilities. Is that correct? A Correct. Q Or I should say wells, perhaps, rather than facilities, but you understood that, I suppose. Do you think alternative methods of disposal can be adequated y evaluated by comparing commercial disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they comparable in evaluating whether alternatives exist, O That's okay. Do you think that they are comparable in evaluating whether alternatives exist, A Well, yes, in some yes. A Well, yes, in some yes. A I guess I'm having trouble because I'm not there are differences for sure in the consideration you know, in one case an entity is disposing of the waste, is it possible to you're comparing a generator to a disposal facility our comparing a generator to a disposal facility our conclude that alternatives do or do not exist based on the consideration in the statute? A Ves. Ves. Ves. Ves. Ves. Ves. A Correct. 12 Q Yeah, if that were the only comparison being done? A And the alternatives that each of those types of facilities would have? Q Right. If you were comparing a commercial injection facility for the type of waste proposed here to generators, do you could you make a derinities of the type of waste proposed here to generators, do you could you make a derinities of the type of waste proposed here to generators, do you could you make a derinities of the type of waste proposed here to generators, do you could you make a derinities of the type of waste proposed here to generators, do you could you make a derinities or proposed commercial injection facility for the type of waste proposed here to generators, do you could you make a derinities of proposed here to generators, do you could you make a derinities or proposed commercial injection facility for the type of waste proposed here to generators, do you could you make a derinities of proposed here to generators, do you could you make a derinit				
1.1 correct? 1.2 A Correct. 1.3 Q Or I should say wells, perhaps, rather than 1 facilities, but you understood that, I suppose. 1.5 Do you think alternative methods of 1 disposal facilities to noncommercial 2 disposal facilities to noncommercial 3 disposal facilities to noncommercial 4 disposal facilities to noncommercial 5 disposal facilities to noncommercial 5 disposal facilities to noncommercial 6 disposal facilities 7 disposal facilities 7 disposal 6 dispo				
12 A Correct. Q Or I should say wells, perhaps, rather than facilities, but you understood that, I suppose. Do you think alternative methods of disposal can be adequately evaluated by comparing commercial disposal facilities to noncommercial facility for the type of waste proposed commercial injection facility for the type of waste proposed commercial injection a proposed commercial injection a proposed commercial injection a proposed commercial injection a proposed commercial injection and injection a proposed commercial injection and injection and injection a proposed commercial injection a proposed commercial injection and injection a proposed commercial injection and proposed commercial injection a proposed commercial injection and proposed commercial injection facility for the type of waste proposed ere to				
3 done? 4 facilities, but you understood that, I suppose. 5 Do you think alternative methods of 6 disposal can be adequately evaluated by comparing 7 commercial disposal facilities to noncommercial 8 disposal facilities to noncommercial 8 disposal facilities to noncommercial 8 disposal facilities to noncommercial 9 A I don't think those are I think they would 10 be a factor in the consideration, but not they 12 could be a factor, but not directly comparable. 13 done? 14 A A Ind the alternatives that each of those types 15 of facilities would have? Q Right. If you were comparing a commercial injection facility 16 disposal facilities? 17 could be a factor in the consideration, but not they 18 could be a factor, but not directly comparable. 19 could be a factor, but not directly comparable. 10 That's what I was curious about, if the if 10 Q That's what I was curious about, if the if 10 Q That's what I was curious about, if the if 11 vou know. in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 A A Ind the alternatives that each of those types 16 A Citylicion - a proposed commercial injection facility 18 for the type of waste proposed here to generators, do 19 vou could you make a determainton have on eight one of instance of instance of the total point and then you compare commercial disposal options and then you compare - you would compare them sesperated. 15 A I think you compare commercial disposal options and then you compare - you would compare them sesperated. 16 A Citylicion - a proposed commercial injection facility 17 A I think you compare commercial disposal options and then you compare - you would compare them sesperated. 18 A Im sorry. Thank you for being so slow. 19 Q Nay. That				
14 facilities, but you understood that, I suppose. Do you think alternative methods of disposal can be adequately evaluated by comparing commercial disposal facilities to noncommercial disposal facilities to noncommercial disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm sorry, maybe I didn't really understand what you're saking. Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? A Well, yes, in some yes. Q Okay. A I quest I'm having trouble because I'm not- there are differences for sure in the consideration- you know, in one case an entity is disposing of the waste it generates. So those alternatives would be possibly different than alternatives would be possibly different than alternatives would be possibly different than alternatives do or do not exist based on the consideration in the statute? A I area laternative shat each of those types of facilities would have? Q Right. If you were comparing a commercial injection a proposed commercial injection a pr				
Do you think alternative methods of disposal can be adequately evaluated by comparing commercial disposal facilities to noncommercial disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable hid have separate criteria I think. I'm some you would compare them separately. They would have separate criteria I think. I'm some you would compare them separately. They would have separate criteria I think. I'm some you follow for being so slow. I'm some you follow for being so slow. I'm some you follow for being		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
disposal can be adequately evaluated by comparing commercial disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm sorry, maybe I didn't really understand what you're asking. Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? A Well, yes, in some yes. Q They are comparable? A I guess I'm having trouble because I'm not there are differences for sure in the consideration you know, in one case an entity is disposing of the possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a commercial injection a proposed commercial disposal facility in the type of waste proposed here to generators, do you could you make a determination based on practicality, economics and feasibility? A I think you compare you would compare them separately. They would have separate criteria I A I'm is sorry. Thank you for being so slow. Q No, I think it was me. A I'm sorry. Thank you for being so slow. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. MR. WILLIAMS: No, go ahead. CLARIPYING EXAMINATION BY JUDGE EGAN: A I'm not sure upon whether alternatives would be fact that there's been a change of the cone of influence of the cone of influence of the cone of influence of the cone of influen		, , , , , , , , , , , , , , , , , , , ,		
commercial disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm comparable in evaluating whether alternatives exist. Page 1264 1 noncommercial and commercial facilities? A Well, yes, in some yes. Q They are comparable? A I m sorry. Thank you for being so slow. Q No, I think it was me. A I'm sorry. Thank you for being so slow. Q No, I think it was me. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. JUDGE EGAN: Okay. I have one question. Do you want me to wait MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: A I'm not sure Q That's what I was curious about, if the if the care difference between the cone of influence of i		J		
disposal facilities? A I don't think those are I think they would be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm sorry, maybe I didn't really understand what you're asking. Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? A Well, yes, in some yes. Q They are comparable? A In evaluating whether alternatives to disposal exist do Q Okay. A I guess I'm having trouble because I'm not there are differences for sure in the consideration you know, in one case an entity is disposaling operation. So in that way they're not comparable. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. A Yes. I disposal facilities in the type of waste proposed here to generators, do you could you make a determination based on practicality, economics and feasibility? A I think you compare you would compare them separate criteria I think. Q Okay. That was my question. Page 1264 A I'm sorry. Thank you for being so slow. Q No, I think it was me. MS. COLLINS: I think those are my questions. I'll grab my deposition, if I can approach. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: A I'm sorry. Thank you for being so slow. Q No, I think it was me. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: A I'm sorry. Thank you for being so slow. Q No, I think it was me. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. Do you want me to wait MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: A there is a the true's been a change of the co				
A Idon't think those are — I think they would be a factor in the consideration, but not — they could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm could be a factor, but not include that alternatives are in the considerations. I'm and then you compare you would compare them separately. They would have separate criteria I think. You compara e you would compare them separately. They would have separately. They would now compare you would compare them separately. They would now separately. They would now compare you would compare them separately. They would now separately. They would now compare them separately. They would now compare them separately. They would now separately. They w				
be a factor in the consideration, but not they could be a factor, but not directly comparable. I'm could be a factor, but not directly comparable. I'm asking. 2		1		
could be a factor, but not directly comparable. I'm sorry, maybe I didn't really understand what you're asking. 2				
22 sorry, maybe I didn't really understand what you're asking. 24 Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, 25 comparable in evaluating whether alternatives exist, 26				
asking. Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? 2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the waste it generates. So those alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. 10 Q All right. 11 A I'm sorry. Thank you for being so slow. 12 Q No, I think it was me. 13 MS. COLLINS: 1 think those are my questions. I'll grab my deposition, if I can approach. 14 questions, Your Honor. 15 JUDGE EGAN: Okay. I have one question. 16 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 17 CLARIFYING EXAMINATION 18 BY JUDGE EGAN: 18 Y JUDGE EGAN: 19 Q All right. 10 A I'm not sure 11 Just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 18 Y General A I'm his 't's significant. 21 A I'm sorry. Thank you for being so slow. 22 Q No, I think it was me. 3 MS. COLLINS: 1 think those are my questions. I'll grab my deposition, if I can approach. 4 I JUDGE EGAN: Okay. I have one question. 5 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 La Jub and the question of the cone of influence from 150 feet to 750 feet. And the question influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 15 Do you have an opinion on that? 16 I think it's significant. 17 A I think it's significant. 18 JU				
24 Q That's okay. Do you think that they are comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? 2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 2 waste it generates. So those alternatives would be 2 poperation. So in that way they're not comparable. 10 Q All right. 11 A I'm sorry. Thank you for being so slow. 12 Q No, I think it was me. 13 MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can approach. 14 questions, Your Honor. 15 JUDGE EGAN: Okay. I have one question. 16 Do you want me to wait 17 Q All right. 18 Q All right. 19 That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? 19 A Yes. 24 think. 25 Q Okay. That was my question. Page 1266 A I'm sorry. Thank you for being so slow. Q No, I think it was me. MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can approach. MR. WILLIAMS: Just a few quick redirect questions, Your Honor. Do you want me to wait MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question influence from 150 feet to 750 feet a significant change? Do you have an opinion on that? 14 I think it's significant. 15 I think those me my 4 questions. I'll grab my deposition, if I can approach. 16 MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION 18 JUDGE EGAN: That's all I have. Thank	22			
25 comparable in evaluating whether alternatives exist, Page 1264 1 noncommercial and commercial facilities? 2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? 2 A Yes. 9 Q Okay. That was my question. Page 1264 A I'm sorry. Thank you for being so slow. Q No, I think it was me. 3 MS. COLLINS: I think those are my questions. I'll grab my deposition, if I can approach. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 8 JUDGE EGAN: Okay. I have one question. Do you want me to wait MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: Q I just want to clarify, during Mr. Hill's questions, Your Honor. 4 Q I just want to clarify, during Mr. Hill's 15 fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 15 thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. 4 I think it's significant. 1 A I think it's significant. 1 A I think it's significant. 1 A I think it's significant.		asking.	23	
Page 1264 1 noncommercial and commercial facilities? 2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm sorry. Thank you for being so slow. 17 Q Too, I think it was me. 18 MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can 4 approach. 6 MR. WILLIAMS: Just a few quick redirect 7 questions, Your Honor. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's 14 questioning he asked he mentioned or discussed the 15 fact that there's been a change of the cone of 16 influence from 150 feet to 750 feet. And the question 17 I thought he asked and I never heard an answer to is, 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 21 JUDGE EGAN: That's all I have. Thank				think.
1 noncommercial and commercial facilities? 2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 1 A I'm sorry. Thank you for being so slow. 2 Q No, I think it was me. 3 MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can approach. 6 MR. WILLIAMS: Just a few quick redirect questions. Your Honor. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION 11 BY JUDGE EGAN: 12 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the 13 fact that there's been a change of the cone of 14 influence from 150 feet to 750 feet. And the question 15 feet to 750 feet a significant change? Do you 150 feet to 750 feet a significant change? Do you 150 feet to 750 feet a significant change? Do you 150 feet to 750 feet a significant. 21 A I think it's significant. 22 A Yes. 23 A I'm not sure 24 A It hink it's significant. 25 A Yes. 26 NR. WILLIAMS: Just a few quick redirect questions. I'll grab my deposition, if I can approach. 26 MR. WILLIAMS: Just a few quick redirect questions. Your Honor. 27 JUDGE EGAN: 28 JUDGE EGAN: 29 Do you want me to wait 29 Do you want me to wait 20 In the wait is disposing of the waste, is it on the conside	25	comparable in evaluating whether alternatives exist,	25	Q Okay. That was my question.
2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 2 Q No, I think it was me. 3 MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can approach. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 14 I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. A Yes.		Page 1264		Page 1266
2 A Well, yes, in some yes. 3 Q They are comparable? 4 A In evaluating whether alternatives to 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 24 Q No, I think it was me. 3 MS. COLLINS: I think those are my 4 questions. I'll grab my deposition, if I can approach. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the 14 fact that there's been a change of the cone of 15 influence from 150 feet to 750 feet. And the question 15 I thought he asked and I never heard an answer to is, 15 is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you 150 feet to 750 feet a significant change? Do you 150 feet to 750 feet a significant. 15 I think those are my 16 A I was me. 16 MR. WILLIAMS: Just a few quick redirect questions. I'll grab my deposition, if I can approach. 16 MR. WILLIAMS: Vo. go ahead. 11 LLIAMS: Vo. go ahead. 12 LLIAMS: Vo. go ahead. 13 LLIAMS: Vo. go ahead. 14 LLIAMS: Vo. go ahead. 15 LLIAMS: Vo. go ahead. 16 LA I'm not sure 17 Q That's what I was curious about, if the if 18 it that there's been a change of the cone of 19 influence from 150 feet to 750 feet. And the question of the differe	1	noncommercial and commercial facilities?	1	A I'm sorry. Thank you for being so slow.
3 MS. COLLINS: I think those are my questions. I'll grab my deposition, if I can approach. 5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the possibly different than alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. 14 Q All right. 15 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? 12 A Yes. 3 MS. COLLINS: I think those are my questions. I'll grab my deposition, if I can approach. 4 Questions. I'll grab my deposition, if I can approach. 6 MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 12 A Yes.	2	A Well, yes, in some yes.	2	
5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 5 approach. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 7 Questions, Your Honor. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 17 I thought he asked and I never heard an answer to is, 18 is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 18 I think it's significant. 19 A Yes.	3		3	MS. COLLINS: I think those are my
5 disposal exist 6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 5 approach. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 7 Questions, Your Honor. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 17 I thought he asked and I never heard an answer to is, 18 is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 18 I think it's significant. 19 A Yes.	4	A In evaluating whether alternatives to	4	questions. I'll grab my deposition, if I can
6 Q Okay. 7 A practical and feasible alternatives exist? 8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 6 MR. WILLIAMS: Just a few quick redirect questions, Your Honor. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. A I think it's significant. JUDGE EGAN: A I think it's significant.	5		5	
8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 14 I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 18 I think it's significant. 29 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet to 750 feet. And the question 150 feet to 750 feet a significant change? Do you have an opinion on that? 21 A I think it's significant. 22 A Yes. 8 JUDGE EGAN: 1	6	Q Okay.	6	
8 Q Yes. 9 A I guess I'm having trouble because I'm not 10 there are differences for sure in the consideration 11 you know, in one case an entity is disposing of the 12 waste it generates. So those alternatives would be 13 possibly different than alternatives for a commercial 14 operation. So in that way they're not comparable. 15 Q All right. 16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 8 JUDGE EGAN: Okay. I have one question. 9 Do you want me to wait 10 MR. WILLIAMS: No, go ahead. 11 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 14 I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 21 A Yes. 18 JUDGE EGAN: I have one question. MR. WILLIAMS: No, go ahead. 12 CLARIFYING EXAMINATION 12 BY JUDGE EGAN: 13 Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the 150 feet to 750 feet to 750 feet. And the question 150 feet to 750 feet a significant change? Do you have an opinion on that? 15 A I think it's significant. 16 A I think it's significant. 17 A I think it's significant.	7	A practical and feasible alternatives exist?	7	questions, Your Honor.
A I guess I'm having trouble because I'm not there are differences for sure in the consideration you know, in one case an entity is disposing of the waste it generates. So those alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. Do you want me to wait MR. WILLIAMS: No, go ahead. L1 CLARIFYING EXAMINATION BY JUDGE EGAN: Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: JUDGE EGA	8		8	JUDGE EGAN: Okay. I have one question.
there are differences for sure in the consideration you know, in one case an entity is disposing of the waste it generates. So those alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. MR. WILLIAMS: No, go ahead. CLARIFYING EXAMINATION BY JUDGE EGAN: 1 questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: That's all I have. Thank	9	A I guess I'm having trouble because I'm not	9	
you know, in one case an entity is disposing of the waste it generates. So those alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. LA RIFYING EXAMINATION BY JUDGE EGAN: Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: LA CLARIFYING EXAMINATION LA BY JUDGE EGAN: A I think it's significant. JUDGE EGAN: LA CLARIFYING EXAMINATION LA BY JUDGE EGAN: LA CLARIFYING EXAMINATION LA BY JUDGE EGAN: LA CLARIFYING EXAMINATION LA GUESTION LA CLARIFYING EXAMINATION LA GUESTION LA GUESTION LA CLARIFYING EXAMINATION LA GUESTION LA CLARIFYING EXAMINATION LA GUESTION LA GUESTION LA GUESTION LA GUESTION LA I think it's significant LA I think it's significant LA JUDGE EGAN: LA JUDG	10	there are differences for sure in the consideration	10	MR. WILLIAMS: No, go ahead.
waste it generates. So those alternatives would be possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. BY JUDGE EGAN: Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: A I think it's significant. JUDGE EGAN: A I think it's significant. JUDGE EGAN: A I think it's significant.				
possibly different than alternatives for a commercial operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. Q I just want to clarify, during Mr. Hill's questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: That's all I have. Thank			12	BY JUDGE EGAN:
14 operation. So in that way they're not comparable. Q All right. A I'm not sure Q That's what I was curious about, if the if you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. 14 questioning he asked he mentioned or discussed the fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: That's all I have. Thank	13	possibly different than alternatives for a commercial	13	Q I just want to clarify, during Mr. Hill's
15 Q All right. 16 A I'm not sure Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? A Yes. 15 fact that there's been a change of the cone of influence from 150 feet to 750 feet. And the question 17 I thought he asked and I never heard an answer to is, is the difference between the cone of influence of 150 feet to 750 feet a significant change? Do you have an opinion on that? 21 A Yes. 22 JUDGE EGAN: That's all I have. Thank			14	
16 A I'm not sure 17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 16 influence from 150 feet to 750 feet. And the question 17 I thought he asked and I never heard an answer to is, 18 is the difference between the cone of influence of 19 150 feet to 750 feet a significant change? Do you 20 have an opinion on that? 21 A I think it's significant. 22 JUDGE EGAN: That's all I have. Thank	15	• • •	15	
17 Q That's what I was curious about, if the if 18 you're comparing a generator to a disposal facility 19 that hasn't generated the waste, is it possible to 20 conclude that alternatives do or do not exist based on 21 the considerations in the statute? 22 A Yes. 17 I thought he asked and I never heard an answer to is, 18 is the difference between the cone of influence of 19 150 feet to 750 feet a significant change? Do you 20 have an opinion on that? 21 A I think it's significant. 22 JUDGE EGAN: That's all I have. Thank		` "		
you're comparing a generator to a disposal facility that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. 18 is the difference between the cone of influence of 19 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: That's all I have. Thank				
that hasn't generated the waste, is it possible to conclude that alternatives do or do not exist based on the considerations in the statute? A Yes. 19 150 feet to 750 feet a significant change? Do you have an opinion on that? A I think it's significant. JUDGE EGAN: That's all I have. Thank		· · · · · · · · · · · · · · · · · · ·		
20 conclude that alternatives do or do not exist based on 20 have an opinion on that? 21 the considerations in the statute? 22 A Yes. 20 have an opinion on that? 21 A I think it's significant. 22 JUDGE EGAN: That's all I have. Thank				
 the considerations in the statute? A I think it's significant. JUDGE EGAN: That's all I have. Thank 		, 1		
22 A Yes. 22 JUDGE EGAN: That's all I have. Thank				
∠3 V It is possible? ∠3 vou.	23		23	you.
24 A To I think I might have lost 24 Mr. Williams?				
Q That's okay. That was a long question. I'll 25				

29 (Pages 1263 to 1266)

	Page 1267		Page 1269
1	REDIRECT EXAMINATION	1	Q And a renewal application is an existing well
2	BY MR. WILLIAMS:	2	that's permitted. Is that correct?
3	Q Ms. Hoffmann, there was you fielded a few	3	A That's correct.
4	questions about nuisance?	4	Q You have an existing well that's not
5	A Yes.	5	permitted?
6	Q Has the TCEQ have the Commissioners set	6	A Correct.
7	down any rules on how staff can evaluate a nuisance?	7	Q Would you consider that to be a new well?
8	A Not that I'm aware of in UIC.	8	A I have considered it to be a new well in my
9	Q And have they provided any training to staff	9	review.
10		10	Q Good.
11	, , , , , , , , , , , , , , , , , , , ,	11	MR. WILLIAMS: Those are the only
12		12	questions I have on redirect, Your Honor. Pass.
13		13	JUDGE EGAN: Okay. Mr. Riley?
14		14	MR. RILEY: Yes, I have several.
15		15	RECROSS-EXAMINATION
16		16	BY MR. RILEY:
17	,	17	Q Good afternoon, Ms. Hoffman. Can you hear me
18		18	all right from way down there?
19	1	19	A Yes, thank you.
20	1 11	20	Q I think it was Mr. Hill was asking you
21		21	questions earlier about the changes to the
22		22	application. Is it your understanding well, let me
23		23	ask you a different question first.
24	·	24	Have you ever been involved in a
25	Q Is it the blank form? This is the Lone Star	25	contested case for a UIC permit application?
	Page 1268		Page 1270
1	Groundwater Conservation District's prefiled Exhibit	1	A Yes.
2	11.	2	Q And as part of that case were any changes
3	JUDGE WALSTON: I think you have the	3	made to the special conditions in the permit?
4	right volume.	4	A Yes.
5	Q (By Mr. Williams) It was attached to	5	Q So it is allowed in the overall process of a
6	Mr. Grant's prefiled	6	permit application that additional conditions could be
7	A I think I found it.	7	added or recommended by SOAH and perhaps added by the
8	Q Okay. And you had some questions on the	8	Commission in issuance of a permit?
9	waste compatibility on Page 32 of 32?	9	A Yes, that's correct.
10	11 100.	10	Q You did some of your homework and I
11		11	applaud your diligence in at least satisfying your
12		12	curiosity. Am I to understand that you ran the PRESS2
13		13	model this weekend?
14	1 6	14	A Yes.
15		15	MR. WILLIAMS: Objection, goes beyond
16		16	redirect.
17	<u> </u>	17	MR. RILEY: Well, but it's
18		18	JUDGE EGAN: Does it not go beyond
19		19	redirect?
20	1 6	20	MR. RILEY: Goes beyond redirect, but
21		21	given the order of witnesses and the applicant's
22		22	interests in this matter, Judge, I think it's frankly
23		23	typical that if there have been questions raised on
24 25	11	24 25	cross-examination, then the applicant is given the
25	A Yes.	∠ ኃ	latitude to ask a few questions at least on each of

30 (Pages 1267 to 1270)

2			Page 1273
2	he subjects.	1	Q And what you did this past weekend?
	JUDGE EGAN: That's not been my	2	A Right. Right.
3 ε	experience. This is limited to recross, and recross	3	Q Could you take a look at Volume 9 of the
	s limited to Mr. Williams' redirect.	4	TexCom application, Exhibit 11, Page 126 I'm sorry,
5	MR. RILEY: Then I'd ask that the	5	I believe it's Volume 9 of the TexCom binders.
	witness be made available for rebuttal witness	6	A Is it Volume 9 of the exhibit?
7	MR. WILLIAMS: That's	7	Q I think it's Volume 9 of the TexCom volumes.
8	MR. RILEY: fine. Then I'm going to	8	It may even be in front of you somewhere.
	have to ask for a subpoena to be issued to ask these	9	MR. HILL: You said Page 126?
		10	MR. RILEY: Page 126, yes. It's Exhibit
		11	11, Page 126, and I believe it's a reference to some
12		12	compatibility testing done by OMNI Laboratories.
		13	WITNESS HOFFMAN: Is it part of the
14		14	application?
		15	JUDGE WALSTON: Yes.
	1	16	MR. RILEY: Yes, it is.
17 ·		17	A I'm sorry, I missed the page number.
18	/ J	18	Q (By Mr. Riley) That's fine. Page 126.
		19	A Of?
20	0	20	Q Of 270. I'm sorry, we're in Exhibit 11
		21	TexCom Exhibit 11. And you may be looking at binder
		22	number
		23	A I have Volume 11.
24		24	Q I'm sorry, it's Volume 9.
		25	A Okay.
	Page 1272		Page 1274
1 1	was a change in the testimony.	1	Q It gets confusing. I'm sorry.
2	JUDGE EGAN: That's fine. You may ask	2	A Okay. I have Volume 9 now.
	questions on my questions.	3	Q Volume 9, if you would find Exhibit 11, which
4	Q (By Mr. Riley) The cone of influence, as	4	hopefully has a tab actually the tab that I find in
	described by the applicant, was zero. Is that	5	my volume is Section 4. Do you see that?
	correct? And that's because no wells were completed	6	A Yes.
	nto the lower Cockfield, no artificial penetrations	7	Q This is the TexCom application, correct?
	were into the lower Cockfield?	8	A Yes, I think so.
9	A You're referring to the application, right?	9	Q All right. Take a moment and look at page
10		10	I think I said 126, but if you flip over to Page
11	,	11	127
		12	A Okay.
13		13	Q You see Section 4.7 there?
	• '	14	A Yes.
		15	Q Do you see the heading "Compatibility
16		16	Testing"?
17	' 1	17	A Yes.
		18	Q Was this part of the application that you
		19	reviewed, including the supporting material from Omni
20 i		20	Labs in Exhibit 7?
21		21	A Yes.
22		22	Q Would that be the type of compatibility
		23	testing that you were questioned about by Mr. Forsberg
		24	earlier?
25		25	A Yes, it is.

31 (Pages 1271 to 1274)

	Page 1275		Page 1277
1	Q I'll probably get slapped, but let's see how	1	what you did this past weekend. Is that your
2	it works. The Office of Public Interest Counsel asked	2	understanding?
3	you a number of questions about compatibility	3	A Yes.
4	excuse me, not compatibility about capacity, and	4	Q He varied one parameter and that was
5	also about the difference between a review of the	5	permeability of 81 millidarcies. Do you remember
6	commercial versus a noncommercial well. As part of	6	that
7	that, there were questions about treatability studies.	7	A Yes.
8	Would you agree that a treatability study is more	8	Q the applicant used 500 and Mr. Grant used
9	likely to be applicable or able to be done in a	9	81.
10	noncommercial setting when the wastestream is known to	10	A Yes.
11	the applicant?	11	Q And varying that parameter and limiting as
12	A Yes.	12	PRESS2 PRESS2 would, limiting the injection
13	Q And if TexCom were to go to potential	13	interval to 145 feet, he came up with 3170. Is that
14	customers and ask to do treatability studies, would	14	correct?
15	you think that's a bit unrealistic given the fact they	15	A That's as I recall.
16	have no contractual relationship with a potential	16	Q And as you the model you did this weekend,
17	customer?	17	you don't rely on and you don't know particularly what
18	A Yes.	18	was different or wrong about it, but you don't think
19	Q The form that TexCom filled out would be	19	it's reliable. Is that also correct?
20	useful or used rather in a noncommercial well	20	A I don't think it's as reasonable as the
21	application, correct?	21	modeling I did when I did my review.
22	A You said the form that TexCom filled out?	22	Q And again, just even based on your
23	Q Yes, I'm sorry, the application form is not	23	recollection of what your model this weekend yielded
24	different for commercial versus noncommercial?	24	in terms of the cone of influence, that was between 5
25	A In general that's true. There are some	25	and 10,000 feet, as I recall your testimony earlier
	Page 1276		Page 1278
1	sections that that is true. There may be some	1	today. Is that correct?
2	specific things that apply only to commercial or	2	A Yes, somewhere in that area.
3	noncommercial, but they're small in number.	3	Q And the in terms of feet number of feet
4	MR. RILEY: I find myself in an awkward	4	in a 2-and-a-half mile area of review, the number of
5	position, but let me renew my application. I have	5	feet in the area of review would be 13,200 feet. Is
6	probably two or three questions about the modeling	6	that correct?
7	that was done this weekend. This witness, as I	7	A That sounds about right.
8	understand it, has a very significant life event later	8	Q 5,260
9	in the week that I'd really rather not	9	A It's 2.5 times 5,280, right. That sounds
10	MR. WILLIAMS: Rather than have her	10	about right. And let me back up on my answer. I
11	JUDGE EGAN: You want to withdraw your	11	didn't I didn't try to pin it down exactly to what
12	objection?	12	the cone of influence would be on my weekend run, but
13	MR. WILLIAMS: I'll withdraw the	13	I think it's in that ball park.
14	objection.	14	Q Okay.
15	JUDGE EGAN: Go ahead.	15	A I didn't come up with a very exact number. I
16	Q (By Mr. Riley) Ms. Hoffman, regarding the	16	just was looking at it.
17	modeling you did this weekend, I really only have some	17	Q And either way, if it's in that range, it
18		18	still would not have increased the area of review. Is
19		19	that correct?
20	his modeling, correct?	20	A No, no right. That's true, yes.
21	A Correct.	21	MR. RILEY: Thank you.
22	Q And Mr. Grant's results, assuming, as I	22	And thank you, Mr. Williams, for the
23	understand it, that the same parameters that you put	23	latitude.
24	into the model of 145 feet being the boundary of the	24	I hope you have a great weekend.
25	injection interval, yielded different results from	25	WITNESS HOFFMAN: Thank you.

32 (Pages 1275 to 1278)

	Page 1279		Page 1281
1	_	1	
1 2	JUDGE EGAN: Okay. Mr. Hill?	1 2	Honor.
	MR. HILL: Your Honor, I just I have		JUDGE EGAN: Ms. Collins?
3	a clarifying question I need to ask based on	3	MS. COLLINS: No questions.
4	Mr. Riley's testimony or questions rather and	4	JUDGE EGAN: Thank you. Mr. Williams?
5	Ms. Hoffmann's testimony about the modeling. I	5	MR. WILLIAMS: Nothing.
6	understand it's beyond the scope of what was of the	6	JUDGE EGAN: Anything, Mr. Walston?
7	Executive Director's redirect. I'm wondering if I	7	Then the witness may be excused. Thank
8	might be able to ask the witness a clarifying	8	you.
9	question?	9	MR. WILLIAMS: Your Honor, the Executive
10		10	Director would next call John Santos.
11		11	(Witness sworn)
12		12	JOHN SANTOS,
13		13	having been duly sworn, testified as follows:
14	,	14	DIRECT EXAMINATION
15		15	BY MR. WILLIAMS:
16		16	Q Mr. Santos, do you find the notebook of the
17		17	Executive Director's prefiled in front of you? It may
18		18	be off to the right.
19		19	A Yeah. Yes, I have it.
20		20	Q Would you please look at the exhibit labeled
21		21	ED-12?
22		22	A Yes.
23		23	Q Would you please describe what that is?
24		24	A It's my prefiled testimony.
25	A I heard him testify about them.	25	Q Did you prepare all the answers to the
	Page 1280		Page 1282
1	Q Did you understand his testimony to be that	1	questions yourself?
2	the thickness value he used in his model was 145 feet?	2	A Yes.
3	A I understood that.	3	Q Do you have any changes or additions you want
4	Q Okay. And do you is your testimony that	4	to make to that now?
5	you believe that the appropriate thickness value for	5	A No changes.
6	modeling the injection proposed injection interval	6	Q And would you adopt this prefiled testimony
7	should be 546 feet?	7	today as if you were giving live testimony today?
8	A I think that is more real realistic than	8	A Yes.
9	145 feet considering that that the entire injection	9	Q Would you please look at ED-13 and describe
10		10	it, please.
11		11	A It's my resume.
12		12	Q Did you prepare this yourself?
13		13	A Yes.
14		14	Q Do you have any changes or corrections you
15		15	need to make to it at this time?
16		16	A No, sir.
17		17	MR. WILLIAMS: Your Honor, I would offer
18	J	18	Exhibits 12 and 13 into evidence.
19		19	JUDGE EGAN: I don't believe there were
20	J	20	
20 21	JUDGE EGAN: Ms. Stewart?	20 21	any objections filed to ED Exhibits 12 and 13, so they
21 22		22 22	are admitted. (ED Exhibit Nos. 12 and 13 admitted)
			(ED Exhibit Nos. 12 and 13 admitted)
23		23	MR. WILLIAMS: And I will pass the
24 25		24	witness.
25	MR. FORSBERG: Nothing further, Your	25	JUDGE EGAN: Mr. Riley?

33 (Pages 1279 to 1282)

MR. RILEY: Good afternoon, Mr. Santos. In JUDGE EGAN: Mr. Hill? MR. WALKER: JUDGE FGAN: All right. Mr. Walker? MR. WALKER: CROSS-EXAMINATION CROSS-EXAMINATION Maker: A Just fine. A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf Disposal? A That's right. A That's right. A Yes. A That's right. A Yes. A Pay. A Yes. A Pay. A Yes. A Pay. A Yes. A Hill have to look at it. map should faulting be an important consideration for or review of the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A Yes. A I helieve it was two. Q All right. That if the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive faults. Q All right. Let me ask you, Mr. Santos, if a Rule 331.121 of the Texas Administrative Code? A If it was transmissive faults. Q All right. Let me ask you, Mr. Santos, if a Rule 331.121 of the Texas Administrative Code? A If it was transmissive faults. Q All right. Let me ask you, Mr. Santos, if a Rule 331.121 of the Texas Administrative Code? A If it was transmissive faults. Q All right. Let me ask you, Mr. Santos, if the confining zone is not cut by transmissive faults. Q All right. Let me ask you, Mr. Santos, if the confining zone is not cut by transmissive faults. Q All right. Let me ask you, Mr. Santos, if the confining zone is not cut by transmissive faults. Q All right. Let me ask you, Mr. Santos, if the confining zone is not cut by transmissive faults. Q All right. The confining zone is cut the review of the confining zone is cut t		Page 1283		Page 1285
2 I have no questions. I'll pass the witness. 3 JUDGE EGAN: Mr. Hill? 4 MR. WILLIAMS: No questions of this 5 witness, Your Honor. 5 JUDGE EGAN: All right. Mr. Walker? 6 A MR. WALKER: Yes, Your Honor, I do have 8 a few questions. 9 CROSS-EXAMINATION 10 BY MR. WALKER: Yes, Your Honor, I do have 11 Q Good afternoon, Mr. Santos, My name is David 11 A Just fine. 11 A Just fine. 12 Q Mr. Santos, you provided, I believe, the 13 geological review of the application for TexCom Gulf 14 Disposal? 15 A That's right. 16 Q In that regard, Mr. Santos, would the 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the 19 creviewing the application? 21 A Yes. 22 A Yes. 24 Q Are you familiar – we won't go into it at 23 this moment – but are you familiar with Rule 331.121 25 the moment – but are you familiar with Rule 331.121 26 The live it was two. 27 A T believe it was two. 28 Q All right. And if the confining 2 zone is not cut by transmissive vertically, it might 2 your woney faults by transmissive wertically, it might 2 your woney faults by transmissive wertically, it might 2 your woney faults by transmissive vertically, it might 2 your woney faults were designated by TexCom? 29 A If it was transmissive vertically, it might 2 your own fault in the area for cut by transmissive vertically, it might 2 your own fault is the was table, what does that do? 20 All right. And if the confining 2 zone is not cut by transmissive vertically, it might 2 your subscreaced is a fault or consideration? 21 Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in 3 the research documentation – res	1	MR. RILEY: Good afternoon, Mr. Santos.	1	A That sounds correct.
JUDGE EGAN: Mr. Hill? Mr. WALKER: Yes, Your Honor, I do have a few questions. CROSS-EXAMINATION BY MR. WALKER: Yes, Your Honor, I do have a few questions. CROSS-EXAMINATION Walker. I'm county attorney from Montgomery County. How are you, sir? A Just fine. Q In that regard, Mr. Santos, would the geological review of the application for TexCom Gulf by possage. A That's right. Q In that regard, Mr. Santos, would the substrace structure of the area of review wo with respect to your duties in reviewing the application? A Yes. Q Al right. I was a familiar we won't go into it at this moment but are you familiar with Rule 331.121 The area of review would be an important consideration for your review of the application of USCWs. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive faults was to down. A If it was transmissive reutically, it might yor vide a path for contamination of USCWs. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might yor videw of the map should be reviewed with shows faults if known or suspected Is hat work of a law of the map should be reviewed with shows faults if known or suspected. Is that a family that the map should be reviewed with shows faults if known or suspected. Is that a family that a least be some suggestion to a suspected faults should be shown. JUDGE EGAN: I'm soor, y, you need to repeat that. We had some noise in background. WITNESS SANTOS: All the Court what you would consider it the faults should be shown. Juby sansmit the splication of TexCom Gulf A Pes. A A Sa far as reviewing an application, I would consider it the faults should be shown. A Yes. A Yes. A Yes. A Yes. A Yes. A I have to look at it. A What application are vour adulting a bour? A Yes. A I have to look at it. A What application are you adulting a bour? A A Yes. A I have to look at it. A One of our criteria is that the confining zon				
MR. WILLIAMS: No questions of this witness, Your Honor, I do have a few questions. MR. WALKER: Yes, Your Honor, I do have a few questions. CROSS-EXAMINATION BY MR. WALKER: Q Good afternoon, Mr. Santos. My name is David Walker. I'm county atomory from Montgomery County. How are you, sir? A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf bisposal? A That's right. Q In that regard, Mr. Santos, would the subsurface structure of the area of review be of interest to you with respect to your duties in the area of the area of review be of interest to you with respect to your duties in the area of the Texas Administrative Code? A Fd have to look at it. Q Mr. Santos, in the application? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q All right. And if the confining zone is cut by transmissive vertically, it might provide a publication (a)(2)(A), if there is a reference in formation suggestion of a subsected in an application on Environmental Quality how long? A The lieve it was two. Q All right. And if the confining zone is cut by transmissive vertically, it might zone is not cut by transmissive vertically, it might provide a publication (a)(2)(A), if there is a reference in formation suggestion of a noncolor on (a)(2)(A), if there is a reference in formation suggestion to consideration? A Klet's see—"Your How would for the shown. JUDGE EGAN: I'm sorry, you need to repeat that, we had some noise in background. WITNESS SANTOSS: All known faultis to suspected faults should be shown. Q All right is what a known fault is but, if you don't mind, tell the Court what you would consider to be a known fault? A As far as reviewing an application. Q All right, sir. Would it be fair to say then, Mr. Santos, the application. Your How and I all the Court what you would consider the faults that were shown on the maps in the area of				
5 witness, Your Honor. 6 JUDGE EGAN: All right. Mr. Walker? 7 MR. WALKER: Yes, Your Honor, I do have a few questions. 9 CROSS-EXAMINATION 9 10 BY MR. WALKER: 10 Q. Good afternoon, Mr. Santos. My name is David 12 Walker. I'm county attorney from Montgomery County. 11 Q. Good afternoon, Mr. Santos. My name is David 12 Walker. I'm county attorney from Montgomery County. 12 Q. Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf 16 geological review of the application for TexCom Gulf 17 Disposal? 18 A Thar's right. 19 A A Thar's right. 19 Substrace structure of the area of review be of 18 interest to you with respect to your duties in 18 review of the application? 19 The provide a path by TexCom? 19 A Thar's moment - but are you familiar with Rule 331.121 19 That's fair chough. In the TexCom 19 Page 1284 19 A Thar's right. 19 Q. Mr. Santos, in the application of ViscCws. 19 Q. All right. And if the confining 20 consistent if the presence of faulting in the area of review would be an important consideration? 19 Consider it the faults that was clearly demanded that be at least this moment - but are you familiar with Rule 331.121 19 That's fair enough. In the TexCom 19 Page 1284 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair enough. In the TexCom 19 Page 1286 19 That's fair				
Interest to you with respect to your duties in the area for eview might a paplication? Page 1284			5	
MR. WALKER: Yes, Your Honor, I do have a few questions. 9 BY MR. WALKER: 10 Q Good afternoon, Mr. Santos. My name is David 11 Walker. I'm county attorney from Montgomery County. 12 Walker. I'm county attorney from Montgomery County. 13 How are you, sir? 14 A Just fine. 15 Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf 16 geological review of the application for TexCom Gulf 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the substance structure of the area of review be of the area of review be of the area of review of the application? 2 wells of the Texas Administrative Code? 2 A I believe it was two. 3 A Tehave to look at it. 4 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many fall is were designated by TexCom? 3 A Tehave to look at it. 4 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many fall is were designated by TexCom? 4 A Tene ask you if the presence of faulting in the area of review would be an important consideration for you and in the portions that you reviewed, how many fall is were designated by TexCom? 4 A Yes. 4 Q And why would faulting be an important consideration for you and in the portions that you reviewed, how many fall is the presence of faulting in the area of review would be an important consideration for you and in the portions that you reviewed, how many fall is the presence of faulting in the area of review would be an important consideration for you and in the portions that you reviewed has the presence of faulting in the area of review and the presence of faulting in the area of review mould be an important consideration for you and in the portions that you reviewed, how many fall is the presence of faulting in the area of review and the presence of faulting in the area of review and the presence of faulting in the area of review and the presence of faulti				
a few questions. CROSS.EXAMINATION BY MR. WALKER: Q Good afternoon, Mr. Santos. My name is David Walker. Im county attorney from Montgomery County. How are you, sir? A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf interest to you with respect to your duties in reviewing the application? A That's right. Q In that regard, Mr. Santos, would the interest to you with respect to your duties in reviewing the application? A Yes. Q Are you familiar — we won't go into it at this moment — but are you familiar with Rule 331.121 A Yes. Q Are you familiar are we won't go into it at qualified as it applies to the approval of Class I injection WITNESS SANTOS: All known faults or suspected faults should be shown. Q All right, I think probably just plain English might fell us what at known fault is but, if you don't mind, tell the Court what you would consider to be a known fault? A As far as reviewing an application, I would in the earl that was clearly delineated, supported by perhaps consistent of the application? A Yes. Q Are you familiar — we won't go into it at this moment — but are you familiar with Rule 331.121 A Yes. Q Are you familiar — we won't go into it at qualified and the province hat you review of the application presented to you and in the portions that you review of the application? A The bave to look at it. Q Mr. Santos, in the application presented to you and in the portions that you review of the application? A The tree mask you if the presence of faulting in the area of review would be an important consideration for amendments or renewals. Q All right, And if the confining zone is cut by transmissive faults. Q All right, And if the confining zone is cut by transmissive faults. Q All right, And if the confining zone is cut by transmissive faults. Q All right, And if the confining zone is cut by transmissive faults. Q All right, And if the confining zone is cut by transmissive faults. Q All right, And if the confining zone is cut by transmissive fa			7	
9 CROSS-EXAMINATION 10 BY MR. WALKER: 11 Q Good afternoon, Mr. Santos. My name is David 12 Walker. I'm county attorney from Montgomery County. 13 How are you, sir? 14 A Just fine. 15 Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf 16 geological review of the application for TexCom Gulf 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the substrace structure of the area of review be of review be of review price of review in the application? 10 as it applies to the approval of Class I injection wells of the Texas Administrative Code, subsection (a)(2)(A), if ther is a reference in fore — if you know — that a map should be reviewed with work will as this moment and the contining of the map of review of a path for contamination of USCWs. 10 Q All right. Let me ask you, Mr. Santos. My name is David Harber and pleading of the previewed on the provide a path for contamination of USCWs. 20 Q All right. Let me ask you, Mr. Santos. My name is David Harber and pleading in the provide a path for contamination of USCWs. 21 Q All right. Let me ask you, Mr. Santos. My name is David Harber and a known fault? 22 A provided I believe it was two. 33 A I dave to look at it. 44 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? 34 A I dave to look at it. 45 Q And why would faulting be an important consideration? 46 A I believe it was two. 47 A Let's see — I've reviewed two other new permit applications and several applications for amendments or renewals. 48 Q All right. Let me ask you, Mr. Santos. My name is David Harber and a known fault? 49 A Pres. 40 A Pres. 41 A Pres. 42 A Pres. 43 A Pres. 44 C A Pres. 45 A I've and the provide and the provide a count of the previewed for provide a count of the previewed for preview of the previewed for previ	8		8	
10 BY MR, WALKER: 11 Q Good afternoon, Mr, Santos. My name is David 12 Walker. I'm county attorney from Montgomery County. 13 How are you, sir? 14 A Just fine. 15 Q Mr. Santos, you provided, I believe, the 16 geological review of the application for TexCom Gulf 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the 20 subsurface structure of the area of review be of 21 interest to you with respect to your duties in 22 reviewing the application? 23 A Yes. 24 Q Are you familiar we won't go into it at 25 this moment but are you familiar with Rule 331.121 26 as it applies to the approval of Class I injection 27 a I believe it was two. 28 Q Let me ask you if the presence of faulting in 29 the area of review would be an important consideration? 20 Q and why would faulting be an important consideration? 21 A Yes. 22 Q and why would faulting be an important consideration? 23 A Yes. 24 Q Are on of our criteria is that the confining 2 one is not cut by transmissive faults. 29 Q All right. And if the confining 2 one is not cut by transmissive faults, what does that do? 30 A If it was transmissive vertically, it might 2 provide a path for contamination of USCWs. 31 A Call right. Let me ask you, Mr. Santos, in flight. Let me ask you, Mr. Santos, if where is a reference in 19 provide a path for contamination of USCWs. 31 A If it was transmissive refuelts, it might 2 provide a path for contamination of USCWs. 32 Q All right. Let me ask you, Mr. Santos, if there is a reference in 2 provide a path for contamination of USCWs. 32 Q All right. Let me ask you, Mr. Santos, if known or suspected. Is that 2 provide a path for contamination of USCWs. 33 A I can't think of an occasion. 2 preference is "the map 4 which shows faults, if known or suspected. Is that 2 provide a path for contamination of USCWs. 33 A I can't think fan occasion. 2 provided the application as uspected fault? 34 A what a known fault: 2 pound that the application in the application as uspected. Is the faults that were shown on the maps i		*		
Q Good afternoon, Mr. Santos. My name is David Waker. I'm county attorney from Montgomery County. How are you, sir? A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf Disposal? A That's right. Q In that regard, Mr. Santos, would the subsurface structure of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of subsurface structure of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review to geological review of the area of review be of review be of review to geological review of the area of review be of review would that the action of the application. A Yes. A Yes. A Id have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many falls were designated by TexCom? A Id have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many falls were designated by TexCom? A Page 1284 A Ses. Q All right. It hink probably just plain. Biglish might tell us what a known fault? A As a sar as reviewing an application, I would consider it the faults were shown on the maps in the application. Q All right, I think probably just a bow a known fault is but, if A As a sar as review on the maps in the application. A The sair plus is the fault show, if a known fault is but, if A As a sar as reviewing an application, I would consider it the faults were shown on the maps in the application. A Yes. Q All right, I think probably just plan. A As a sar as reviewing an application, was a known fault? A Wash application. A Wash application. A Wash application, The fair oally	10		10	
Walker. I'm county attorney from Montgomery County. How are you, sir? A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf 17 Disposal? A That's right. Q In that regard, Mr. Santos, would the 20 subsurface structure of the area of review be of 21 interest to you with respect to your duties in 22 reviewing the application? A Yes. Q Are you familiar we won't go into it at 25 this moment but are you familiar with Rule 331.121 as it applies to the approval of Class I injection 29 wells of the Texas Administrative Code? A I Delieve it was two. Q Let me ask you if the presence of faulting in 29 the ask you wild be an important consideration? A Yes. Q And why would faulting be an important consideration? A Yes. Q And why would faulting be an important consideration? A Yes. Q All right. Air wolld it be fair to say then, Mr. Santos, that a fault that was clearly delineated, supported by perhaps consistent documentation research documentation and then documentation and then documentation and then presented in an application, a publication of a known fault? A What application. Q All right. sir. Would it be fair to say then, Mr. Santos, that a fault that was clearly delineated, supported by perhaps consistent documentation research documentation and then documentation research documentation and then documentation and then presented in an application, a publication, a publication of a known fault? A What application, would fat be at least this poor lawyer's suggestion of a known fault is but, if you don't mind, tell the Court what you would consider it the faults that the were shown on the maps in the application. Q All right. Air fault was clearly delineated, supported by perhaps consistent thocumentation research documentation res		Q Good afternoon, Mr. Santos. My name is David	11	
How are you, sir? A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf Disposal? A That's right. Q In that regard, Mr. Santos, would the subsurface structure of the area of review be of interest to you with respect to your duties in reviewing the application? A Yes. Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 as it applies to the approval of Class I injection wells of the Texas Administrative Code? A I dhave to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q And why would faulting be an important consideration for your review of the application? A One of our criteria is that the confining one is not cut by transmissive faults. A One of Our criteria is that the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive faults. A One of Our criteria is that the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the application in the application and paplication and pa				
14 A Just fine. Q Mr. Santos, you provided, I believe, the geological review of the application for TexCom Gulf 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the 20 subsurface structure of the area of review be of 20 interest to you with respect to your duties in 22 reviewing the application? 24 Q Are you familiar we won't go into it at 25 this moment but are you familiar with Rule 331.121 25 That's fair enough. In the TexCom 24 A I'd have to look at it. 4 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A A Telme ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration for your review of the application of USCWs. Q All right. And if the confining 2 noe is not cut by transmissive faults. What application in a population, I would on the protion and then presented in an application, would that be at least this poor lawyer's suggestion of a known fault? A Wesl application are you talking about? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewall. A If it was transmissive faults. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Let's see I've reviewed two other new permit applications and several application for review or suspected fault? A Capture were a fault or two listed that seemed to be supported by geologic reference in information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All rig	13			
A Sa far as reviewing an application, I would consider it the faults that were shown on the maps in the application. I would consider it the faults that were shown on the maps in the application. I would it be fair to say the application of the application. I would it be fair to say the application of the application. I would it be fair to say the application of the application. I would it be fair to say the application of the application. I would it be fair to say the application of the application. I would it be fair to say the application of the application. I would that be at least this poor lawyer's suggestion of a known fault? A Yes. A Yes. A I believe it was two. A I believe it was two. A C Let me ask you if the presence of faulting in the area of review of the application? A Yes. A One of our criteria is that the confining zone is not cut by transmissive faults. What does that do? A If it was transmissive faults, what does that do? A If it was transmissive faults, what does that do? A If it was transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, in the application - research documentation - and then obcumentation - research documentation - research documentation - research documentation - research documentation - and then operated by perhaps consistent this poor lawyer's suggestion of a known fault? A What application, if there were a fault or two listed that seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. A It have to look at it. A What application, if there were a fault or two listed that seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. A Cat hat's a presence of fault, would that at least be some suggestion of a known fault? A Yes. A C			14	
16 geological review of the application for TexCom Gulf 17 Disposal? 18 A That's right. 19 Q In that regard, Mr. Santos, would the 20 subsurface structure of the area of review be of 21 interest to you with respect to your duties in 22 reviewing the application? 23 A Yes. 24 Q Are you familiar we won't go into it at 25 this moment but are you familiar with Rule 331.121 25 mellos of the Texas Administrative Code? 3 A I da have to look at it. 4 Q Mr. Santos, in the application presented to 4 you and in the portions that you reviewed, how many 5 faults were designated by TexCom? 6 A I believe it was two. 7 A I believe it was two. 8 Q Let me ask you if the presence of faulting in 9 the area of review mould be an important 10 for your review of the application? 11 A Yes. 12 Q And why would faulting be an important 12 consider it the application; 13 Q All right, sir. Would it be fair to say 14 then, Mr. Santos, that a fault that was clearly 15 delineated, supported by perhaps consistent 16 documentation research documentation and then 17 presented in an application are you talking about? 18 A I this were designated by TexCom? 19 A Ves. 10 A I believe it was two. 10 Q Mr. Santos, in the application presented to 11 you and in the portions that you reviewed, how many 12 faults were designated by TexCom? 13 A Yes. 14 A Yes. 15 A Yes. 16 Q Are you familiar with Rule 331.121 16 consider it the application say 16 then, Mr. Santos, that a fault that was clearly 16 delineated, supported by perhaps consistent 17 documentation research documentation and then 18 presented in an application - and then 19 presented in an application are you talking about? 10 A Ves. 11 application, if there were a fault or two listed that 12 seemed to be supported by geologic reference 13 information suggesting the actual presence of the 14 A Yes. 15 A Yes. 16 A Yes. 17 Q All right. Have you ever well, let me 18 back up. 19 How many Class I well applications have 19 you reviewed for geologic issues? 10 A Approximately 13 years.	15	Q Mr. Santos, you provided, I believe, the	15	A As far as reviewing an application, I would
the application. A That's right. Q In that regard, Mr. Santos, would the subsurface structure of the area of review be of interest to you with respect to your duties in reviewing the application? A Yes. Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 as it applies to the approval of Class I injection wells of the Texas Administrative Code? A Id have to look at it. Q All right. Have you exert-ewelf, low many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. A One of our criteria is that the confining zone is not cut by transmissive faults. A One of Our criteria is that the confining zone is not cut by transmissive faults. A One of Our criteria is that the confining zone is not cut by transmissive faults, what does that do? A I fit was transmissive faults, what does that do? A I fit was transmissive faults, what does that do? A I fit was transmissive faults, what does that do? A I fit was transmissive faults, what does that do? A I fit was transmissive faults. A Cand why would faulting be an important consideration of provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the application and suspected fault? A Cand why would faulting be an important consideration of uscalance and the confining zone is cut by transmissive faults, what does that do? A I fit was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the revax Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that			16	
A That's right. Q In that regard, Mr. Santos, would the subsurface structure of the area of review be of interest to you with respect to your duties in reviewing the application? A Yes. Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 of the area of reviewed, how many faults were designated by TexCom? A I de have to look at it. Q Mr. Santos, that a fault that was clearly delineated, supported by perhaps consistent documentation research documentation and then presented in an application, would that be at least this poor lawyer's suggestion of a known fault? A What application are you talking about? A Yes. Q All the PexcAom Page 1284 A What application are you talking about? A Yes. Q All right was two. Q All right was two. Q All right have voled by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Administrative Code, at I fail the stransmissive v	17	Disposal?	17	
then, Mr. Santos, that a fault that was clearly delineated, supported by perhaps consistent documentation research docu			18	Q All right, sir. Would it be fair to say
subsurface structure of the area of review be of 121 interest to you with respect to your duties in 122 reviewing the application? A Yes. Q Are you familiar we won't go into it at 25 this moment but are you familiar with Rule 331.121	19	Q In that regard, Mr. Santos, would the	19	
21 interest to you with respect to your duties in reviewing the application? 22 reviewing the application? 23 A Yes. 24 Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 25 Page 1284 1 as it applies to the approval of Class I injection 2 wells of the Texas Administrative Code? 3 A I'd have to look at it. 4 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? 4 A I believe it was two. 5 Q Let me ask you if the presence of faulting in the area of review would be an important consideration? 1 A Yes. 1 A Yes. 1 Q And why would faulting be an important consideration? 2 Q And why would faulting be an important consideration? 3 A One of our criteria is that the confining zone is not cut by transmissive faults. 4 A If it was transmissive vertically, it might provide a path for contamination of USCWs. 2 Q All right. And if the confining zone is cut by transmissive faults, what does that do? 2 Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in the re- if you know that a map should be reviewed to supported in an application, would that the and application are you talking about? A What application, if there were a fault or two listed that seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And if the confining zone is cut the provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if 20 Q All right. I don't want to ask you to interpret necessarily why that word is in the provide a path for contamination of USCWs. Q All right. I don't want to ask you to interpret necessarily why that word is in the prov	20		20	
reviewing the application? A Yes. Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 Page 1284 1 as it applies to the approval of Class I injection wells of the Texas Administrative Code? 3 A I'd have to look at it. 4 Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in this poor lawyer's suggestion of a known fault? A What application are you talking about? A That's fair enough. In the TexCom Page 1286 application, if there were a fault or two listed that seemed to be supported by geologic reference information suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, with characterial in the part of t	21	interest to you with respect to your duties in	21	documentation research documentation and then
Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 Page 1284 Page 1284 Page 1284 as it applies to the approval of Class I injection wells of the Texas Administrative Code? A I d have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in this moment but are won't go into it at the confirming as the interpret necessarily why that word is in the area of review or suapset in an application a suspected. Is that	22		22	presented in an application, would that be at least
Q Are you familiar we won't go into it at this moment but are you familiar with Rule 331.121 Page 1284 Page 1284 Page 1284 as it applies to the approval of Class I injection wells of the Texas Administrative Code? A I d have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in this moment but are won't go into it at the confirming as the interpret necessarily why that word is in the area of review or suapset in an application a suspected. Is that	23		23	this poor lawyer's suggestion of a known fault?
Page 1284 1 as it applies to the approval of Class I injection 2 wells of the Texas Administrative Code? 3 A I'd have to look at it. 4 Q Mr. Santos, in the application presented to 5 you and in the portions that you reviewed, how many 6 faults were designated by TexCom? 7 A I believe it was two. 8 Q Let me ask you if the presence of faulting in 9 the area of review would be an important consideration 10 for your review of the application? 11 A Yes. 12 Q And why would faulting be an important 13 consideration? 14 A One of our criteria is that the confining 15 zone is not cut by transmissive faults. 16 Q All right. And if the confining zone is cut 17 by transmissive faults, what does that do? 18 A If it was transmissive vertically, it might 19 provide a path for contamination of USCWs. 20 Q All right. Let me ask you, Mr. Santos, if 21 Rule 331.121 of the Texas Administrative Code, 22 subsection (a)(2)(A), if there is a reference in 24 which shows faults, if known or suspected. Is that	24	Q Are you familiar we won't go into it at	24	
as it applies to the approval of Class I injection wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in for your review of the application? A Yes. Q And why would be an important consideration for your review of the application? A One of our criteria is that the confining consideration? A One of our criteria is that the confining by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in a pplication, if there were a fault or two listed that seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right, And you've been employed at the Texas Commission on Environmental Quality how long? A A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to	25	this moment but are you familiar with Rule 331.121	25	Q That's fair enough. In the TexCom
wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is not cut by transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in the reviewed and many class is the supported by geologic reference in formation suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the and map should be reviewed which shows faults, if known or suspected. Is that		Page 1284		Page 1286
wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is not cut by transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in the reviewed and many class is the supported by geologic reference in formation suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the and map should be reviewed which shows faults, if known or suspected. Is that	1	1 601 11 1		
A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. A One of our criteria is that the confining zone is not cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the rear a map should be reviewed tyou reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for a mendments or renewals. A A One of our criteria is that the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if the rear if you know that a map should be reviewed the code, which shows faults, if known or suspected. Is that Information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A A Approximately 13 years. Q All right. Have you ever had in your exitewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications a		as it applies to the approval of Class I injection	1	application, if there were a fault or two listed that
4 Q Mr. Santos, in the application presented to 5 you and in the portions that you reviewed, how many 6 faults were designated by TexCom? 7 A I believe it was two. 8 Q Let me ask you if the presence of faulting in 9 the area of review would be an important consideration 10 for your review of the application? 11 A Yes. 12 Q And why would faulting be an important 13 consideration? 14 A One of our criteria is that the confining 15 you and in the portions that you reviewed, how many 16 fault, would that at least be some suggestion of a known fault? 17 A Yes. 18 A I believe it was two. 19 A Il right. Have you ever well, let me 19 back up. 10 How many Class I well applications have you reviewed for geologic issues? 11 A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. 19 Q All right. And you've been employed at the 10 Texas Commission on Environmental Quality how long? 11 A Approximately 13 years. 12 Q All right. Let me ask you, Mr. Santos, if 13 C A I right is in the the confining and several applications for a known fault? 19 Provide a path for contamination of USCWs. 10 Q All right. Let me ask you, Mr. Santos, if 11 A C Texas Commission on Environmental Quality how long? 12 A Approximately 13 years. 13 Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? 19 A I can't think of an occasion. 20 Q All right. Let me ask you, Mr. Santos, if 21 Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed the shown in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show show should also show, if known" excuse me, "also show show is a least to provide a path for contamination of users.				
5 you and in the portions that you reviewed, how many 6 faults were designated by TexCom? 7 A I believe it was two. 8 Q Let me ask you if the presence of faulting in 9 the area of review would be an important consideration 10 for your review of the application? 11 A Yes. 12 Q And why would faulting be an important 13 consideration? 14 A One of our criteria is that the confining 15 zone is not cut by transmissive faults. 16 Q All right. And if the confining zone is cut 17 by transmissive faults, what does that do? 18 A If it was transmissive vertically, it might 19 provide a path for contamination of USCWs. 20 Q All right. Let me ask you, Mr. Santos, if 21 Rule 331.121 of the Texas Administrative Code, 22 subsection (a)(2)(A), if there is a reference in 23 the volume of faulting in 24 which shows faults, if known or suspected. Is that 5 known fault? 6 A Yes. 7 Q All right. Have you ever well, let me 8 back up. 9 How many Class I well applications have you reviewed for geologic issues? 1 A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. 1 C All right. And you've been employed at the 1 Texas Commission on Environmental Quality how long? 1 A Approximately 13 years. 2 Q All right, if have you ever well, let me 8 back up. 9 How many Class I well applications have you reviewed for geologic issues? 1 A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. 1 A Approximately 13 years. 1 Q All right, if. Have you ever well, let me 8 back up. 9 How many Class I well applications have you reviewed for geologic issues? 1 A Let's see I've reviewed two other new permit applications and several applications on amendments or renewals. 1 Q All right. And you've been employed at the 1 Texas Commission on Environmental Quality how long? 1 A Approximately 13 years. 2 Q All right, if have you ever had in voir experience the occasion to come into contact with or reviewed or suspected fault? 2 A I c	2	wells of the Texas Administrative Code?	2	seemed to be supported by geologic reference
faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, if the presence of faulting in the area of review of the applications for amendments or renewals. A One of our criteria is that the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if 20 Q All right. Let me ask you, Mr. Santos, if 21 Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in 22 there if you know that a map should be reviewed which shows faults, if known or suspected. Is that	2 3	wells of the Texas Administrative Code? A I'd have to look at it.	2 3	seemed to be supported by geologic reference information suggesting the actual presence of the
A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you if the presence of faulting in the area of review would be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, in the ve you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. Hotor veriewed two other new permit applications and several applications for amendments or renewals. A Cone of our criteria is that the confining amendments or renewals. Q All right. Hotor veriewed two other new Texas Commission on Environmental Quality how long	2 3 4	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to	2 3 4	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a
8 Q Let me ask you if the presence of faulting in 9 the area of review would be an important consideration 10 for your review of the application? 11 A Yes. 12 Q And why would faulting be an important 13 consideration? 14 A One of our criteria is that the confining 15 zone is not cut by transmissive faults. 16 Q All right. And if the confining zone is cut 17 by transmissive faults, what does that do? 18 A If it was transmissive vertically, it might 19 provide a path for contamination of USCWs. 20 Q All right. Let me ask you, Mr. Santos, if 21 Q All right. Let me ask you, Mr. Santos, if 22 subsection (a)(2)(A), if there is a reference in 23 there if you know that a map should be reviewed 24 which shows faults, if known or suspected. Is that	2 3 4 5	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many	2 3 4 5	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault?
the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining A A Operoximately 13 years. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13, years. Q All right. And you've been employed at the Texas Commission on Environmental versue of A Approximately 13 years. Q All right or our draw or our draw or ou	2 3 4 5 6	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom?	2 3 4 5 6	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes.
for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two.	2 3 4 5 6 7	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me
A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that	2 3 4 5 6 7 8	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in	2 3 4 5 6 7 8	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up.
12 Q And why would faulting be an important 13 consideration? 14 A One of our criteria is that the confining 15 zone is not cut by transmissive faults. 16 Q All right. And if the confining zone is cut 17 by transmissive faults, what does that do? 18 A If it was transmissive vertically, it might 19 provide a path for contamination of USCWs. 20 Q All right. Let me ask you, Mr. Santos, if 21 Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in 23 there if you know that a map should be reviewed which shows faults, if known or suspected. Is that 12 permit applications and several applications for amendments or renewals. 14 Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? 15 A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration	2 3 4 5 6 7 8	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have
consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that A One of our criteria is that the confining A One of our criteria is that the confining A One of our criteria is that the confining Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application?	2 3 4 5 6 7 8 9	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues?
A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that A Il right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes.	2 3 4 5 6 7 8 9 10	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new
zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10 11 12	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important	2 3 4 5 6 7 8 9 10 11	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for
Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10 11 12 13	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration?	2 3 4 5 6 7 8 9 10 11 12 13	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals.
by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10 11 12 13 14 15	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining	2 3 4 5 6 7 8 9 10 11 12 13 14	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the
A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that A If it was transmissive vertically, it might provide a path for contamination of USCWs. A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10 11 12 13 14 15	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults.	2 3 4 5 6 7 8 9 10 11 12 13 14 15	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long?
provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that 19 review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years.
Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 0 1 1 1 2 3 4 1 5 6 7 8 9 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your
Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might	2 3 4 5 6 7 8 9 11 12 13 14 15 17 18	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or
subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 0 1 1 1 1 3 1 4 1 5 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault?
there if you know that a map should be reviewed which shows faults, if known or suspected. Is that Administrative Code, but the reference is "the map 24 should also show, if known" excuse me, "also show	2 3 4 5 6 7 8 9 0 1 1 1 1 3 1 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 12 12 12 12 12 12 12 12 12 12 12 12 12	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion.
	2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 2 2 2 2	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 10 12 12 12 12 12 12 12 12 12 12 12 12 12	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the
25 criteria at least such that you're familiar with? 25 faults, if known or suspected." Do you agree with me	2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 2 2 2 2 2 3 2 3 2	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 10 12 12 12 12 12 12 12 12 12 12 12 12 12	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map"
	2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 2 2 2 3 4 2 2 2 3 4 2 3 2 3 4 4 3 2 3 4 3 4	wells of the Texas Administrative Code? A I'd have to look at it. Q Mr. Santos, in the application presented to you and in the portions that you reviewed, how many faults were designated by TexCom? A I believe it was two. Q Let me ask you if the presence of faulting in the area of review would be an important consideration for your review of the application? A Yes. Q And why would faulting be an important consideration? A One of our criteria is that the confining zone is not cut by transmissive faults. Q All right. And if the confining zone is cut by transmissive faults, what does that do? A If it was transmissive vertically, it might provide a path for contamination of USCWs. Q All right. Let me ask you, Mr. Santos, if Rule 331.121 of the Texas Administrative Code, subsection (a)(2)(A), if there is a reference in there if you know that a map should be reviewed which shows faults, if known or suspected. Is that	2 3 4 5 6 7 8 9 0 11 12 13 14 15 16 7 18 19 10 12 12 12 13 14 14 16 17 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	seemed to be supported by geologic reference information suggesting the actual presence of the fault, would that at least be some suggestion of a known fault? A Yes. Q All right. Have you ever well, let me back up. How many Class I well applications have you reviewed for geologic issues? A Let's see I've reviewed two other new permit applications and several applications for amendments or renewals. Q All right. And you've been employed at the Texas Commission on Environmental Quality how long? A Approximately 13 years. Q All right, sir. Have you ever had in your experience the occasion to come into contact with or review or suspect in an application a suspected fault? A I can't think of an occasion. Q All right. I don't want to ask you to interpret necessarily why that word is in the Administrative Code, but the reference is "the map should also show, if known" excuse me, "also show

34 (Pages 1283 to 1286)

	Page 1287		Page 1289
1	that that language is in there?	1	questions. Okay.
2	A Yes.	2	MR. WALKER: Yes, sir.
3	Q Would you agree with me that the word	3	JUDGE WALSTON: I forgot where we were.
4	"suspected" can be distinguished from the word	4	Mr. Walker?
5	"known"?	5	MR. WALKER: Thank you, Judge.
6	A I guess it could be, yes.	6	Q (By Mr. Walker) Mr. Santos, I asked the
7	Q Would you agree with me that clearly the	7	court reporter to just sort of refresh our memory as
8	Administrative Code is at least on its face	8	to where we left off. I think I asked a question: Do
9	categorizing faults two different ways, known and	9	you apply that analysis that we just discussed that's
10	1	10	in Rule 31 to both known and suspected faults, and I
11	J	11	believe your answer was, yes, that you would?
12		12	A That's right.
13	1 11	13	Q Okay. Thank you, sir.
14	1	14	Mr. Santos, of the two faults that you
15	· •	15 16	testified were presented in the application, did you
16			attempt to make a determination as to whether or not
17 18	· · · · · · · · · · · · · · · · · · ·	17 18	they were transmissive? A Yes.
19	, , ,	19	
20		20	Q And what was your conclusion? A My opinion is they're not transmissive.
21		21	Q Okay. And that determination, of course, is
22		22	specifically directed that you make that
23		23	determination is specifically directed in Rule 331.
24		24	A Yes.
25		25	Q All right. Would you perhaps just briefly
	Page 1288		Page 1290
1	Does that mean that the review that you	1	explain to the Court what information you look at or
2	conduct involves a delineation of all faults so that	2	what process you go through in making a determination
3	you can determine whether or not they are sufficiently	3	as to whether presented faults are transmissive or
4	transmissive or vertically extensive to allow	4	not?
5	migration?	5	A Well, in my opinion, faults in general are
6	A Yes.	6	not transmissive. My experience is I've never seen a
7	Q Do you apply that analysis that we've just	7	transmissive fault under what I'd call original
8	discussed that's in the Rule 331 to both known and	8	conditions. A few cases I've seen horizontally
9	suspected faults?	9	transmissive faults when there was enough pressure
10		10	differential in gas production from one side of the
11	` "	11	fault to the other, but that's the only transmissive
12		12	faults I've ever seen.
13		13	Q Okay. So I understand your response,
14		14	Mr. Santos, to a great extent transmissivity a
15		15	determination of transmissivity for you is largely
16		16	based on your experience as a geologist?
17	\mathcal{E}	17	A That's right.
18	1	18	Q Is there anything else that you would look at
19		19	or anything else that you would apply, any information
20 21		20 21	that you would look for or apply, in addition to you
21 22		21 22	experience and training with respect to making that transmissivity determination?
23		23	A Well, I would look at things such as whether
24	· 1	24 24	hydrocarbons are pressed against the fault, if there
25		25	was a difference in pressure from one side of the
<u> </u>	JOB OF THE STOTE OIL, JOB WOLD BERING		as a difference in problem from one side of the

35 (Pages 1287 to 1290)

	Page 1291		Page 1293
1	fault to the other.	1	A They're both fluids, yes.
2	Q All right. Thank you, sir. I don't want to	2	Q Very good. Okay. I don't want to expose too
3	probe anything that's outside your area of expertise,	3	much of my ignorance here.
4	but let me ask you this: Have you been present	4	All right. If we're talking about
5	through most of the testimony during this contested	5	liquids, is it potentially possible for a liquid to
6	hearing?	6	migrate along a fault line?
7	A Yes.	7	A In my experience I haven't seen that, no.
8	Q So you've had an opportunity to listen to	8	Whether it's possible or not, I can't say.
9	most, if not, all of the witnesses?	9	Q Okay. Well, let me ask you I accept your
10		10	answer is not in your experience, but as a practicing
11		11	geologist with a number of years of experience, you
12		12	understand what a fault line is, I suppose, correct?
13	, ,	13	A Yes.
14		14	Q You understand that the throw of a fault
15	' 1	15	suggests that one side of the fault is lower or higher
16		16	than the other?
17	•	17	A Right.
18		18	Q Would that be at least in layman's
19		19	terms to some extent a break in the horizon,
20		20	subterranean horizon?
21		21	A You could say that, yes.
21 22		22	Q All right. And of course I think there's
23		23	been some testimony that depending upon the nature of
24		24	the horizon, the nature of the material, there could
25		25	be some of this what has been referred to as smearing
	Page 1292		Page 1294
1	keep your voice up, if you can.	1	along the fault line.
2	Q (By Mr. Walker) Let me ask you this and	2	A Yes.
3	we may move on but have you heard testimony during	3	
4	this contested hearing where the transmissivity issue	4	Q And would you just quickly tell us, from your perspective, what that smearing effect is?
5	of a fault was discussed by other witnesses with	5	A Well, if you're talking about what would be
6	respect to the size of a cone of influence?	6	in the fault plain, the shale from nearby beds could
7	A I do remember something about that, yes.	7	be, I guess, pulled along with the fault and pulled
8			along the fault plain. But the since we're talking
9	Q All right. Would you agree with me that with respect to the size of a cone of influence that a	8	
10		10	about sandstone, the sand could also be, I guess you
11		11	would say, ground up and be in the fault plain also. Q Okay. And if the shale is pulled along the
12	,	12	
			fault plain and smears, if you will, does that have,
13		13 14	potentially at least, the effect of sort of sealing that fault that break?
14	• 1		
15		15	A Yes, that would make it impermeable.
16	1	16	Q Okay. And if there was not smearing for
17	<i>U</i> 1	17	whatever reason, but perhaps because of the material
18		18	that was located at the fault if there was not
19	1 6	19	smearing, would it be possible then that that break
20		20	would not be impermeable?
21 22 23		21	A Yes.
22		22	Q All right. And if the break is not
23		23	impermeable, would a liquid potentially migrate along
24	covered the fact that a gas can be fluid and a liquid	24	it?
25		25	A If the fault plain was open it could, yes.

36 (Pages 1291 to 1294)

Page 1295 Q All right. Mr. Santos, do you recall the testimony of Dr. Hughbert Collier to the effect that testimony of Dr. Hughbert Collier to the effect that he located some 24 faults in the area of review? A Yes. Q And do you recall the cross-examination of Mr. Riley - on behalf of the applicant - of Mr. Riley - on behalf of the applicant - of transmissivity seven you've not had an opportunity to assess them for transmissivity seven you'd that lack of opportunity on you've not had an opportunity to assess them for transmissivity seven you'd that lack of opportunity on you've not had an opportunity to assess them for transmissivity seven you'd be admitted - that one of his 24 discovered 11 would be admitted - that one of his 24 discovered 12 faults in fact might not have been a fault. Do you recall that testimony? A Yes. C I believe the record would suggest that it was No. 148 on the Applicant's Exhibit - I don't have 12 to surply that a particular discovered or allegedly discovered fault was potentially at least something less than a fault? A Yes. Page 1296 MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? WITNESS SANTOS: If there are faults there, that's correct. MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: If what? MR. WALKER: Your Honor. CROSS-EXAMINATION Page 1296 Q Okay. So please forgive me in advance if any of the last few days is that It know very little about The properties of the many plant of the process o				
2 testimony of Dr. Hughbert Collier to the effect that he located some 24 faults in the area of review? A Yes. O And do you recall the cross-examination of Mr. Riley – on behalf of the applicant – of Dr. Collier? Dr. Collier? A Yes. O Do you recall — I think it may have been yesterday – that Dr. Collier – I guess the word yould be admitted – that one of his 24 discovered fault at testimony? A I hink so, yes. O I believe the record would suggest that it testimony, that a particular discovered or allegadly discovered fault was potentially at least something less than a fault? I was No. 148 on the Applicant's Exhibit — I don't hate testimony, that a particular discovered or allegadly discovered fault was potentially at least something less than a fault? A Yes. O O Soay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. Would you agree with that figure? A Yes. Dr. Collier had referenced in the area of review. WITNESS SANTOS. If there are faults there are a full to the processor of death was potentially at least something less than a fault? Dr. Collier had referenced in the area of review. MR. RILEY: I'm sory, I was distracted for or amoment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a province was possible for a moment. I didn't hear the winess' last answer. MR. RILEY: I'm sory, I was distracted for a province was possible for a moment. I didn't hear the wines' last answer.		Page 1295		Page 1297
a he located some 24 faults in the area of review? A Yes. Q And do you recall the cross-examination of Mr. Riley - on behalf of the applicant - of Dr. Collier? A Yes. Q Do you recall - I think it may have been yesterday - that those of his 24 discovered would be admitted - that one of his 24 discovered would be admitted - that one of his 24 discovered fault testismony? A I think so, yes. A I think so, yes. A Pell, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Well, if those faults are there, that's correct. A Yes. Q Osay. Simple math then would leave 23 faults that Dr. Collier has vegested 21 additional faults in the area of review - would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity. A I fair to say, Mr. Santos, that since two faults were refreenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review - would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last answer. MR. RILEY: The sorry, I was distracted for a moment. I didn't hear the winess' last a	1	Q All right. Mr. Santos, do you recall the	1	Q If in fact some 21 faults and let me
4 A Yes. 5 Q And do you recall the cross-examination of 6 Mr. Riley — on behalf of the applicant — of 7 Dr. Collier? 8 A Yes. 9 Q Do you recall — I think it may have been 9 yesterday — that Dr. Collier — I guess the word 11 would be admitted — that one of his 24 discovered 12 faults in fact might not have been a fault. Do you 13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 16 was No. 148 on the Applicant's Exhibit — I don't have 17 it in from of me — but you do recall generally that 18 testimony, that a particular discovered or allegedly 19 discovered fault was potentially at least something 19 discovered fault was potentially at least something 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 23 than Dr. Collier har ferenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 7 Page 1296 26 I sit fair to say, Mr. Santos, that since two 27 faults were referenced in the applicant's materials, 28 and testimony here in this hearing so far by 29 Tr. Collier har suggested 21 additional faults in the 29 are referenced in the applicant's materials, 29 A I fifthey were in fact faults, that's correct. 29 Q All right. 29 Mr. RILEY. I'm sorry, I was distracted for a moment. I didn't hear the winess' last answer. 20 Q (By Mr. Walker) Let me ask yon, Mr. Santos, 21 since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this challenge and the present of faults and the analysis of them b	2	testimony of Dr. Hughbert Collier to the effect that	2	underline that word "if" if in fact some 21 faults
5 Q And do you recall the cross-examination of Mr. Riley - on behalf of the applicant - of Pr. Collier? A Yes. Q Do you recall — I think it may have been yesterday - that Dr. Collier - I guess the word would be admitted - that one of his 24 discovered would be an admitted - that one of his 24 discovered and trestimony, that a particular discovered or allegedly testimony, that a particular discovered or allegedly less than a fault? A Yes. Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. Would you agree with that figure? A Yes. Q Is it fair to say, Mr. Santos, that since two faults were refreenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review - would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Page 1296 Q Ry Mr. Walker) Let me ask you, Mr. Santos, shock at the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review - would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. A R. RILEY: Tm sorry, I was distracted for a moment. I didn't hear the wincess' last answer. B Q (By Mr. Walker) Let me ask you, Mr. Santos, show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for exitory of the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for exitory of the process o	3	he located some 24 faults in the area of review?	3	are present in the area of review, and if in fact
6 Mr. Riley on behalf of the applicant of 7 Dr. Collier? 8 A Yes. 9 Do you recall I think it may have been 10 yesterday that Dr. Collier I guess the word 11 would be admitted that one of his 24 discovered 12 faults in fact might not have been a fault. Do you 13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 16 was No. 14B on the Applicant's Exhibit I don't have 17 it in from of me but you do recall generally that 18 testimony, that a particular discovered or allegedly 19 discovered fault was potentially at least something 20 less than a fault? 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 23 that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. Page 1296 1 Q Is it fair to say, Mr. Santos, that since two 2 faults were referenced in the applicant's materials, 3 and testimony here in this hearing so far by 4 Dr. Collier had referenced in the applicant's materials, 4 and testimony here in this hearing so far by 5 area of review would it be fair to say that you did 6 not evaluate those 21 other faults for issues of 7 transmissivity? 2 A If they were in fact faults, that's correct. 3 Q (By Mr. Walker) Let me ask you, Mr. Santos, 4 Wiln Hibose faults are there, that's 2 page 1296 Page 1297 Page 1298	4	A Yes.	4	because they were not presented in the application,
7 Dr. Collier? 8 A Yes. 9 Q Do you recall – I think it may have been yesterday — that Dr. Collier – I guess the word would be admitted — that one of his 24 discovered faults in fact might not have been a fault. Do you recall that testimony? 12 recall that testimony, that a particular discovered or allegedly was No. 14B on the Applicant's Exhibit — I don't have it in from of me — but you do recall generally that testimony, that a particular discovered or allegedly discovered fault was potentially at least something less that Dr. Collier had referenced in the area of review. 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 26 Page 1296 27 Q Is it fair to say, Mr. Santos, that since two faults emplicant's materials, and testimony here in this hearing so far by to move a faults that Dr. Collier had referenced in the area of review—would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 28 A If they were in fact faults, that's correct. 39 Q Is it fair to say, Mr. Santos, that since two faults employed in the fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 30 A If they were in fact faults, that's correct. 31 A Yes. 32 Good aftermoon, Mr. Santos. 32 A Good aftermoon, Mr. Santos. 33 A Good aftermoon. 44 Page 1298 45 Page 1298 46 Dr. Collier had referenced in the area of review—would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 48 A If they were in fact faults, that's correct. 49 Q All right. 40 C (By Mr. Walker) Let me ask you, Mr. Santos, fairs requires that the policy and the province of	5	Q And do you recall the cross-examination of	5	you've not had an opportunity to assess them for
8 A Yes. 9 Q Do you recall — I think it may have been 10 yesterday — that Dr. Collier — I guess the word 11 would be admitted — that one of his 24 discovered 12 faults in fact might not have been a fault. Do you 13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 16 uss No. 148 on the Applicant's Exhibit — I don't have 17 it in from of me — but you do recall generally that 18 testimony, that a particular discovered or allegedly 19 discovered fault was potentially at least something 20 less than a fault? 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 23 that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 26 Q Is it fair to say, Mr. Santos, that since two 27 faults were referenced in the applicant's materials, 28 and testimony, then it his hearing so far by 4 Dr. Collier has suggested 21 additional faults in the 29 area of review—would it be fair to say that you did 20 for a moment. I didn't hear the witness' last answer. 21 I apologize. 22 A Yes. 23 (By Mr. Walker) Let me ask you, Mr. Santos, 24 With I'f those faults as pect of your determination as to whether or not an injection well site was geologically suitable? 21 a Well, if those faults as pect of your determination as to whether or not an injection well site was geologically suitable? 24 A Well, if those faults as pect of your determination as to whether or not an injection well site was geologically suitable? 24 A Well, if those faults as pect of your determination as to whether or not an injection well site was geologically suitable? 24 A Well, if those faults as pect of your determination as to whether or not an injection well site was geologically suitable? 24 A Well, if those faults and there, that's correct. 25 A Well, if those faults and there, that's correct. 26 AWILKER: Your Honor, I'll pass the witness. 27 UDGE EGAN: Mr. Forsberg, any cross? 28 Mr. FORSBERG: Yes, Your Honor. 29 Q is it fair to say, Mr. Santos, that since two 29 Q is it fair	6	Mr. Riley on behalf of the applicant of	6	transmissivity issues, would that lack of opportunity
9 Q Do you recall – I think it may have been year of the process the word would be admitted – that one of his 24 discovered 12 faults in fact might not have been a fault. Do you recall that testimony? 13 recall that testimony? 14 A I think so, yes. 14 Under the record would suggest that it was No. 14B on the Applicant's Exhibit – I don't have it in from of me – but you do recall generally that testimony, that a particular discovered or allegedly 18 discovered fault was potentially at least something 19 discovered fault something 19 discovered fault was potentially at least something 19 discovered fault was po	7	Dr. Collier?	7	on your part deprive you of if not a necessary,
10 yeslerday that Dr. Collier I guess the word 11 would be admitted that one of his 24 discovered 12 faults in fact might not have been a fault. Do you 13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 15 was No. 14B on the Applicant's Exhibit I don't have 16 it in from of me but you do recall generally that 17 it in from of me but you do recall generally that 18 testimony, that a particular discovered or allegedly 20 discovered fault was potentially at least something 21 ess than a fault? 22 Q Okay. Simple math then would leave 23 faults 23 that Dr. Collier had referenced in the area of review. 24 Would be admitted that it in from of me but you do recall generally that 25 A Yes. 26 Q Okay. Simple math then would leave 23 faults 27 A Yes. 28 A Yes. 29 Q Is it fair to say, Mr. Santos, that since two 29 faults were referenced in the applicant's materials, 30 and testimony here in this hearing so far by 31 DGE EGAN: Mr. Forsberg, any cross? 32 MR. FORSBERG: Yes, Your Honor. 33 CROSS-EXAMINATION 34 PS MR. FORSBERG: 35 Q Good afternoon, Mr. Santos. 36 A Good afternoon, Mr. Santos. 37 A Yes. 38 A If fley were in fact faults for issues of transmissivity? 39 A If they were in fact faults for issues of transmissivity? 40 Q Il right. 41 A Will, if those faults are there, that's correct. 42 MR. WALKER: Your Honor, I'll pass the witness. 42 Q Good afternoon, Mr. Forsberg, any cross? 43 MR. FORSBERG: Yes, Your Honor. 44 CROSS-EXAMINATION 45 PM F. ORSBERG: 46 Good afternoon, Mr. Santos. 47 Good afternoon, Mr. Santos. 48 Good afternoon, Mr. Santos. 49 Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 40 Pr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 41 A Yes. 42 Q Il right. 42 Q (By Mr. Walker) Let me ask you,	8	A Yes.	8	certainly an important aspect of your determination as
10 would be admitted that one of his 24 discovered 1	9	Q Do you recall I think it may have been	9	to whether or not an injection well site was
1.1 a would be admitted — that one of his 24 discovered fault. Do you recall that testimony? 1.2 faults in fact might not have been a fault. Do you recall that testimony? 1.3 recall that testimony? 1.4 A I think so, yes. 1.5 Q I believe the record would suggest that it was No. 14B on the Applicant's Exhibit — I don't have it in from of me — but you do recall generally that 15 testimony, that a particular discovered or allegedly discovered fault was potentially at least something 19 discovered fault was potentially at least something 210 discovered fault was potentially at least something 221 discovered fault was potentially at least something 222 do (Asy. Simple math then would leave 23 faults at the process of the faults of the area of review — would you agree with that figure? 24 doubt a faults were referenced in the applicant's materials, and testimony here in this hearing so far by 24 doubt a faults were referenced in the applicant's materials, and testimony here in this hearing so far by 25 draws and testimony here in this hearing so far by 26 faults were referenced in the applicant's materials, and testimony here in this hearing so far by 27 draws and testimony here in this hearing so far by 28 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and testimony here in this hearing so far by 29 draws and	10		10	
13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 16 was No. 14B on the Applicant's Exhibit. – I don't have 16 it in from of me — but you do recall generally that 18 testimony, that a particular discovered or allegedly 20 less than a fault? 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 23 that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 26 Voolld you agree with that figure? 27 Q Is it fair to say, Mr. Santos, that since two 28 faults were referenced in the applicant's materials, 29 and testimony here in this hearing so far by 20 Is it fair to say, Mr. Santos, that since two 21 faults were referenced in the applicant's materials, 22 and testimony here in this hearing so far by 23 Dr. Collier has suggested 21 additional faults in the 24 area of review — would it be fair to say that you did 25 not evaluate those 21 other faults for issues of transmissivity? 28 A If they were in fact faults, that's correct. 39 Q All right. 30 MR. RFORSBERG: 31 Good aftermoon, Mr. Santos, 32 A Good aftermoon, Mr. Santos, 33 A Good aftermoon, 34 Q The one thing I've learned about the geology the last few days is that I know very little about 35 Page 1298 36 The faults in the area of review. 37 A Yes. 38 A If they were in fact faults, that's correct. 39 Q All right. 30 MR. RALKER: Your Honor, I'll pass the witnes's and your Good aftermoon, Mr. Santos, 4 Good aftermoon, Mr. Santos, 5 A Good aftermoon, Mr. Santos, 6 The faults in the area of review. 9 A If they were in fact faults for issues of transmissivity? 15 A Yes. 16 Q God aftermoon on the polog aftermoon, Mr. Santos, 17 A Yes. 18 A If they were in fact faults for issues of transmissivity? 19 A If they were in fact faults, that's correct. 9 Q All right. 19 A I for one thing I've learned about the geology the last few days is that I know very little about or reviewed a couple of other UIC applications or reviewed a couple of other UIC applications previously, Class I? 19	11	would be admitted that one of his 24 discovered	11	
13 recall that testimony? 14 A I think so, yes. 15 Q I believe the record would suggest that it 16 was No. 14B on the Applicant's Exhibit. – I don't have 16 it in from of me — but you do recall generally that 18 testimony, that a particular discovered or allegedly 20 less than a fault? 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 23 that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 26 Voolld you agree with that figure? 27 Q Is it fair to say, Mr. Santos, that since two 28 faults were referenced in the applicant's materials, 29 and testimony here in this hearing so far by 20 Is it fair to say, Mr. Santos, that since two 21 faults were referenced in the applicant's materials, 22 and testimony here in this hearing so far by 23 Dr. Collier has suggested 21 additional faults in the 24 area of review — would it be fair to say that you did 25 not evaluate those 21 other faults for issues of transmissivity? 28 A If they were in fact faults, that's correct. 39 Q All right. 30 MR. RFORSBERG: 31 Good aftermoon, Mr. Santos, 32 A Good aftermoon, Mr. Santos, 33 A Good aftermoon, 34 Q The one thing I've learned about the geology the last few days is that I know very little about 35 Page 1298 36 The faults in the area of review. 37 A Yes. 38 A If they were in fact faults, that's correct. 39 Q All right. 30 MR. RALKER: Your Honor, I'll pass the witnes's and your Good aftermoon, Mr. Santos, 4 Good aftermoon, Mr. Santos, 5 A Good aftermoon, Mr. Santos, 6 The faults in the area of review. 9 A If they were in fact faults for issues of transmissivity? 15 A Yes. 16 Q God aftermoon on the polog aftermoon, Mr. Santos, 17 A Yes. 18 A If they were in fact faults for issues of transmissivity? 19 A If they were in fact faults, that's correct. 9 Q All right. 19 A I for one thing I've learned about the geology the last few days is that I know very little about or reviewed a couple of other UIC applications or reviewed a couple of other UIC applications previously, Class I? 19	12	faults in fact might not have been a fault. Do you	12	correct.
14 A I think so, yes. Q I believe the record would suggest that it was No. 14B on the Applicant's Exhibit — I don't have it in from of me — but you do recall generally that testimony, that a particular discovered or allegedly discovered fault was potentially at least something 20 less than a fault? 15 A Yes. Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. Would you agree with that figure? A Yes. Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by the Dr. Collier has suggested 21 additional faults in the area of review—would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted for a moment. I didn't hear the witness' last answer. 12 I apologize. WITNESS SANTOS: If there are faults there, that's correct. MR. WALKER: Your Honor, I'll pass the witness. JUDGE EGAN: Mr. Forsberg, any cross? MR. FORSBERG: Yes, Your Honor. CROSS-EXAMINATION BYMR. FORSBERG: Q Good afternoon, Mr. Santos. A Good afternoon, Mr. Santos. A Good afternoon of the geology the last few days is that I know very little about Page 1296 Page 1296 Page 1298 Page 1298 A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted for a moment. I didn't hear the witness' last answer. 12 I apologize. WITNESS SANTOS: If they were in fact faults. A If they were in fact faults, that's correct. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the rule further on requires this evaluation of faults for issues of fransmissivity, would you say that the presentation of mapping of faults and the analysis of them by a pe	13		13	JUDGE EGAN: If what?
15 Was No. 14B on the Applicant's Exhibit – I don't have it in from of me — but you do recall generally that testimony, that a particular discovered or allegedly discovered fault was potentially at least something less than a fault? 20 Jess than a fault? 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. 23 Would you agree with that figure? 24 Would you agree with that figure? 25 A Yes. 26 Page 1296 1 Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by a rest on it had to evaluate those 21 other faults for issues of transmissivity? 26 A If they were in fact faults, that's correct. 27 Q All right. 28 Q Is that in regards to geology only or — A No, both of those I was the project manager. 29 Q Is a three, that's correct. 30 MR. WALKER: Your Honor, I'll pass the witness. 31 JUDGE EGAN: Mr. Forsberg, any cross? 32 MR. FORSBERG: 33 Q Good afternoon. 44 Q Good afternoon. 45 Q Good afternoon. 46 Page 1298 47 Dr. Collier has suggested 21 additional faults in the area of review — would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 3 A If they were in fact faults, that's correct. 40 Q All right. 41 A Yes. 42 Q Is that in regards to geology only or — A No, both of those I was the project manager. 42 Q Is that in regards to geology only or — A No, both of those I was the project manager. 43 Q Is that in regards to geology again. 44 Q Okay. 45 A Yes. 46 Dr. Collier has suggested 21 additional faults in the area of review — would it be fair to say that you did not evaluate those 21 other faults, that's correct. 46 Q Is that in regards to geology only or — A No, both of those I was the project manager. 47 Q Okay. How many Class I UIC wells have you looked at with regards to geology again. 48 Q Is that in regards to geology only or — A No, both of those I was the project manager. 49 Q Okay.	14		14	WITNESS SANTOS: If there are faults
16 was No. 14B on the Applicant's Exhibit – I don't have it in from of me – but you do recall generally that testimony, that a particular discovered or allegedly discovered fault was potentially at least something less than a fault? 17 A Yes. 18 Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. 19 Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review—would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 10 A If they were in fact faults, that's correct. Q All right. 11 Q Is it fair to say, Mr. Santos, that since two faults if they were in fact faults, that's correct. Q All right. 12 I apologize. 13 WITNESS SANTOS: If they were in fact faults for issues of transmissivity, would you say that the rule further on requires this evaluation of faults for issues of transmissivity, would you say that the rule further on requires this evaluation of faults for them by a person in your capacity would be at least part of the process of determining whether an area for sting of a Class I injection well was geologically suitable? 16 MR. WALKER: Your Honor, I'll pass the witness. 18 JUDGE EGAN: Mr. Forsberg, any cross? MR. FORSBERG: Yes, Your Honor. CROSS-EXAMINATION 20 Good afternoon, Mr. Santos. 40 Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about the sealogogy. 21 Good afternoon. 22 A Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about the sealogogy. 22 Good afternoon. 23 A Good afternoon. 44 You had mentioned that you had worked on or reviewed a couple of other UIC applications or reviewed ac ouple of other UIC applications. 23 A If they were in fact faults, that's correct. 24 A Yes. 25 Q Okay. Do you know offhand how many	15		15	there, that's correct.
it in from of me but you do recall generally that the testimony, that a particular discovered or allegedly discovered fault was potentially at least something less than a fault? 18			16	MR. WALKER: Your Honor, I'll pass the
testimony, that a particular discovered or allegedly discovered fault was potentially at least something less than a fault? A Yes. 21			17	
discovered fault was potentially at least something less than a fault? A Yes. 21 A Yes. 22 Q Okay. Simple math then would leave 23 faults 22 that Dr. Collier had referenced in the area of review. 23 that Dr. Collier had referenced in the area of review. 24 Would you agree with that figure? 25 A Yes. 25 The page 1296 Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two 2 faults were referenced in the applicant's materials, 2 and testimony here in this hearing so far by 3 and testimony here in this hearing so far by 4 Dr. Collier has suggested 21 additional faults in the 3 rear of review — would it be fair to say that you did not evaluate those 21 other faults for issues of 7 transmissivity? A If they were in fact faults. MR. RILEY: I'm sorry, I was distracted 10 for a moment. I didn't hear the witness' last answer. 12 I apologize. WITNESS SANTOS: If they were in fact faults. 14 faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, 16 since Rule 331 first requires this evaluation of faults for issues of 19 trund faults in the 20 presentation of mapping of faults and the analysis of 19 them by a person in your capacity would be at least part of the process of determining whether an area for 23 siting of a Class I injection well was geologically 3 suitable?				
less than a fault? A Yes. Page 1296 Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by area of review - would it be fair to say that you did not evaluate those 21 other faults, for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted for moment. I didn't hear the witness' last answer. I apologize. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires this evaluation of faults for issues of transmissivity, would you say that the part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? CROSS-EXAMINATION BY MR. FORSBERG: Q Good afternoon, Mr. Santos. A Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about Page 1298 Page 1			19	
A Yes. Q Okay. Simple math then would leave 23 faults that Dr. Collier had referenced in the area of review. Would you agree with that figure? A Yes. Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review - would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted for a moment. I didn't hear the witness' last answer. MR. FILEY: I'm sorry, I was distracted faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for sting of a Class I injection well was geologically suitable? A Yes. BYMR. FORSBERG: Q Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about Page 1298 Page 1298 A Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about Page 1298 Page 1298 A Good afternoon. Q The one thing I've learned about the geology the last few days is that I know very little about Page 1298 Page 1298 A Yes. Q Is that in regards to geology only orA No, both of those I was the project manager. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A Idon't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. Do you know offhand how many of those permits ultimately were denied? A Idon't recall any being denied. Q Okay. So as far as you recollect, every applic				
that Dr. Collier had referenced in the area of review. Would you agree with that figure? A Yes. Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two I geology. So please forgive me in advance if any of these questions don't necessarily sound extremely educated, I guess. Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted for a moment. I didn't hear the witness' last answer. I apologize. WITNESS SANTOS: If they were in fact faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, that since the same rule further on requires this tevaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for sting of a Class I injection well was geologically suitable? A Yes. Q Is that in regards to geology only or A No, both of those I was the project manager. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been	21			BY MR. FORSBERG:
that Dr. Collier had referenced in the area of review. Would you agree with that figure? Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two Indicates the same of review and it is the same of review and its from the same of review and its from the same of rule further on requires this team of the mby a person in your capacity would be at least part of the process of determining whether an area for stime of a fact faults; and testimony here in this hearing so far by Indicates the same of the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology the last few days is that I know very little about the geology was in that I know very little about the geology of the last few days is that I know very little about the geology. A Golog afternoon. Q The one thing I've learned about the geology was is that I know very little about page 1298 Page 1298 1 geology. So please forgive me in advance if any of these questions don't necessarily sound extremely educated, I guess. You had mentioned that you had worked on or reviewed a couple of other UIC applications previously, Class I? A Yes. Q Is that in regards to geology only or A No, both of those I was the project manager. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, ev	22			
Would you agree with that figure? A Yes. Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two 2 faults were referenced in the applicant's materials, 3 and testimony here in this hearing so far by 4 Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did 6 not evaluate those 21 other faults for issues of 7 transmissivity? 8 A If they were in fact faults, that's correct. 9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 10 for a moment. I didn't hear the witness' last answer. 11 apologize. 11 apologize. 12 A I don't know an exact number. When we look at renewals, we also look a the geology again. 12 presentation of mapping of faults and the analysis of 12 them by a person in your capacity would be at least 22 part of the process of determining whether an area for sting of a Class I injection well was geologically 24 Would you agree with me that there is an underground source of drinking water that has been 1296 Page 1296 Page 1298 A geology. So please forgive me in advance if any of these questions don't necessarily sound extremely educated, I guess. You had mentioned that you had worked on or reviewed a couple of other UIC applications previously, Class I? A Yes. Q Is that in regards to geology only or A No, both of those I was the project manager. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every applications or reviewed a couple of other UIC applications or reviewed a couple of other UIC applications or reviewed a couple of other UIC applications or reviewed a	23			
Page 1296 Page 1296 Q Is it fair to say, Mr. Santos, that since two 2 faults were referenced in the applicant's materials, 3 and testimony here in this hearing so far by 4 Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did 6 not evaluate those 21 other faults for issues of 7 transmissivity?	24			
Page 1296 Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted I apologize. J apologize. J apologize. J A I don't know an exact number. When we look at renewals, we also look a the geology again. J A So there's several. J A So there's several. J A J don't know an exact number. When we look at renewals, we also look a the geology again. J A So there's several. J A J don't know an exact number. When we look at renewals, we also look a the geology again. J A So there's several. J A J don't know an exact number when we look at renewals, we also look a the geology again. J A So there's several. J A J don't know an exact number when we look at renewals, we also look a the geology again. J A J don't know an exact number when we look at renewals, we also look a the geology again. J A So there's several. J A I don't know an exact number when we look at renewals, we also look a the geology again. J A I don't recall any being denied. J Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. J A Yes. J A So there's several. J Okay. J A I don't know an exact number. When we look at renewals, we also look a the geology again. J A J don't recall any being denied. J A I don't wore area for the served and the analysis of the means and th				
Q Is it fair to say, Mr. Santos, that since two faults were referenced in the applicant's materials, and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 8 A If they were in fact faults, that's correct. 9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 11 for a moment. I didn't hear the witness' last answer. 12 I apologize. 13 WITNESS SANTOS: If they were in fact 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, 16 since Rule 331 first requires that the applicant's map 17 show faults if known or suspected, and since the same 18 rule further on requires this evaluation of faults for 19 presentation of mapping of faults and the analysis of 11 these questions don't necessarily sound extremely 20 deducated, I guess. You had mentioned that you had worked on 21 or reviewed a couple of other UIC applications 22 proviously, Class I? 23 A Yes. 24 Q Is that in regards to geology only or 24 A No, both of those I was the project manager. 25 A I don't know an exact number. When we look 26 at renewals, we also look a the geology again. 27 A So there's several. 28 Q Okay. Do you know offhand how many of those 29 permits ultimately were denied? 29 Q Okay. So as far as you recollect, every 20 application you've reviewed in regards to geology both 21 trenewal and new, were ultimately issued? 22 A That's correct. 23 Siting of a Class I injection well was geologically 24 suitable? 25 geology. So please forgive me in advance if any of 25 these questions don't necessarily sound extremely 26 ducated, I guess. You had mentioned that you had worked on or reviewed a couple of other UIC applications 26 previously, Class I? 28 A I don't know an exact number. 29 A I don't know an exact number. 30 Q Okay. 41 I don't recall any being denied. 42 Q Okay. So as far as you recollect, every 31 application you've reviewed in regards to geology both 32 a That's		Page 1296		
2 faults were referenced in the applicant's materials, 3 and testimony here in this hearing so far by 4 Dr. Collier has suggested 21 additional faults in the 5 area of review would it be fair to say that you did 6 not evaluate those 21 other faults for issues of 7 transmissivity? 8 A If they were in fact faults, that's correct. 9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 11 for a moment. I didn't hear the witness' last answer. 12 I apologize. 13 WITNESS SANTOS: If they were in fact 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, 16 since Rule 331 first requires that the applicant's map 17 show faults if known or suspected, and since the same 18 rule further on requires this evaluation of faults for 19 issues of transmissivity, would you say that the 19 presentation of mapping of faults and the analysis of 20 these questions don't necessarily sound extremely 4 You had mentioned that you had worked on 5 or reviewed a couple of other UIC applications 6 previously, Class I? 7 A Yes. 9 Q Is that in regards to geology only or 9 Q Okay. How many Class I UIC wells have you 11 looked at with regards to geology? 12 A I don't know an exact number. When we look 13 at renewals, we also look a the geology again. 14 Q Okay. 15 A So there's several. 16 Q Okay. Do you know offhand how many of those permits ultimately were denied? 17 A Yes. 18 Q Is that in regards to geology? 19 A I don't know an exact number. When we look 10 at renewals, we also look a the geology again. 11 Q Okay. 12 A So there's several. 13 Q Okay. Do you know offhand how many of those permits ultimately were denied? 14 A I don't recall any being denied. 15 Or reviewed a couple of other UIC applications 10 reviewed a couple of other UIC applications 11 A You had mentioned that you had worked on 12 Or reviewed a couple of other UIC applications 14 A You had mentioned that you had worked on 15 or reviewed a couple of other UIC applications 10 A You. 11 A You. 12 A No, both of those I was the project manager. 12 Q Okay. 13 A I don'	1		1	
and testimony here in this hearing so far by Dr. Collier has suggested 21 additional faults in the area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted I apologize. WITNESS SANTOS: If they were in fact faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically a educated, I guess. You had mentioned that you had worked on or reviewed a couple of other UIC applications previously, Class I? A Yes. Q Is that in regards to geology only or Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
4 Dr. Collier has suggested 21 additional faults in the 5 area of review would it be fair to say that you did 6 not evaluate those 21 other faults for issues of 7 transmissivity? 8 A If they were in fact faults, that's correct. 9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 11 for a moment. I didn't hear the witness' last answer. 12 I apologize. 13 WITNESS SANTOS: If they were in fact faults. 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map 17 show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of 21 them by a person in your capacity would be at least 22 part of the process of determining whether an area for 23 siting of a Class I injection well was geologically suitable? 4 You had mentioned that you had worked on or reviewed a couple of other UIC applications previously, Class I? 7 A Yes. 9 Q Is that in regards to geology only or A No, both of those I was the project manager. 10 Q Okay. How many Class I UIC wells have you looked at with regards to geology? 11 looked at with regards to geology? 12 A I don't know an exact number. When we look at renewals, we also look a the geology again. 13 Q Okay. 14 Q Okay. 15 A So there's several. 16 Q Okay. Do you know offhand how many of those permits ultimately were denied? 18 A I don't recall any being denied. 19 Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? 20 A That's correct. 21 Q Would you agree with me that there is an underground source of drinking water that has been				
area of review would it be fair to say that you did not evaluate those 21 other faults for issues of transmissivity? 8				
6 not evaluate those 21 other faults for issues of 7 transmissivity? 8 A If they were in fact faults, that's correct. 9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 11 for a moment. I didn't hear the witness' last answer. 12 I apologize. 13 WITNESS SANTOS: If they were in fact 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the person in your capacity would be at least part of the process of determining whether an area for stiting of a Class I injection well was geologically suitable? 6 previously, Class I? 7 A Yes. 8 Q Is that in regards to geology only or 9 A No, both of those I was the project manager. 10 Q Okay. How many Class I UIC wells have you looked at with regards to geology? 1 A I don't know an exact number. When we look at renewals, we also look a the geology again. 1 Q Okay. 1 A So there's several. 1 Q Okay. Do you know offhand how many of those permits ultimately were denied? 1 A I don't recall any being denied. 2 Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? 2 A That's correct. 2 Would you agree with me that there is an underground source of drinking water that has been				
transmissivity? A If they were in fact faults, that's correct. MR. RILEY: I'm sorry, I was distracted MR. RILEY: I'm sorry, I was distracted I opologize. WITNESS SANTOS: If they were in fact G (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for stiting of a Class I injection well was geologically They are the faults and the analysis of suitable? A Yes. A Yes. A Yes. A Yes. A Yes. A Yes. A No, both of those I was the project manager. D Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
A If they were in fact faults, that's correct. Q All right. MR. RILEY: I'm sorry, I was distracted I apologize. I apologize. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults or presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically A No, both of those I was the project manager. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
9 Q All right. 10 MR. RILEY: I'm sorry, I was distracted 11 for a moment. I didn't hear the witness' last answer. 12 I apologize. 13 WITNESS SANTOS: If they were in fact 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, 16 since Rule 331 first requires that the applicant's map 17 show faults if known or suspected, and since the same 18 rule further on requires this evaluation of faults for 19 issues of transmissivity, would you say that the 20 presentation of mapping of faults and the analysis of 21 them by a person in your capacity would be at least 22 part of the process of determining whether an area for 23 siting of a Class I injection well was geologically 24 suitable? 9 A No, both of those I was the project manager. 10 Q Okay. How many Class I Was the project manager. 10 Q Okay. How many Class I was the project manager. 10 Q Okay. How many Class I Was the project manager. 11 looked at with regards to geology? 12 A I don't know an exact number. When we look at renewals, we also look a the geology again. 14 Q Okay. 15 A So there's several. 16 Q Okay. Do you know offhand how many of those permits ultimately were denied? 18 A I don't recall any being denied. 19 Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? 20 A That's correct. 21 Q Would you agree with me that there is an underground source of drinking water that has been				
MR. RILEY: I'm sorry, I was distracted for a moment. I didn't hear the witness' last answer. I apologize. I apologize. MITNESS SANTOS: If they were in fact faults. Q Okay. How many Class I UIC wells have you looked at with regards to geology? A I don't know an exact number. When we look at renewals, we also look a the geology again. Q Okay. A So there's several. Q Okay. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
for a moment. I didn't hear the witness' last answer. I apologize. WITNESS SANTOS: If they were in fact faults. Q Okay. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for suitable? I apologize. A I don't know an exact number. When we look at renewals, we also look a the geology again. A So there's several. Q Okay. A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
12 I apologize. WITNESS SANTOS: If they were in fact 14 faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? A I don't know an exact number. When we look at renewals, we also look a the geology again. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been			μ0	
13 WITNESS SANTOS: If they were in fact 14 faults. 15 Q (By Mr. Walker) Let me ask you, Mr. Santos, 16 since Rule 331 first requires that the applicant's map 17 show faults if known or suspected, and since the same 18 rule further on requires this evaluation of faults for 19 issues of transmissivity, would you say that the 20 presentation of mapping of faults and the analysis of 21 them by a person in your capacity would be at least 22 part of the process of determining whether an area for 23 siting of a Class I injection well was geologically 24 suitable? 13 at renewals, we also look a the geology again. 14 Q Okay. 15 A So there's several. 16 Q Okay. Do you know offhand how many of those 17 permits ultimately were denied? 18 A I don't recall any being denied. 19 Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? 21 A That's correct. 22 Q Would you agree with me that there is an underground source of drinking water that has been				
14 faults. Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? 14 Q Okay. A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been		1 0		
Q (By Mr. Walker) Let me ask you, Mr. Santos, since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? A So there's several. Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been				
since Rule 331 first requires that the applicant's map show faults if known or suspected, and since the same rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? Q Okay. Do you know offhand how many of those permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been	14			
17 show faults if known or suspected, and since the same 18 rule further on requires this evaluation of faults for 19 issues of transmissivity, would you say that the 20 presentation of mapping of faults and the analysis of 21 them by a person in your capacity would be at least 22 part of the process of determining whether an area for 23 siting of a Class I injection well was geologically 24 suitable? 17 permits ultimately were denied? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been	15			
rule further on requires this evaluation of faults for issues of transmissivity, would you say that the presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? A I don't recall any being denied. Q Okay. So as far as you recollect, every application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been		1 11 1		
19 issues of transmissivity, would you say that the 20 presentation of mapping of faults and the analysis of 21 them by a person in your capacity would be at least 22 part of the process of determining whether an area for 23 siting of a Class I injection well was geologically 24 suitable? 19 Q Okay. So as far as you recollect, every 20 application you've reviewed in regards to geology both 21 renewal and new, were ultimately issued? 22 A That's correct. 23 Q Would you agree with me that there is an 24 underground source of drinking water that has been		1 '		
presentation of mapping of faults and the analysis of them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? 20 application you've reviewed in regards to geology both renewal and new, were ultimately issued? A That's correct. Q Would you agree with me that there is an underground source of drinking water that has been		1		
them by a person in your capacity would be at least part of the process of determining whether an area for siting of a Class I injection well was geologically suitable? 21 renewal and new, were ultimately issued? 22 A That's correct. 23 Q Would you agree with me that there is an underground source of drinking water that has been				
part of the process of determining whether an area for siting of a Class I injection well was geologically 23 Suitable? 24 Suitable? 22 A That's correct. 23 Q Would you agree with me that there is an 24 underground source of drinking water that has been	20			
23 siting of a Class I injection well was geologically 23 Q Would you agree with me that there is an 24 suitable? 24 underground source of drinking water that has been	7.T			
24 suitable? 24 underground source of drinking water that has been	22			
24 suitable? 24 underground source of drinking water that has been 25 A Yes. 25 referred to as the Catahoula aquifer directly above	23	<i>5 6 6 5</i>		
25 A Yes. 25 referred to as the Catahoula aquiter directly above	24			
	∠ 5	A res.	<u>45</u>	referred to as the Catanoula aquifer directly above

37 (Pages 1295 to 1298)

	Page 1299		Page 1301
1	the confining zone?	1	Q Okay. So based upon your testimony here can
2	A Yes.	2	you give me just sort of a basic definition of this
3	Q Would you agree with me that there is a	3	unlocated borehole?
4	requirement that there be that the confining zone	4	A Well, that would be one that as I say
5	is separated from base of USDW by permeable and less	5	would be in the area of review but is not recognized,
6	permeable strata that will provide an added layer of	6	not in the records or the files.
7	protection for the USDW?	7	Q I'm sorry, I didn't mean to cut you off. So
8	A Yes, I agree.	8	do you have to assume then that these exist?
9	Q What is the protection that exists between	9	A I wouldn't assume they exist in this
10		10	particular area, but that's put in just for the
11		11	possibility that it might exist.
12	A The cross sections in the application show a	12	Q Are you required by rule to assume that there
13		13	are unlocated boreholes?
14		14	A I can't think of a rule that requires that,
15		15	no.
16		16	Q So when you reviewed TexCom's application,
17	· 1	17	did you consider the existence of unlocated boreholes?
18		18	A Yes, I looked for this what we call bleed-off
19		19	zone for that possibility.
20	11	20	Q Okay. What was your conclusion in that
21		21	regards?
22	1	22	A What do you mean?
23	, J	23	Q Well, you say you you were looking for
24		24	this bleed-off zone, correct? Is that what you
25	consider the potential for oil wells unknown or known	25	A Yes.
	Page 1300		Page 1302
1	that may have been drilled through some of those	1	Q Did you locate such an area?
2	zones?	2	A Well, as I said, the 2 or 300 feet between
3	A Yes.	3	the top of the injection zone and the base of the
4	Q Okay. And just for my knowledge, what is an	4	confining zone.
5	unlocated borehole?	5	Q Okay. I'm not trying to this is why I
6	A And unlocated borehole?	6	prefaced with my lack of knowledge on geology. Is it
7	Q Yes.	7	then your conclusion that there are not unlocated
8	A I don't know a definition of it. It sounds	8	boreholes in the area that you in the well, in
9	like a borehole that is known to be drilled but the	9	the area of review?
10		10	A I think what I mean is that I'm not assuming
11		11	there are, but the bleed-off zone would take care of
12	•	12	that possibility if there was.
13		13	MR. FORSBERG: Thank you. I'll pass the
14		14	witness.
15 16		15 16	JUDGE EGAN: Ms. Collins?
16 17		17	MS. COLLINS: No questions, thank you.
18	J 1 J	ц / 18	JUDGE EGAN: Mr. Williams? MR. WILLIAMS: No redirect.
10 19	\mathcal{C}	19	JUDGE EGAN: Then you're excused
20	1	20	MR. RILEY: I was talking to John. I'm
21		21	SOITY.
22		22	JUDGE EGAN: Okay.
23		23	MS. GOSS: The Executive Director calls
24 24	1 1	24 24	Mike Graber.
25		25	(Witness sworn)
	The state state is got into the Cop ii.		(11200000000000000000000000000000000000

38 (Pages 1299 to 1302)

	Page 1303		Page 1305
1	JUDGE EGAN: Would you state your name	1	comments received on the application that you reviewed
2	for the record?	2	in this case?
3	WITNESS GRABER: Michael Graeber.	3	A Yes.
4	JUDGE EGAN: You may proceed.	4	Q Thank you.
5	MICHAEL GRAEBER,	5	MS. GOSS: The Executive Director would
6	having been duly sworn, testified as follows:	6	like to offer Exhibits 14 through 18.
7	DIRECT EXAMINATION	7	JUDGE EGAN: Are there any objections to
8	BY MS. GOSS:	8	14 through 18?
9	Q Good afternoon. Did you prepare prefiled	9	ED Exhibits 14, 15, 16, 17 and 18 are
10		10	admitted.
11		11	(ED Exhibit Nos. 14 through 18 admitted)
12		12	MS. GOSS: Pass the witness, Your Honor.
13	3 /	13	JUDGE EGAN: Mr. Riley?
14	1	14	MR. RILEY: I have no questions. I pass
15	J	15	the witness.
16	`	16	JUDGE EGAN: Okay. Mr. Gershon.
17	6	17	MR. GERSHON: I have a few questions.
18		18	CROSS-EXAMINATION
19		19	BY MR. GERSHON:
20	J 1	20	Q Good afternoon, Mr. Graeber.
21		21	A Good afternoon.
22		22	Q I'm Michael Gershon here with the Lone Star
23		23	Groundwater Conservation District.
24		24	Is it my understanding that you have
25	give if you were testifying here in this hearing	25	been with TCEQ or one of its predecessors for about 15
	Page 1304		Page 1306
1	today?	1	years working in either the MSW the municipal solid
2	A Yes.	2	waste division or the industrial hazardous waste
3	Q And would you please look at the following	3	division?
4	exhibits starting with No. 17?	4	A I've been with I've been with the state
5	A Okay.	5	for the past 20 years working with the Health
6	Q Please identify that exhibit for the record?	6	Department and TCEQ and its predecessor agencies in
7	A Exhibit ED-17 is the technical summary and	7	waste management.
8	Executive Director's preliminary decision.	8	Q Okay. And do I have it right that you've
9	Q Thank you. And Exhibit 18 Tab 18, please.	9	worked on three nonhazardous solid waste permit
10	22 Eximen ED 10 is the lines grant permit that	10	applications?
11		11	A Yes.
12		12	Q Does that include TexCom's application before
13		13	us today?
14		14	A Yes.
15	, II	15	Q What were the other two?
16		16	A One was for a facility in Houston that is
17		17	basically a transfer facility for waste. They bring
18	1	18	it in and ship it back out. And the other was a
19	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	19	Q What was the name of that applicant?
20		20	A CES Environmental Services.
21	•	21	And the other was for an outfit called
22		22	Intergulf Corporation.
23		23	JUDGE EGAN: What was it called?
24 25		24	WITNESS GRABER: Intergulf. It's one
25	Q Was this response prepared in response to	25	word.

39 (Pages 1303 to 1306)

Page 1307 Q (By Mr. Gershon) Let me make sure I understand what CES Environmental Services did. What a transfer facility. A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf operations was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q Ir's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the other two nonhazardous industrial solid waste permit applications bat you just listed? Tread the transfer facility is process it and ship it back out. Page 1308 Page MR. FORSBERG: Just a few, Your Honor CROSS-EXAMINATION BYMR. FORSBERG: MR. FORSBERG: JUDGE EGAN: All right. Mr. Forsberg? MR. FORSBERG: Just a few, Your Honor CROSS-EXAMINATION BYMR. FORSBERG: Jo Good afternoon. Q Good afternoon. Q Can you state what a compliance history is? A A compliance history is a document that is lists all the activities on a facility that is in may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A Well, they bring it in and store it and that statement in any have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A Well, they bring it in and store it and that statement in any have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A Well, they bring it in and store it and that statement in any have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A They do trace the cinclusion on written and the	1309
understand what CES Environmental Services did. What was the type of disposal involved? You mentioned it's a transfer facility. A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quotting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 MR. FORSBERG: Just a few, Your Honor CROSS-EXAMINATION BY MR. FORSBERG: Q Good aftermoon, Mr. Graeber. A Good aftermoon, Mr. Graeber. A Compliance history is a document that is lists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q A Ayes. Q Okay. And is there a sort of a grade that's issued for compliance history is at exists today? A I don't recall that	
understand what CES Environmental Services did. What was the type of disposal involved? You mentioned it's a transfer facility. A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quotting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 MR. FORSBERG: Just a few, Your Honor CROSS-EXAMINATION BY MR. FORSBERG: Q Good aftermoon, Mr. Graeber. A Good aftermoon, Mr. Graeber. A Compliance history is a document that is lists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q A Ayes. Q Okay. And is there a sort of a grade that's issued for compliance history is at exists today? A I don't recall that	
was the type of disposal involved? You mentioned it's a transfer facility. A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf operation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications 20 you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 CROSS-EXAMINATION BY MR. FORSBERG: A Good aftermoon. A Good aftermoon. A Good aftermoon. A Compliance history is a document that is BY MR. FORSBERG: A Good aftermoon. A Good aftermoon. A Good afternoon. A Compliance history is a document that is It a cativities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A No, they're basically the same thing, if I that we had a correct and that kind of stuff. A Well, they bring it in and store it and process it and ship it back out. Page 1308 CROSS-EXAMINATION A Good aftermoon. A Good aftermoon. A A compliance history is a document that is BY MR. FORSBERG: A Good aftermoon. A Compliance history is? A A compliance history is? A A compliance history is? A A compliance history is a document that is BY Okay. And is there a sort of a grade that's issued for compliance history? Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. A I don't recall that	
4 a transfer facility. A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf 10 Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the A Well, they bring in mostly liquid waste and store it of a disposal firm and ship it off A A Compliance history is a document that is lists all the activities on a facility sine in store its in operation. So whether it be inspections, orders that involved? Was it a landfill, incineration or injection well? 10 poperation. So whether it be inspections, orders that is lists all the activities on a facility as in a facility as in the inspections, orders that is lists all the activities on a facility as in a compliance history is? A A Compliance history and a compliance history is? B A A Compliance history is a document that is lists all the activities on a facility as the trib is and the activities on a facility as the surface of a grade that's issued for compliance history? A Yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A Yes. Q Okay. And is there a sort of a grade that	
A Well, they bring in mostly liquid waste and store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. May a Can you state what a compliance history is? A A compliance history is a document that is Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. A No, they're basically the same thing, if I recall right. A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Dage 1308 S Q Good afternoon, Mr. Graeber. A Good afternoon. A Com you state what a compliance history is a document that is B A A compliance history is a document that is Q Can you state what a compliance history is a document that is B A A compliance history is a document that is Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
store it, combine it, put it together and ship it off to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 A Good afternoon. A A compliance history is a document that is W A A compliance history is a document that is W A Can you state what a compliance history is a document that is W A Composition on specifically as it exists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A There could be.	
to a disposal or treatment facility. They're a middleman on the smaller generators. Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Tage 1308 O Can you state what a compliance history is? A A compliance history is a document that is 9 lists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. 1 Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history is a document that is 9 lists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. A No, they're basically the same thing, if I 4 Q Okay. And is there a sort of a grade that's issued for compliance history? A I don't recall that we had a compliance history is that's issued for compliance history? A Yes. Q And with regards to your testimony, we're talking about the surface operation? Q A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page There could be.	
middleman on the smaller generators. Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review of other applications you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the A Compliance history is a document that is lists all the activities on a facility that is in operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history; a fertive in the inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A There could be.	
Q Okay. And tell me about Intergulf Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I Corporation. What was the nature of the disposal injection well? A No, they're basically the same thing, if I Corporation. What was the nature of the disposal injection. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recial that we had a compliance history on this facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Now, when you make that statement, are the Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
Corporation. What was the nature of the disposal involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 Do operation. So whether it be inspections, orders that may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
involved? Was it a landfill, incineration or injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 I may have may or may not have been written, deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A Yes. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
12 injection well? A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the 12 deficiencies that they had to correct and that kind of stuff. Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
A No, they're basically the same thing, if I recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 A No, they're basically the same thing, if I Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A Yes. Q And with regards to the underground injection well that exists? A There could be.	
recall right. Q They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 1 other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? Q Okay. And is there a sort of a grade that's issued for compliance history? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page 1 with regards to the underground injection well that exists? A There could be.	
They were a transfer facility as well? A Well, they bring it in and store it and process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 They were a transfer facility as well? A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 A They do rate the facilities, yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history? A I don't recall that we had a compliance history on this facility as it exists today? A I don't recall that we had a compliance history on this facility as it exists today? A Yes. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 A Wesh regards to the underground injection well that exists? A There could be.	
process it and ship it back out. Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I questions. Do you stand behind that statement? A Yes. Q Okay. Is there a rating for the TexCom facility as it exists today? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 1 other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? 1 A There could be.	
Q It's my understanding from your testimony that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A There could be.	
that your review in this case does not differ in any significant way from your review of other applications you have reviewed, and I'm quoting you actually, I you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. O Now, when you make that statement, are the Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? A I don't recall that we had a compliance history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page A There could be.	
significant way from your review of other applications you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Now, when you make that statement, are the Page 1308 Page other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? history on this facility since it's non-existent. Q And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 Page A There could be.	II.
you have reviewed, and I'm quoting you actually, I think that came from your deposition on written questions. Do you stand behind that statement? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but Page 1308 1 other applications you're referring to the other two nonhazardous industrial solid waste permit applications that you just listed? 2 And with regards to your testimony, we're talking about the surface operation? A Yes. Q Okay. And a there could be a grade with regards that's probably not the right term but with regards to the underground injection well that exists? A There could be.	
25 Q Now, when you make that statement, are the Page 1308 1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 25 regards that's probably not the right term but 2 with regards to the underground injection well that 2 exists? 3 A There could be.	
25 Q Now, when you make that statement, are the Page 1308 1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 25 regards that's probably not the right term but 2 with regards to the underground injection well that 2 exists? 3 A There could be.	
25 Q Now, when you make that statement, are the Page 1308 1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 25 regards that's probably not the right term but 2 with regards to the underground injection well that 2 exists? 3 A There could be.	
25 Q Now, when you make that statement, are the Page 1308 1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 25 regards that's probably not the right term but 2 with regards to the underground injection well that 2 exists? 3 A There could be.	
Page 1308 1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? Page 1308 1 with regards to the underground injection well that 2 exists? 3 A There could be.	
1 other applications you're referring to the other two 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 1 with regards to the underground injection well that 2 exists? 3 A There could be.	
 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 2 exists? 3 A There could be. 	1310
 2 nonhazardous industrial solid waste permit 3 applications that you just listed? 2 exists? 3 A There could be. 	
A That and the covered harandous visate	
4 A That and the several hazardous waste 4 Q And if a compliance history is shown to be	
5 applications that I've reviewed. 5 average, does that necessarily mean that there is	
6 Q Did you say hazardous waste? 6 could that mean that there's no compliance history?	
7 A Hazardous waste, yes. 7 A No, that means that they I'm not I'm	
8 Q So what you're saying when you say that 8 not real sure how they how the terminology between	en
9 your review does not differ in any significant way 9 average and poor goes. But it basically means that	
from your review of other applications you have 10 they operate in accordance with the rules and if	
reviewed, you're talking about the review you 11 there's any problems, they fix them as far as I know.	
12 conduct comparing your review to the review you 12 Q Are you familiar with the term "average by	
conducted with CES Environmental Services' 13 default"?	
14 application, Intergulf Corporation's applications, and 14 A I think I've seen that written on some	
the applications for hazardous waste?	
16 A The way I review it, yes. 16 Q Okay.	
Q Okay. Is it your understanding that the 17 JUDGE EGAN: I can't hear you.	
standards TCEQ applies to all of industrial solid 18 WITNESS GRABER: I think I've seen that	
waste permit applications, irrespective of the type of 49 written on some of the compliance issues that I've	
20 disposal, are substantially similar? 20 seen.	
A Yes. For industrial solid waste, yes. 21 Q (By Mr. Forsberg) Do you have any personal	
MR. GERSHON: I pass the witness. 22 knowledge of what that means?	
JUDGE EGAN: All right. Mr. Walker? 23 A No.	
MR. WALKER: I have no questions for 24 Q When you reviewed the surface facility	
this witness. 25 operation application for TexCom, did you look at h	

40 (Pages 1307 to 1310)

	Page 1311		Page 1313
1	the gauges, pumps did you look at specific settings	1	A Yes.
2	or specific requirements for those types of things?	2	Q Okay. Do you consider things like the
3	A No, not in that detail.	3	appearance of the site to neighboring residential
4	Q Okay. You understand that there's a maximum	4	areas?
5	injection pressure that would be allowed under the	5	A No.
6	proposed permit?	6	Q Would you agree with me that there are
7	A I've heard that, yes.	7	residential around the facility, the proposed the
8	Q Do you not know that for a fact?	8	facility?
9	A Well, I didn't look at those applications and	9	A I don't think I can agree with that because I
10	I'm not familiar with everything that goes into those	10	haven't seen the area.
11	applications.	11	Q You've never actually gone to the site?
12		12	A No.
13	there was some sort of maximum injection pressure that	13	Q There's no rule in place that requires you to
14	there was not some controls in the surface facility to	14	go to the site?
15	regulate the injection pressure?	15	A No.
16	A They would probably have to have some	16	MR. FORSBERG: That's all I have, Your
17	controls on some unit in there that would control	17	Honor.
18	that, yes.	18	JUDGE EGAN: Ms. Collins?
19	Q Where does that in your recollection does	19	MS. COLLINS: No questions. Thank you.
20	that appear in the TexCom application?	20	JUDGE EGAN: Any redirect?
21	A No.	21	MS. GOSS: No, Your Honor.
22	Q Is it typical for that sort of thing to	22	JUDGE EGAN: You're excused. Thank you.
23	appear in an application?	23	MR. WILLIAMS: Your Honor, at this time
24	A I haven't I haven't noted that kind of	24	the Executive Director rests.
25	detail in applications.	25	MR. RILEY: Could we take a few-minute
	Page 1312		Page 1314
1	Q Okay. Do you know if there are any flow	1	break and then begin the rebuttal case? At this point
2	control devices that would regulate the	2	I anticipate three witnesses and perhaps it's
3	gallons-per-minute that are injected into the	3	appropriate to have the discussion about Mr. Graves,
4	underground injection wells?	4	the witness we would call to rebut evidence of traffic
5	A There are some pumps on the surface facility,	5	concerns raised in the prefiled testimony and
6	yes.	6	throughout cross-examination in the case. I don't
7	Q And is there a specific flow control on the	7	know if you would like to take it up now or after the
8	surface facility that would regulate a maximum	8	break I just requested, but since it was on my mind I
9	gallons-per-minute?	9	though I would
			HIDGE EGAN II. 1.1.
11 ()	A I'm not aware that there is other than the	11 ()	IIII)(†H H(†AN: Has everyhody seen and had II
		10 11	JUDGE EGAN: Has everybody seen and had
11	pump itself.	11	a chance to look at the prefiled?
11 12	pump itself. Q Are there any rules that you look to with	11 12	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor.
11 12 13	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for	11 12 13	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind
11 12 13 14	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the	11 12 13 14	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order
11 12 13 14 15	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications?	11 12 13 14 15	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've
11 12 13 14 15 16	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of.	11 12 13 14 15 16	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it
11 12 13 14 15 16	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules	11 12 13 14 15 16	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break
11 12 13 14 15 16 17	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist?	11 12 13 14 15 16 17	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great.
11 12 13 14 15 16 17 18	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes.	11 12 13 14 15 16 17 18	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after.
11 12 13 14 15 16 17 18 19 20	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes. Q Did you look at any issues with regards to	11 12 13 14 15 16 17 18 19 20	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after. Would that be enough time?
12 13 14 15 16 17 18 19 20 21	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes. Q Did you look at any issues with regards to odor or noise at the facility, the proposed facility?	11 12 13 14 15 16 17 18 19 20 21	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after. Would that be enough time? MR. RILEY: That certainly would. Thank
11 12 13 14 15 16 17 18 19 21 22	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes. Q Did you look at any issues with regards to odor or noise at the facility, the proposed facility? A Other than what was identified in the	11 12 13 14 15 16 17 18 19 21 22	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after. Would that be enough time? MR. RILEY: That certainly would. Thank you.
11 12 13 14 15 16 17 18 19 20 21 22 23	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes. Q Did you look at any issues with regards to odor or noise at the facility, the proposed facility? A Other than what was identified in the application?	11 12 13 14 15 16 17 18 19 21 22 23	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after. Would that be enough time? MR. RILEY: That certainly would. Thank you. JUDGE EGAN: Then we'll come back at
11 12 13 14 15 16 17 18 19 20 21 22	pump itself. Q Are there any rules that you look to with regards to what kind of requirements are necessary for gauges and pumps and injection pressure control on the surface facility applications? A Not that I'm aware of. Q Is it your understanding that no such rules exist? A Yes. Q Did you look at any issues with regards to odor or noise at the facility, the proposed facility? A Other than what was identified in the	11 12 13 14 15 16 17 18 19 21 22	a chance to look at the prefiled? MR. FORSBERG: I have, Your Honor. JUDGE EGAN: Okay. And I might remind y'all to take a look at Paragraph 2 of our last order which dealt with the prehearing conference, and I've got a copy up here if you would like to look at it or Section 2. We can take a ten-minute break MR. RILEY: That would be great. JUDGE EGAN: Be back at five after. Would that be enough time? MR. RILEY: That certainly would. Thank you.

41 (Pages 1311 to 1314)

	Page 1315		Page 1317
1		1	
1 2	JUDGE EGAN: We're back on the record,	1 2	A Yes, sir.
3	and we're looking at rebuttal.	3	Q And as part of that same effort, was there
	Mr. Riley?		also a spreadsheet compiled that corresponds by number
4	MR. RILEY: Thank you, Your Honor.	4	to the various segments identified by Dr. Collier?
5 6	Before we begin rebuttal, do we want to take up the	5 6	A Yes, sir. MR. RILEY: At this time I'd ask Mr. Lee
7	issue I think there is an objection to calling Mr. Scott Graves, the witness that we've identified	7	
8		8	to have an exhibit marked as Applicant's Exhibit 75. (TexCom Exhibit No. 75 marked)
9	last night as Mr. Forsberg indicated by name, and we anticipate calling him as our third witness this	9	
10		10	JUDGE EGAN: Applicant TexCom Exhibit 75?
11		11	Q (By Mr. Riley) Dr. Langhus, could you take a
12		12	look at Exhibit 75, TexCom Exhibit 75, and assure
13	J J	13	yourself that it is the exhibit that you have worked
$\frac{13}{14}$		14	on that corresponds to each of the segments we
15		15	previously discussed that Dr. Collier identified in
16		16	the area of review claiming they were faults?
17		17	A Yes, sir.
18	, ,	18	Q And are you is this a spreadsheet that you
19		19	indeed adopt as something you developed and those are
20		20	your notes in the far right-hand column?
21		21	A Yes, sir.
22		22	MR. RILEY: Your Honor, at this time I
23		23	move Exhibit 75 into evidence.
24		24	JUDGE EGAN: Any objections to applicant
25		25	TexCom Exhibit No. 75?
	Page 1316		Page 1318
1	REBUTTAL PRESENTATION ON BEHALF OF	1	If there's no objection, then it is
2	TEXCOM GULF DISPOSAL	2	admitted.
3	BRUCE LANGHUS,	3	(TexCom Exhibit No. 75 admitted)
4	having been duly sworn, testified as follows:	4	MR. RILEY: Thank you.
5	DIRECT EXAMINATION	5	Q (By Mr. Riley) Doctor, let's go through
6	BY MR. RILEY:	6	Exhibit 75, and I'll try to do it expeditiously, but
7	Q Good afternoon, Dr. Langhus.	7	that's not to short circuit or suggest that there
8	A Good afternoon, Counselor.	8	isn't well, let's just go through it.
9	Q Dr. Langhus, before you or somewhere in	9	Let's start with No. 1. And if I'm
10	that general area down that side of the room you	10	following along, the Item No. 1 or Segment No. 1
11	will most likely find a copy of TexCom Exhibit 74,	11	refers to a dark green color as depicted on Exhibit 1P
12	which is a duplicate smaller version of Protestant	12	by Dr. Collier, correct?
13	Exhibit 1P, a depiction of some faults that	13	A Yes, sir.
14	Dr. Collier believes exist in the area of review.	14	Q And did you review that line, so to speak, or
15	A Yes, sir.	15	the line on Exhibit 1P and could you tell us your
16		16	opinion regarding whether that line, either from your
17		17	independent analysis or analysis of the source
18		18	material utilized by Dr. Collier, constitutes a fault
19		19	in your opinion?
20		20	A Looking at the source data, which was the
21		21	marked "Completion Data and Water Map" dated January
22	•	22	1, 1944, I do not think this is a fault because it was
23		23	marked with only 8 feet of offset by the two closest
24		24	wells, and that appears to me to be simply regional
25		25	dip. So the offset would be zero.

42 (Pages 1315 to 1318)

Offset marked, so I have no idea what — what the potential — or what the interpreted off-set is on the area of the Conroe field the strata are dipping into the Gulf of Mexico, except for the domal feature itself of the Conroe field. But moving a may from the Conroe field, you have simply southerly regional dip. O Do I understand then that as you move from, left's any, the applicants property or the TexCom proposed site toward the Gulf of Mexico that the land slopes downward toward the Gulf of Mexico that the land slopes downward toward the Gulf of Mexico? A Except for the local pertubation of the Corroe dome. Corroe dome. O So the variation in terms of offset that at an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A I was actually interpreted by the makers of but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I be January 1944 map. I be January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I be January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was, but January 1944 map. I don't know who that was be source material again for Dr. Collier's map that what January 1944 map. I don't know who that was, but January 1944 map. I		Page 1319		Page 1321
2 potential — or what the interpreted off-set is on the area of the Conroe field the strata are dipping into the Gulf of Mexico, except for the domal feature itself of the Conroe field, you have simply southerly regional dip. 8 Q Do I understand then that as you move from, let's say, the applicant's property or the TexCom proposed site toward the Gulf of Mexico and the state of the stopes downward toward the Gulf of Mexico and an affect of first and you think that's related to the sloping feature down to the Gulf of Mexico? 15 A I was actually interpreted by the makers of that January 1944 map. I don't know who that was, but, yes, they had interpreted of a fault there. 10 Q Nad what is you opinion with regard to the theory of the state of the sloping feature down to the Gulf of Mexico? 12 A Correct. 20 Q Away. They interpreted of a fault there. 21 Q Okay. They interpreted of a fault there. 22 your opinion that it relates to regional dip? 23 A Correct. 4 Q And what was the source material again for proposed of the state	1	O And could you explain what you mean by	1	offset marked, so I have no idea what what the
A In the area of the Conroe field the strata a rad disping into the Gulf of Mexico, except for the domal feature itself of the Conroe field, But moving away from the Conroe field, you have simply southerly regional dip. Q Do I understand then that as you move from, let's say, the applicant's property or the TexCom proposed site toward the Gulf of Mexico that the land slopes downward toward the Gulf of Mexico? A Except for the local pertubation of the Q So the variation in terms of offset that at an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A A Correct. Q Okay. They interpret it as a fault, but it's your opinion that it relates to regional dip? A Correct. Q Okay. They interpret it as a fault, but it's your opinion that it relates to regional dip? A It was a map marked "Completion Data and Water Map," 1944, January 1. 1 believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item—or Segment 2, which is —the source of that information, as I understand the spreadsheet, is the Exxon application in A Railroad Commission of 2002, correct? A Correct. Q Had you reviewed the Exxon application in A Railroad Commission of 2002, correct? A Yes. Q Had you reviewed it prior to the —prior to B A It was a map marked "Completion Data and C With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault! A Yes. Q Had you reviewed it prior to the —prior t				
4 are dipping into the Gulf of Mexico, except for the domal feature itself of the Conroce field. But moving away from the Conroc field, you have simply southerly regional dip. 9 Page 1320 1 Iine as a fault? 2 A It was actually interpreted by the makers of that information of that as — of that of Conroc. 2 Q And what was the source material again for Dr. Collier's identification of that as — of that of Gourment, had you seen that document had you would not know where exactly to project these lines and the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? 3 Q Hav you reviewed the Exxon application to the found of the was a fault. 4 A Yes. 6 Q Had you reviewed it prior to the — prior to Dr. Collier identifying it? 9 A Yes. 1 Q Had you reviewed it prior to the — prior to Dr. Collier identifying it? 1 A Yes. 2 Q With respect to Segment 2, could you tell us what your oonelusions are as to whether it constitutes a fault. 2 A Yes. 2 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 2 A Yes. 2 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 3 A Yes. 6 Q Had you reviewed it prior to the — prior to Dr. Collier identifying it? 9 A Yes. 9 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 4 A This line on the map interpreted as a fault. 5 A Yes. 6 The shad and what were maped in lower discussed at some length as to whether they were as deficited aligned with faults that were mapped in lower discussed at some length as to whether they were as desicuted with aults that were mapped in lower of the makers of the present when the cub of the subscission and the spreadshee, that the full of the scale of the prior to the sca			3	
saway from the Conroe field, you have simply southerly regional dip, Q Do I understand then that as you move from, proposed site toward the Gulf of Mexico that the land slopes downward toward the Gulf of Mexico? A Except for the local pertubation of the control dome. Control dome. A Except for the local pertubation of the control dome. So the variation in terms of offset that at elast Dr. Collier as interpreted as a fault, that is a slope feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that Junary 1944 map. I don't know who that was, but, yes, they had interpreted by the makers of that Junary 1944 map. I don't know who that was, but, yes, they had interpreted by the makers of that Junary 1944 map. I don't know who that was, but, yes, they had interpreted a fault there. Q And what is your opinion with regard to whether they are faults or not - these lines drawn by the Exxon geologists in the 2002 materials actually would align with deeper subsurface faults? A Correct. Q And what is your opinion with regard to whether they are faults or not - these lines drawn by the Exxon geologists in the 2002 materials actually would align with deeper subsurface faults? A It was a fault? A It was a fault? A No. Q Let's move to item - or Segment 2, which is - the source of that information, as I understand the speachheet, is the Exxon application to the found that in the Railroad Commission files. A Pos. Q Have you reviewed the Exxon application in the following it? A Yes. Q Have you reviewed the Exxon application in the following it? A Yes. Q Have you reviewed it prior to the - prior to follow the faults, you are as to whether they were as depicted aligned with faults that were mapped in lower horizons, correct? A Correct. Q And what is your opinion with regard to whether those faults - whether they are faults or not - these lines drawn by the Exxon geologists in the 2002 map in the faults, you would align with deeper subsurface faults? A It carrially does; Itological wi	4	are dipping into the Gulf of Mexico, except for the	4	
7 regional dip. 8 Q Do I understand then that as you move from, 9 let's say, the applicant's property or the TexCom proposed site toward the Gulf of Mexico? 10 Some downward toward the Gulf of Mexico? 11 A Except for the local pertubation of the 12 conce dome. 12 A Except for the local pertubation of the 13 conce dome. 13 Conrec dome. 14 Q So the variation in terms of offset that at 14 least December of the 15 constitutes an 8-foot offset and you think that's related to the 16 an 8-foot offset and you think that's related to the 17 sloping feature down to the Gulf of Mexico? 19 that January 1944 map. I don't know who that was, 19 but, yes, they had interpreted a fault, that is 2 your opinion that it relates to regional dip? 20 A Correct. 21 Q Okay. They interpret if as a fault, but it's 2 your opinion that it relates to regional dip? 22 A Correct. 23 A Correct. 24 Q And what was the source material again for 2 pr. Collier's identification of that as of that 2 precise data about the attitude of the faults, you would not know where exactly to project these lines into, say, the upper Cockfield. 25 D Collier's identification of that as of that 2 precise data about the attitude of the faults, you would not know where exactly to project these lines into, say, the upper Cockfield. 26 Page 1320 27 A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the 11 Railroad Commission of 2002, correct? 28 Q Have you reviewed the Exxon application in 4 2002 to the Railroad Commission that underlies that information or that was where that information was infoluded? 28 A Yes. 30 Q Have you reviewed it prior to the prior to 16 Dr. Collier identifying it? 41 A Yes. 42 A Nel, transmitted the spreadsheet, is the make a fault when the fault and the spreadsheet, is the Exxon application in 4 2 2 3 4 4 xes. 42 A Nel, transmitted the spreadsheet is the fault and the spreadsheet, is the Exxon application in 4 2 3 4 4 5 4 5 4 7 8 1 4	5		5	Pliocene in the fresh water aquifers, about 46
8 Q Do I understand then that as you move from, properly or the TexCom proposed site toward the Gulf of Mexico?	6	away from the Conroe field, you have simply southerly	6	4700 feet above the upper Cockfield.
19 tet's say, the applicant's property or the TexCom 10 10 10 10 10 10 10 1	7	regional dip.	7	Q And these are the lines were you present
to proposed site loward the Gulf of Mexico? A Except for the local pertubation of the 12 control dome. Control dome. Control dome. So the variation in terms of offset that at 14 control depicted aligned with faults that were mapped in lower horizons, correct? A Correct. A It was actually interpreted as a fault, that is 15 that January 1944 map. I don't know who that was, 19 but, yes, they had interpreted a fault there. A Correct. Q Okay. They interpret it as a fault, but it's 12 your opinion that it relates to regional dip? A Correct. Q And what is your opinion with regard to whether they are faults or not — these lines drawn by the Exxon geologists in the 2002 materials actually would align with deeper subsurface faults? A I don't see the evidence for that. These mapped features, fault-like features, are so — so much higher in the section and lacking any precise data about the attitude of the faults, you would not know where evidence for that. Page 1320 Q In your opinion, Doctor, would it even be reasonable to project them into — to lower strata? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A Correct. Q Have you reviewed the Exxon application to the the spreadsheet, is the Exxon application to the more than the spreadsheet, is the Exxon application to the spreadsheet, is the Exxon application to the page to the Railroad Commission that underlies that information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that information was information or that was — where that inform			8	when Dr. Collier testified?
slopes downward toward the Gulf of Mexico? A Except for the local pertubation of the Corroe dome. Q So the variation in terms of offset that at least Dr. Collier as interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that January 1944 map. I don't know who that was, but, see, they had interpreted of pull there. Q Okay. They interpreted as a fault, but it's your opinion that it relates to regional dip? A Correct. Q And what is your opinion with regard to whether those faults whether with regard to whether			9	
A Except for the local pertubation of the Cornoe dome. Q So the variation in terms of offset that at least Dr. Collier as interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that January 1944 map. I don't know who that was, but, yes, they had interpreted a fault there. Your opinion that it relates to regional dip? A Correct. Q And what is your opinion with regard to whether those faults - whether they are faults or not these lines drawn by the Exxon geologists in the 2002 materials actually would align with deeper subsurface faults? A I don't see the evidence for that. These map these mapped features, fault-like features, are so -so much higher in the section and lacking any precise data about the attitude of the faults, you would not know where exactly to project these lines into, say, the upper Cockfield. Page 1320 Page 1320 Page 1320 Page 1320 Q In your opinion, Doctor, would it even be reasonable to project them into to lower strata? A No, I see no evidence for that. These would not know where exactly to project these lines into, say, the upper Cockfield. Q In your opinion, Doctor, would it even be reasonable to project them into to lower strata? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; I 100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q Pafficularly with respect to the Jackson shale. Does that bear on your opinion at all? A For Line No. 2, that's correct? A For Line No.				
13 Conroc dome. 14 Q So the variation in terms of offset that at 15 least Dr. Collier as interpreted as a fault, that is 16 an 8-foot offset and you think that's related to the 16 sloping feature down to the Gulf of Mexico? 18 A It was actually interpreted by the makers of 19 that January 1944 map. I don't know who that was, 20 but, yes, they had interpreted a fault there. 21 Q Okay. They interpret it as a fault, but it's 22 your opinion that it relates to regional dip? 23 A Correct. 24 Q And what was the source material again for 25 Dr. Collier's identification of that as of that 26 Iline as a fault? 27 A It was a map marked "Completion Data and 28 Water Map," 1944, January 1. I believe he said he 29 found that in the Railroad Commission files. 30 Q Prior to Dr. Collier unearthing that 31 do correct. 32 Q Have you reviewed the Exxon application in 33 horizons, correct? 34 A Correct. 44 A Correct. 45 Q And what is your opinion with regard to whether those faults whether those faults whether they are faults in whether with regard to whether those faults whether they are faults on the whether they are faults on the they are faults in whether with regard to whether those faults whether they are faults on the with regard to whether those faults whether they are faults on the they are faults on the with regard to whether those faults whether they are faults on the they would align with deeper subsurface faults? A I don't see the evidence for that. These map these mapped features, fault-like features, are so so much higher in the section and lacking any precise data about the attitude of the faults, you would not know where exactly to project them into to lower strata? A No. 9 It was a map marked "Completion Data and water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. A No. 9 It was a map marked "Completion Data and water Map," 1944, January 1. The lieve he said he found that in the Railroad Commission files. By G In		±		
Q So the variation in terms of offset that at least Dr. Collier as interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? 18 A It was actually interpreted as a fault, but it's your opinion that it relates to regional dip? 20 Dx (And what as the source material again for 21 Q And what was the source material again for 22 Q And what was the source material again for 23 Dr. Collier's identification of that as of that Page 1320 1 line as a fault? 2 A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier uncarthing that document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application in 2002 to the Railroad Commission that underlies that information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q Had your observations are and what your conclusions are as to whether it constitutes a fault? A Correct. Q And what is your opinion with regard to whether those faults whether with regard to whether those faults whether with regard to whether they are faults or not these lines drawn by whether they are faults or not these lines drawn by the Exxon goologists in the 2002 materials actually would align with deeper subsurface faults? A I don't see the evidence for that. These an p these mapped faults or not these lines drawn by the Exxon goologists in the 2002 materials actually would align with deeper subsurface faults? A I don't see the evidence for that. These are had water Map, "1944 January I. The lieve he said he found that in the Railroad Commission of lies. Q In your opinion, Doctor, would it even be reasonable to project them into to lower strata? A No, I see no evidence for that. Q	12			
least Dr. Collier as interpreted as a fault, that is an 8-foot offset and you think that's related to the sloping feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that January 1944 map. I don't know who that was, 20 but, yes, they had interpreted a fault there. Q Okay. They interpret it as a fault, but it's 21 your opinion that it relates to regional dip? A Correct. Q And what was the source material again for 22 Dr. Collier's identification of that as of that Page 1320 I line as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the 30 Correct. Q Have your reviewed the Exxon application in information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault. J A This line on the map interpreted as a fault.				
sloping feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that January 1944 map. I don't know who that was, but, yes, they had interpreted a fault there. Q Okay. They interpret it as a fault, but it's your opinion that it relates to regional dip? A Correct. Q And what was the source material again for Dr. Collier's identification of that as — of that Page 1320 I line as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item — or Segment 2, which is — the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Yes. Q Had you reviewed the Exxon application in included? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault. A I ton't see the evidence for that. These map—these mapped features, fault-like features, are so — so much higher in the section and lacking any precise data about the attitude of the faults, you whether exactly to project these lines into, say, the upper Cockfield. Page 1320 Q In your opinion, Doctor, would it even be reasonable to project them into — to lower strata? A No, I see ne evidence for that. These map—these mapped features, fault-like features, are so — so much higher in the section and lacking any precise data about the attitude of the faults, you when the seatines are viewed as about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, a	14			
sloping feature down to the Gulf of Mexico? A It was actually interpreted by the makers of that January 1944 map. I don't know who that was, but, yes, they had interpreted a fault there. Q Okay. They interpret it as a fault, but it's your opinion that it relates to regional dip? A Correct. Q And what was the source material again for Dr. Collier's identification of that as — of that Page 1320 I line as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item — or Segment 2, which is — the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Yes. Q Had you reviewed the Exxon application in included? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault. A I ton't see the evidence for that. These map—these mapped features, fault-like features, are so — so much higher in the section and lacking any precise data about the attitude of the faults, you whether exactly to project these lines into, say, the upper Cockfield. Page 1320 Q In your opinion, Doctor, would it even be reasonable to project them into — to lower strata? A No, I see ne evidence for that. These map—these mapped features, fault-like features, are so — so much higher in the section and lacking any precise data about the attitude of the faults, you when the seatines are viewed as about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, you as — so much higher in the section and lacking any precise data about the attitude of the faults, a	15	1 /		
has a fix was actually interpreted by the makers of that January 1944 map. I don't know who that was, 20 but, yes, they had interpreted a fault there. 20 A go (Nay) and the pretent of a fault there. 21 Q O (Nay) and the pretent of a fault there. 22 your opinion that it relates to regional dip? 23 A Correct. 24 Q And what was the source material again for 25 Dr. Collier's identification of that as of that 25 Dr. Collier's identification of that as of that 26 Dr. Collier's identification of that as of that 27 Dr. Collier's identification of that as of that 28 Dr. Collier's identification of that as of that 29 Dr. Collier identifying it? 29 Dr. Collier identifying it? 20 Dr. Collier identifying it? 20 Dr. Collier identifying it? 21 Dr. Collier identifying it? 22 Dr. Collier identifying it? 23 Dr. Collier identifying it? 24 Dr. Collier identifying it? 26 Dr. Collier identifying it? 27 Dr. Collier identifying it? 28 Dr. Collier identifying it? 29 Dr. Collier identifying it? 20 Dr. Collier identifying it? 20 Dr. Collier identifying it? 21 Dr. Collier identifying it? 22 Dr. Collier identifying it? 23 Dr. Collier identifying it? 24 Dr. Collier identifying it? 25 Dr. Collier identifying it? 26 Dr. Collier identifying it? 27 Dr. Collier identifying it? 28 Dr. Collier identifying it? 29 Dr. Collier identifying it? 29 Dr. Collier identifying it? 29 Dr. Collier identifying it? 20 Dr. Collier identifying it? 20 Dr. Collier identifying it? 21 Dr. Collier identifying it? 22 Dr. Collier identifying it? 23 Dr. Collier identifying it? 24 Dr. Collier identifying it? 25 Dr. Collier identifying it? 26 Dr. Collier identifying it? 27 Dr. Collier identifying it? 28 Dr. Collier identifying it? 29 Dr. Collier identifying it? 29 Dr. Collier identifying it? 20 Dr. Collier identifying it? 21 Dr. Collier identifying it? 21 Dr. Collier identifying it? 22 Dr. Collier identifying it? 24 Dr. Dr. Collier identifying it? 25 Dr. Collier identifying it? 26 Dr. Collier identifying it? 27 Dr. Collier identifying it? 28 Dr. Collier ident	16			
that January 1944 map. I don't know who that was, 20 but, yes, they had interpreted a fault there. 20 Qo kay. They interpret it as a fault, but it's 21 your opinion that it relates to regional dip? 22 A Correct. 23 A Correct. 24 Qo. And what was the source material again for 25 Dr. Collier's identification of that as — of that 25 Dr. Collier's identification of that as — of that 25 Dr. Collier's identification of that as — of that 26 Dr. Collier was a map marked "Completion Data and 27 A No. 28 Q Let's move to item — or Segment 2, which 29 Let's move to item — or Segment 2, which 20 Q Let's move to item — or Segment 2, which 20 Q Lat's move to the Railroad Commission that underlies that 20 Dr. Collier identifying it? 29 A Tes. 20 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 29 A This line on the map interpreted as a fault was — where that information as a fault what your observations are and what your conclusions are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault was — where that information as a fault what your observations are and what your conclusions are as to whether it constitutes a fault? 24 Dr. A This line on the map interpreted as a fault was — where that information as a fault what there it constitutes a fault? 25 Dr. Collier identifying it? 26 Dr. Collier identifying it? 27 Dr. Collier identifying it? 28 Dr. Collier identifying it? 29 Dr. Collier id				
but, yes, they had interpreted a fault there. Q Okay. They interpret it as a fault, but it's 2 your opinion that it relates to regional dip? A Correct. Q And what was the source material again for 2 Dr. Collier's identification of that as of that Page 1320 Page 132 A No, I see no evidence for that. A No, I see no evidence for that. A No, I see no evidence for that. Page 1320 Page 132 A No, I see no evidence for that. A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q Had you reviewed the Exxon application in or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit IP to the original source data as to the location of Segment 2?		, i		
Q Okay. They interpret it as a fault, but it's your opinion that it relates to regional dip? A Correct. Q And what was the source material again for Dr. Collier's identification of that as of that Page 1320 Page 1320 Page 1320 Page 1320 I line as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was information or that was where that information was information or that was where that information was only the provided that the complex of the provided that the complex of the accuracy of map or Exhibit IP to the original source data as to the location of Segment 2? We would not know where exactly to project these lines into, say, the upper Cockfield. Page 1320 Page 1320 Q In your opinion, Doctor, would it even be reasonable to project them into to lower strata? A No. 1 see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are ast to whether it constitutes a fault? Q So is it your opinion that the Exhibit IP c				
your opinion that it relates to regional dip? A Correct. Q And what was the source material again for Dr. Collier's identification of that as — of that Page 1320 Page 1320 I line as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Perior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item — or Segment 2, which is — the source of that information, as I understand the spreadsheet, is the Exxon application in 2002 to the Railroad Commission that underlies that information or that was — where that information was included? A Yes. Q Had you reviewed it prior to the — prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault 22 what your obinion that it net attitude of the faults, you would to know where exactly to project these lines into, say, the upper Cockfield. Page 1320 Page 1322 Q In your opinion, Doctor, would it even be reasonable to project them into— to lower strata? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be — it would be nearly impossible to project or to transmit a fault through that. Q In the — on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask — the question or the spreadsheet column — was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map — or Exhibit IP to the original source data as to the	20 01			
A Correct. Q And what was the source material again for Dr. Collier's identification of that as of that Page 1320 Page 132. Q In your opinion, Doctor, would it even be reasonable to project them into to lower strata? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit IP to the original source data. Q So is it your opinion that the Exhibit IP correlates correctly to the original source data as to the location of Segment 2?	O			
Q And what was the source material again for Dr. Collier's identification of that as of that Page 1320 Page 1320 Page 1320 Iline as a fault? A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was information in properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit IP to the original source data. Q So is it your opinion that the Exhibit IP correlates correctly to the original source data as to the location of Segment 2?	22			
Page 1320 Iline as a fault? A It was a map marked "Completion Data and Water Map," 1944, January I. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was information or that was where that information was included? A Yes. Q With respect to Segment 2, could you tell us what your observations are as to whether it constitutes a fault? A This line on the map interpreted as a fault Page 1320 A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q In the on Item 2 in your spreadsheet, I think you already				
Page 1320 1 line as a fault? 2 A It was a map marked "Completion Data and 3 Water Map," 1944, January 1. I believe he said he 4 found that in the Railroad Commission files. 5 Q Prior to Dr. Collier unearthing that 6 document, had you seen that document previously? 6 A No. 8 Q Let's move to item or Segment 2, which 16 is the source of that information, as I understand 17 the spreadsheet, is the Exxon application to the 18 large of the Railroad Commission that underlies that 19 information or that was where that information was 19 linduded? 1 A Yes. 1 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 2 A Yes. 2 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 2 A This line on the map interpreted as a fault 10 Q In the original source data. 2 Q In your opinion, Doctor, would it even be 2 reasonable to project them into to lower strata? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A No, I see no evidence for that. Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. 10 Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that the Exhibit 1P correlates correctly to th				
1 line as a fault? 2 A It was a map marked "Completion Data and 3 Water Map," 1944, January 1. I believe he said he 4 found that in the Railroad Commission files. 5 Q Prior to Dr. Collier unearthing that 6 document, had you seen that document previously? 7 A No. 8 Q Let's move to item or Segment 2, which 9 is the source of that information, as I understand 10 the spreadsheet, is the Exxon application to the 11 Railroad Commission of 2002, correct? 12 A Correct. 13 Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that 16 information or that was where that information was 16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions are as to whether it constitutes a fault? 22 A This line on the map interpreted as a fault			2.5	
A It was a map marked "Completion Data and Water Map," 1944, January 1. I believe he said he found that in the Railroad Commission files. Q Prior to Dr. Collier unearthing that document, had you seen that document previously? A No. Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in 15 included? A Yes. Q With respect to Segment 2, could you tell us what your observations are as to whether it constitutes a fault? A This line on the map interpreted as a fault				
3 Water Map," 1944, January 1. I believe he said he 4 found that in the Railroad Commission files. 5 Q Prior to Dr. Collier unearthing that 6 document, had you seen that document previously? 7 A No. 8 Q Let's move to item or Segment 2, which 9 is the source of that information, as I understand 10 the spreadsheet, is the Exxon application to the 11 Railroad Commission of 2002, correct? 12 A Correct. 13 Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that 15 information or that was where that information was 16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 3 A No, I see no evidence for that. 4 Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? 6 A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
4 found that in the Railroad Commission files. 5 Q Prior to Dr. Collier unearthing that 6 document, had you seen that document previously? 7 A No. 8 Q Let's move to item or Segment 2, which 9 is the source of that information, as I understand 10 the spreadsheet, is the Exxon application to the 11 Railroad Commission of 2002, correct? 12 A Correct. 13 Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that information or that was where that information was included? 16 A Yes. 17 Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 4 Q Particularly with respect to the Jackson shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be nearly impossible to project or to transmit a fault through that. 9 In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? 12 A For Line No. 2, that's correct. 9 All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. 18 A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. 19 With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? 20 With respect to Segment 2, could you tell us what your observations are and what your conclusions are as fault? 21 What your observations are and what your conclusions are as to whether it constitutes a fault? 22 A This line on the map interpreted as a fault				
Solution of the document, had you seen that document previously? A No. Record Correct. A Correct. C Have you reviewed the Exxon application in information or that was where that information was included? A Yes. A Yes. A Yes. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. A Well, it's unarrative to the accuracy of map or Exhibit 1P correlates are as to whether it constitutes a fault? A This line on the map interpreted as a fault 5 shale. Does that bear on your opinion at all? A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault Through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?		Water Map," 1944, January 1. I believe he said he		
document, had you seen that document previously? A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A No. A It certainly does; 1100 feet of a very low strength mudstones and shales would be it would be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
A No. Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A No. Q Let's move to item or Segment 2, which be nearly impossible to project or to transmit a fault through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
Q Let's move to item or Segment 2, which is the source of that information, as I understand the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in controlled information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault Reallroad Commission to the through that. Q In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
9 is the source of that information, as I understand 10 the spreadsheet, is the Exxon application to the 11 Railroad Commission of 2002, correct? 12 A Correct. 13 Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that 15 information or that was where that information was 16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 9 through that. 20 Q In the on Item 2 in your spreadsheet, I 11 think you already explained that there's no offset 12 indicated in the Exxon materials, correct? 13 A For Line No. 2, that's correct. 14 Q All right. And then you ask the question 15 or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. 18 A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. 21 Q So is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
the spreadsheet, is the Exxon application to the Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Pr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault A Correct. D In the on Item 2 in your spreadsheet, I think you already explained that there's no offset indicated in the Exxon materials, correct? A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
11 Railroad Commission of 2002, correct? A Correct. Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that 15 information or that was where that information was 16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 11 think you already explained that there's no offset 12 indicated in the Exxon materials, correct? 13 A For Line No. 2, that's correct. 14 Q All right. And then you ask the question 15 or the spreadsheet column was it properly 16 transcribed? Tell us what that column is intended to 17 express. 18 A Well, it's an attempt to put a narrative to 19 the accuracy of map or Exhibit 1P to the original source data. 21 Q So is it your opinion that even well, is 22 it your opinion that the Exhibit 1P correlates 23 correctly to the original source data as to the 24 location of Segment 2?				
12 A Correct. 13 Q Have you reviewed the Exxon application in 14 2002 to the Railroad Commission that underlies that 15 information or that was where that information was 16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 20 Indicated in the Exxon materials, correct? 24 A For Line No. 2, that's correct. 26 A For Line No. 2, that's correct. 27 Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. 28 A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. 29 So is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
Q Have you reviewed the Exxon application in 2002 to the Railroad Commission that underlies that information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault A For Line No. 2, that's correct. Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
2002 to the Railroad Commission that underlies that information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault 14 Q All right. And then you ask the question or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?	1 2			
information or that was where that information was included? A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault 15 or the spreadsheet column was it properly transcribed? Tell us what that column is intended to express. 16 transcribed? Tell us what that column is intended to express. 18 A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
16 included? 17 A Yes. 18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 26 transcribed? Tell us what that column is intended to express. 27 express. 28 A Well, it's an attempt to put a narrative to the accuracy of map or Exhibit 1P to the original source data. 29 So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?	15			
17 A Yes. Q Had you reviewed it prior to the prior to Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault 17 express. A Well, it's an attempt to put a narrative to 19 the accuracy of map or Exhibit 1P to the original source data. 20 So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates 23 correctly to the original source data as to the 24 location of Segment 2?	16			
18 Q Had you reviewed it prior to the prior to 19 Dr. Collier identifying it? 20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 28 A Well, it's an attempt to put a narrative to 19 the accuracy of map or Exhibit 1P to the original source data. 20 So is it your opinion that even well, is 21 it your opinion that the Exhibit 1P correlates 23 correctly to the original source data as to the 24 location of Segment 2?	17			
Dr. Collier identifying it? A Yes. Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault 19 the accuracy of map or Exhibit 1P to the original source data. 20 So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
20 A Yes. 21 Q With respect to Segment 2, could you tell us 22 what your observations are and what your conclusions 23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 20 source data. 21 Q So is it your opinion that even well, is 22 it your opinion that the Exhibit 1P correlates 23 correctly to the original source data as to the 24 location of Segment 2?				
Q With respect to Segment 2, could you tell us what your observations are and what your conclusions are as to whether it constitutes a fault? A This line on the map interpreted as a fault Q So is it your opinion that even well, is it your opinion that the Exhibit 1P correlates correctly to the original source data as to the location of Segment 2?				
what your observations are and what your conclusions 22 it your opinion that the Exhibit 1P correlates 23 are as to whether it constitutes a fault? 23 correctly to the original source data as to the 24 A This line on the map interpreted as a fault 24 location of Segment 2?	21			
23 are as to whether it constitutes a fault? 24 A This line on the map interpreted as a fault 23 correctly to the original source data as to the location of Segment 2?	22			
A This line on the map interpreted as a fault 24 location of Segment 2?	23			
из выдания в деновым на но ином нагкей, най но из А not precisely. There s at the eastern	25		25	A Not precisely. There's at the eastern

43 (Pages 1319 to 1322)

	Page 1323		Page 1325
1	tail there's a there's an upsweep to the line that	1	Q And is it accurate to say this is a general
2	should not be there. It should be sweeping downward.	2	depiction of the strata beneath the TexCom proposed
3	Q And you did not find that in Exhibit 1P. Is	3	site?
4	that correct?	4	A Generally.
5	A Correct.	5	Q In response to Judge Egan's question, let's
6	Q And what does the column "Cut With Wells"	6	use the example of a fault to the far right-hand
7	mean? What significance does that column have in this	7	portion of the documents. Do you find that there?
8	spreadsheet?	8	A Yes.
9	A I wanted to note which which of the	9	Q When you say "cut by a fault," could you
10	interpreted faults between these various source	10	explain in the context of this diagram where the well
11 12		11	would be in relationship to the fault?
12		12	A The fault would be essentially vertical, and
13		13	would cut directly through the plain of the fault or
14		14	the line of the fault.
15	,	15	JUDGE EGAN: You mean the well would
16		16	be
17	1 7	17	WITNESS LANGHUS: Right. Yeah. The
18	7 1	18	borehole would be vertical. So it would intersect
19	C	19	that the line of the fault somewhere along it. And
20	*	20	in that intersection there would be missing strata.
21 22		21	Q (By Mr. Riley) That would be physical
22		22	evidence if a core were taken from that well of the
23		23	existence of a fault, correct?
24	seismic here, but that's another very important	24	A Not so much a core. That would be that
25	locator, a very important determinant for whether or	25	would be asking a lot of the of luck. But in
	Page 1324		Page 1326
1	Page 1324 not a fault is actually exists in the subject area.	1	Page 1326 wireline logs, geophysical logs, it could be found.
2		1 2	
	not a fault is actually exists in the subject area.		wireline logs, geophysical logs, it could be found.
2 3 4	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do	2	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool
2 3	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean?	2	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and
2 3 4	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these	2 3 4	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct?
2 3 4 5 6 7	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That	2 3 4 5 6 7	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were
2 3 4 5 6	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for	2 3 4 5 6 7 8	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if
2 3 4 5 6 7 8 9	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed	2 3 4 5 6 7 8	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this
2 3 4 5 6 7 8	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain,	2 3 4 5 6 7 8	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if
2 3 4 5 6 7 8 9 10	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where	2 3 4 5 6 7 8 9 10	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct.
2 3 4 5 6 7 8 9 10 11	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope	2 3 4 5 6 7 8 9 10 11	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side
2 3 4 5 6 7 8 9 10 11 12 13	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction.	2 3 4 5 6 7 8 9 10 11 12	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a
2 3 4 5 6 7 8 9 10 11 12 13 14	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults	2 3 4 5 6 7 8 9 10 11 12 13	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding
2 3 4 5 6 7 8 9 10 11 12 13 14 15	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in	2 3 4 5 6 7 8 9 10 11 12 13 14 15	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right. If it were a
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side
2 3 4 5 6 7 8 9 0 1 1 1 2 1 3 1 4 5 6 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want
2 3 4 5 6 7 8 9 0 1 1 1 2 1 3 4 5 6 7 8 9 0 1 1 2 1 2 1 2 1 2 1 2 0 2 0 1 2 0 2 0	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction of the various strata below I think perhaps it's up	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want to get into that.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction of the various strata below I think perhaps it's up with the reporter.	2 3 4 5 6 7 8 9 10 11 13 14 15 17 18 19 20 21	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want to get into that. JUDGE EGAN: So the fault caused part of
2 3 4 5 6 7 8 9 0 11 12 13 14 15 16 7 18 9 10 12 12 12 12 12 12 12 12 12 12 12 12 12	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction of the various strata below I think perhaps it's up with the reporter. A I found it.	2 3 4 5 6 7 8 9 10 11 13 14 15 17 18 19 20 21 22	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want to get into that. JUDGE EGAN: So the fault caused part of this to slip downwards?
2 3 4 5 6 7 8 9 0 11 12 13 14 15 6 7 10 20 21 22 23	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction of the various strata below I think perhaps it's up with the reporter. A I found it. Q And, Doctor, have you seen this exhibit	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 20 21 22 23	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want to get into that. JUDGE EGAN: So the fault caused part of this to slip downwards? WITNESS LANGHUS: Correct. Correct.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	not a fault is actually exists in the subject area. JUDGE EGAN: When you say "cut," what do you mean? WITNESS LANGHUS: If it cuts these faults in the Conroe area are all normal faults. That is, the down-thrown side is the direction of dip. There are know reverse faults, thrust faults, the kind that you see in the mountains of Wyoming, for instance, where hard rocks have been compressed together and the fault has made a mountain, essentially. These are all slumping features where the down-thrown side is, like I say, in the down slope direction. And when that those kinds of faults are intersected by wells, there is missing section in the well. And so this is a way to precisely locate the fault and to tell its offset. Q Could you take a look at TexCom Exhibit 72 while we're on this topic? It's the graphic depiction of the various strata below I think perhaps it's up with the reporter. A I found it. Q And, Doctor, have you seen this exhibit previously?	2 3 4 5 6 7 8 9 10 11 13 14 15 17 18 19 20 21 22	wireline logs, geophysical logs, it could be found. Q All right. So you'd put that wireline tool that Dr. Collier and I discussed in the borehole and you would find some layer missing. Is that correct? A Correct. Q Let's proceed, Doctor. Well, actually, one more question, I think, on this. When you were talking about the up-thrown and down-thrown side, if the domal feature were to the right-hand side of this diagram A Correct. Q did I understand you to say that the side of a fault toward the domal feature would be a slumping type fault or am I misunderstanding A No, on the fault itself, the way that the fault is sloping towards the right so that the down-thrown side is on the right. If it were a reverse fault the up-thrown side would be on that side towards the slope. And they exist in I don't want to get into that. JUDGE EGAN: So the fault caused part of this to slip downwards?

44 (Pages 1323 to 1326)

	Page 1327		Page 1329
1	would tilt away from the domal feature? Is that	1	A Yes, sir.
2	A Here it's tilting towards the domal feature.	2	Q And assuming you were correct in how
3	It depends upon just where you are in the dome, what	3	Dr. Collier or the source material for
4	kind of geometry you have, whether or not the fault	4	Dr. Collier again the offset indicates a 30-foot
5	would which way that dip is.	5	excuse me, the column indicates a 30-foot offset,
6	Q I'll come back to that in just a minute for	6	correct?
7	some questions regarding the 4400-foot fault, but	7	A Yes.
8	let's put that aside for now and return to the	8	Q And do you have any opinion as to whether
9	spreadsheet and resume our discussion of Item 3, also	9	that 30-foot offset would be expressed in the
10	8	10	Cockfield the Cockfield formation?
11 12	J	11	A I would find that highly unlikely.
13		12 13	Q Could you explain why?
$\frac{13}{14}$,, ,	14	A Because it would have to express itself
15		15	transmit itself and it's already has a low degree of throw of offset. It would have to express
16		16	itself some 4600 feet into the subsurface, especially
17		17	through that 1100-foot shale layer.
18	1	18	Q Do you know if it's a fault at all based on
19		19	your review of the Exxon materials?
20		20	A No, I do not.
21		21	Q Item No. 4, it seems to did we just did
21 22		22	that?
23		23	A Yeah, we
24		24	Q I apologize. Item No. 5. Again the Exxon
25		25	application of 2002 is the source information. Could
	Page 1328		Page 1330
1	Q In the column labeled "Notes" there are, I	1	you tell us what your observations were regarding this
2	think, a couple of times at least with respect to	2	line drawn by Dr. Collier?
3	the 2002 application by Exxon that there were other	3	A This was located as shown on the on the
4	lines drawn by Exxon on its maps submitted to the	4	source document. It had a throw of 10 feet
5	Railroad Commission. Is that correct?	5	vertical offset of 10 feet.
6	A Correct.	6	Q Is it your opinion, Doctor, that that line,
7	Q And you found those lines that were not	7	even in the Exxon source materials, indicates a fault
8	depicted on Exhibit 1P. Is that correct?	8	in the area of review?
9	A That's correct.	9	A No.
10		10	Q Now, those as we discussed, the horizon
11		11 12	map and the 2002 materials is substantially above the injection zone, correct?
12 13	*	13	A Yes.
14		14	Q Let's move to Item 6. Now I'm sorry,
15		15	let's go back a minute. Mr. Walker was asking some
16		16	questions of a TCEQ witness a short while ago about
17		17	the requirements of the rules and certain rules
18		18	referring to identification of suspected faults. Is
19		19	that correct?
20		20	A That's correct.
21		21	Q And with in particular Mr. Walker asked
22	notation is that it's slightly mislocated, so I assume	22	questions about a rule that I'll have to pull out to
23		23	get the wording exact but it referred to faults in the
24		24	injection zone. Do you know that TCEQ rule?
25	Exhibit 1P. Is that correct?	25	A Yes.

45 (Pages 1327 to 1330)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1331		Page 1333
1	Q And is it your testimony that none of these	1	think they're entitled to be in here by the terms of
2	faults, even if indeed they do exist in the Exxon	2	the order.
3	materials, are in the injection zone?	3	(The following Pages 1334 through 1337
4	A I believe that the two red faults as shown on	4	are CONFIDENTIAL and have been separately bound.)
5	1P probably do cut the injection zone.	5	,
6	Q Okay. I'm sorry, I was referring to the	6	
7	orange lines. I should have been more clear.	7	
8	A I'm sorry. No.	8	
9	Q Let's move to the light green lines drawn by	9	
10	Dr. Collier from his Geomap information. Is it your	10	
11	understanding, Dr. Langhus, that Geomap is public	11	
12	information?	12	
13	A No, it's not. It's proprietary.	13	
14	Q In spite of the fact that it's not publicly	14	
15	available in my understanding of how this information	15	
16	was obtained, have you reviewed that material as part	16	
17	of this case?	17	
18	A I did.	18	
19	JUDGE EGAN: Now, I don't expect to go	19	
20	very deeply into this, but it is subject of the	20	
21	protective order. Is there any request to invoke the	21	
22	protective order by the party offering this Geomap	22	
23	evidence and clear the room?	23	
24	MR. WALKER: Your Honor, I don't know	24	
25	that it needs to be invoked. I believe it's the order	25	
	Page 1332		Page 1338
1	adopted by this Court that we must abide by.	1	Q (By Mr. Riley) Let's move on to Item No. 10.
2	JUDGE EGAN: You're going to be asking	2	Again, I think you were present during the testimony
3	questions those of you who were excused yesterday	3	of Dr. Collier when he explained that he thought that
4	or are there any you'll need to clear the room.	4	as time has progressed that tools available to
5	A protective order regarding certain documents has	5	geologists have also progressed and that more recent
6	already been issued, so only the parties may consider	6	information is, I guess, more accurate as a result of
7	those. So if you're not or hear information about	7	improved technology. Were you here for that
8	this. So if you're not a party, you'll need to be	8	discussion?
9	excused. Is everybody else that's here was there	9	A I believe that was his testimony.
10	only one person?	10	Q And as it pertains to the upper Cockfield or
11	Could the attorneys take a look around	11	any mapping done by Exxon in the upper Cockfield is
12	and see if there's anyone else that may need to be	12	the 1996 Exxon application the most recent information
13	excused?	13	for the upper Cockfield?
14	MR. RILEY: Everyone that I see that I	14	A As far as I know that's the most recent
15	recognize is a party to the case and covered under the	15	public information supplied by Exxon.
16	protective order, at least from folks I'm working	16	Q And it seems as though that's also the
17	with.	17	most recent in at least in Dr. Collier's submitted
18	JUDGE EGAN: Then, Mr. Walker, do you	18	materials or things that he relied on, 1996 is the
19	have any concerns anybody is in here that would	19	most recent as well, correct?
20	violate your protective order that's been issued for	20	A Except for the Exxon 2002, which was much
21	your on your behalf or your client's behalf?	21	higher
22	MR. WALKER: I don't know everyone, Your	22	Q I'm sorry, I left out "in the upper
23	Honor, but I'm assuming that if they're here it's	23	Cockfield" in that question.
24	because they're a party or they are associated with	24	A Correct.
25	the party as an employee or agent. Beyond that I	25	Q Now, with respect then to the upper Cockfield

46 (Pages 1331 to 1338)

	Page 1339		Page 1341
1	and the Exxon information, is the area of review	1	A No, they've been on on Exhibit 1P they've
2	mapped in the 1996 Exxon application?	2	been shifted slightly to the west.
3	A Yes.	3	Q I think I left off with Item No. 12 showing,
4	Q And am I correct, Doctor, that the light blue	4	as best you can interpret the Exxon data, a 10-foot
5	lines that are from the 1972 Exxon application are not	5	offset?
6	found in the 1996 Exxon application?	6	A Correct.
7	A A great many of them are not, especially	7	Q Would you interpret that as a fault?
8	those north of the what's been referred to as the	8	A No.
9	4400-foot fault marked as No. 1 no, marked as No.	9	Q The next set of lines drawn on Exhibit 1P
10		10	which we've labeled as a color robin's egg I don't
11		11	know how that started; light blue seems it would have
12	\mathcal{C}	12	done but we're going to continue with robin's egg.
13	\mathcal{E}	13	The robin's egg color, as I just said, are identified
14	11	14	lines, I suppose, on the Humble application in 1972,
15		15	correct?
16		16	A That is correct.
17	~ 0 /	17	Q And did you do a similar review of the lines
18	J .	18	drawn on Exhibit 1P in comparison to the 1972
19		19	information?
20	' 1	20	A I did.
21		21	Q Let's talk in order, then, beginning with
22 23		22	robin's egg labeled Segment 13. I guess the first
23		23	question I have for you, Doctor, this is an attempt
24		24	or it does map a horizon for Exxon's purposes in that
25	based on the Exxon materials?	25	application in the upper Cockfield sand, correct?
	Page 1340		Page 1342
1	A According to the Exxon map there was no	1	A There are six maps that are included in their
2	offset.	2	application dated 1972, and all six of them are within
3	Q In your opinion, Doctor, would Line No. 10 or	3	the upper Cockfield sands.
4	Segment No. 10 constitute a fault?	4	Q Are they at different horizons within the
5	A No.	5	upper Cockfield?
6	Q Let's talk about Line No. 11. Is there any	6	A Yes.
7	indication of offset in the Exxon materials for Line	7	Q Do any of them extend down into the lower
8	No. 11?	8	Cockfield?
9	A I couldn't find any.	9	A There are none that extend even into the
10		10	middle, so certainly not into the lower.
11		11	Q Tell me your observations regarding Segment
12	C	12	13?
13		13	A This seems to be correctly located. On the
14	•	14	map Exhibit 8, which is the shallowest of the
15	· ·	15	Cockfield maps, it's shown with an offset of less than
16		16	25 feet. As you go down approximately 50 feet to the
17		17	Humble Exhibit 9, the interpreted offset is
18		18	approximately 40 feet. As you go down another
19		19	approximately 50 feet to Exhibit 10, the offset is
20	±	20	the interpreted offset is 50 feet.
21	V 11 11	21	As you get to Exhibit 11, a little bit
22		22	farther down into the upper Cockfield, the offset is
23		23	less than 10 feet. And in the Exhibit 12 there is no
24 25		24 25	fault shown on that map, even though there is control there is well control in the area and no
ر ے	iocation fucitified by Exaon on Exhibit 17 (ĽĴ	control there is well control in the area and no

47 (Pages 1339 to 1342)

	Page 1343		Page 1345
1	fault is shown.	1	consistent amount of throw through that through
2	Q Doctor, let's go over what well control is	2	that area.
3	just so your statement is clear. What is well control	3	Q So again, based on your evaluation of the
4	in the context of identifying faults?	4	Humble I'm sorry, I keep calling it Exxon, but this
5	A Within the Conroe field, Exxon and most other	5	is Humble at the time in 1972. Is it your opinion
6	people looking at this field will be mapping mainly	6	that Segment 13 identifies or is a fault in the area?
7	from well control, which means the tops of, say, the	7	A No.
8	1B sand in these various wells. And they'll be	8	Q Okay. Is there anything about Segment 14 and
9	looking at just what the structure is, what the	9	the Exxon back-up material that you reviewed that
10		10	would lead you to a different conclusion? In other
11		11	words, is Segment 14 a fault in your opinion?
12		12	A No.
13		13	Q Was there data available for Segment 14 in
14		14	the lower part of the upper Cockfield?
15		15	A There was well control on the Exhibit 11, and
16		16	it shows no fault at Line 14. Below Exhibit 11 there
17		17	was no well control.
18		18	Q I think we certainly covered Segment 14A with
19		19	Dr. Collier and he withdrew his that segment I
20		20	think live here in the hearing that he
21	difference of some 40 or 50 feet even that that	21	misinterpreted a contour line as a fault. Do you
22		22	remember that testimony.
23	that a fair statement?	23	A I do.
10 11 12 13 14 15 16 17 18 19 21 22 23 24 25	A It requires interpretation, yes.	24	Q Let's move to 14B then. Again, same series
25	Q And Dr. Collier, I believe, when I was asking	25	of questions regarding 14B. Is it your opinion that
	Page 1344		Page 1346
1	him questions about these faults or his identification	1	14B in the segment drawn on Exhibit 1B by Dr. Collier
2	of these faults indicated that there was no data for	2	constitutes or indicates a fault?
3	Humble Exhibit 12 in the lower part of the upper	3	A No.
4	Cockfield. Is that your understanding of the Exxon	4	Q And could you explain further?
5	materials?	5	A The same the same reasoning, inconsistent
6	A There is reduced coverage in the in	6	throw, no fault cuts within wells, and the fact that
7	Exhibit 12. But in the case of Fault No or Line	7	Exhibit 12 that has adequate well control shows no
8	No. 13 there is coverage.	8	fault being present.
9	Q So there would be data available, and that	9	Q And, Doctor, I hope I didn't neglect to ask
10		10	you, you reviewed the 1972 information in both the
11		11	preparation of the application and in preparation of
12		12	your testimony both previously and here today,
13	•	13	correct?
14	· ·	14	A I did.
15	C	15	Q If I went down through each of these segments
16	1	16	beginning with item I think I left off at 14B
Τ./		17	Item 15 through 24 well, actually, let's do 15
TЯ		18	through 19.
11 12 13 14 15 16 17 18 19 21 22 23 24	/ 3	19	The notations in the columns under the
∠U o 1		20	various headings, your opinion as to your
7 T	, , , , , , , , , , , , , , , , , , , ,	21	observation I'm sorry, are they consistent with
22 22		22	your observations of the Exxon source materials?
23 04	, ,	23	A Yes, sir.
2 1		24	Q And do Items 15 through 19 in your opinion,
25	interpretation of a fault, you would like to see a	25	Doctor, constitute faults in the area of review?

48 (Pages 1343 to 1346)

	Page 1347		Page 1349
1	A No.	1	A I'm not quite sure the work was done by
2	Q Could you explain your reasoning on 15	2	for Tidewater Oil Company. I am not sure why it was
3	through 19, and please highlight any specific	3	done.
4	differences between or among those wells excuse	4	Q All right. Were the segments identified in
5	me, those segments?	5	the Don Carlos 1953 study also found in the 1996 Exxon
6	A The similar similar criteria that I've	6	materials?
7	been referring to before, the minor or inconsistent	7	A There is some excuse me some similarity
8	offset, the fact that the faults are not consistently	8	but some discontinuity.
9	interpreted with depth, and the fact that none of	9	Q All right. The again, let's look at Item
10	5	10	25 then, the dark blue segment identified in Exhibit
11	1 1 5	11	74 as Segment 25?
12	1 1	12	A Yes.
13	\mathcal{E}	13	Q Could you help me locate that since you
14		14	A Over there towards the towards the east
15		15	side, just below the actually in between the two
16	1	16	red faults.
17	Č ,	17	Q Running north-south more or less?
18		18	A Running north-south.
19	`	19	Q With a segment kicking off to the west?
20	1	20	A Yes.
21 22 23		21	Q And did you review the source materials for
22		22	that segment?
23		23	A I did.
24	· C	24	Q Did you determine, based on those source
25	for Item 21 or Segment 21 that you could find	25	materials, an offset associated with that fault?
	Page 1348		Page 1350
1	something that might have been that segment in the	1	A Approximately 50 feet.
2	Exxon materials, but it appeared to be mislocated?	2	Q Now, I see in the in the notation I
3	A I might have.	3	think I'm sorry, the column heading is "Depth,"
4	Q But that would be a matter of interpreting	4	that it appears that Don Carlos was mapping faults in
5	the Exxon materials differently from the way Dr.	5	the Jackson shale. Is that correct?
6	Collier did in Exhibit 1P, and for our purposes all	6	A It's difficult to interpret just where the
7	you did was indicate that it's mislocated and not on	7	he was he was mapping a what he called a
8	the Exxon materials?	8	radioactive horizon, which usually means a blip on a
9	A Correct.	9	curve on the geophysical wireline logs and just where
10	•	10	that was. If he's talking about 150 feet above the
11		11	main pay, main Cockfield pay, then he's still in the
12	•	12	upper Cockfield.
13	J 1	13	If he's talking about the top of the
14		14	Cockfield formation, top of the Yegua, then he's
15		15	talking about a marker that's just barely into the
16	Č	16	Jackson.
17		17	Q You used a term that I hadn't heard used in
18	•	18	the hearing previously, top of the pay. Could you
19	•	19	explain what that means?
20		20	A Top of the oil productive section.
21		21	Q I suspected that's what it was. Was there a
22 23		22	throw or offset associated based on the Don Carlos
23		23	materials with Segment 25?
24 25		24	A Fifty feet.
25	know, for the 1953 source information.	25	Q Is it your opinion, Doctor, that Segment 25,

49 (Pages 1347 to 1350)

	Page 1351		Page 1353
1			
1 2	as identified by Don Carlos, indicates a fault in the	1 2	depicted based on the Don Carlos map on Exhibit 1P?
3	area of review?	3	A I think it's been mislocated. It should have more of a direction towards the towards the
	A No.		
4	Q And what is your reasoning?	4	southwest. That's how it's shown on the Don Carlos
5	A Same reasoning, not cut by a fault I'm	5	source map.
6	sorry, not cut by a well to locate it correctly and	6	Q Is that to say that the curve on the I
7	the amount of offset is minimal.	7	guess the western side
8	Q All right. But I assume your answer well,	8	A Right.
9	let me explore the location of Segment 26 on the	9	Q is not indicated on the Don Carlos map?
10	1 /	10	A Correct.
11	1 3	11	Q So the shape is at least off from what Don
12	J 1	12	Carlos drew in 1953?
13		13	A Yes, sir.
14	, <i>C</i>	14	Q Again, the throw indicated or I'm sorry,
15		15	we use the word offset in the column offset
16		16	indicated by Don Carlos in 1953?
17		17	A 10 to 20 feet.
18		18	Q Was that again using this radioactive
19		19	marker
20	ν υ	20	A Yes.
21	/ J	21	Q methodology?
22		22	A Yes.
23		23	Q Would you think that radioactive marker
24	1 2	24	methodology is accurate to determine a fault of 10 to
25	A Correct.	25	20 feet difference?
	Page 1352		Page 1354
1	Q The remainder of that segment I think we've	1	A No.
2	identified as 26. Could you describe your	2	Q Segment 28 is a it's to the right-hand
3	observations regarding that particular segment?	3	side of the document near the highlighted section of
4	A In the throw is is interpreted to be	4	Segment 26. Do you find that?
5	50 feet, and I don't believe it's there. It's an	5	A Yes.
6	interpretational fault.	6	Q Is it at least were you able to find that
7	JUDGE WALSTON: Could I ask a quick	7	on the Don Carlos map?
8	clarifying question?	8	A Yes.
9	MR. RILEY: Of course.	9	Q Same methodology used by Don Carlos in that
10	JUDGE EGAN: I thought you said part of	10	instance regarding Segment 28?
11		11	A Correct.
12	on mine.	12	Q And the what are your observations
13	MR. RILEY: I think if you follow it all	13	regarding I'm sorry, what is the offset indicated
14		14	by the Don Carlos source material?
15		15	A 50 feet as interpreted on the Carlos map.
16		16	Q Okay. And is it your opinion, Doctor, that
17		17	50 feet, using a radioactive marker, as opposed to a
18		18	well that cuts that line or cuts that fault, is an
19		19	accurate way to identify and depict a fault in the
20		20	area of review?
21		21	A No, because there are no wells that do cut
22		22	this fault. If there had been a well or wells cutting
23		23	this fault, then it would be a credible mapping tool.
24		24	Q Do you rely exclusively on the summaries of
25		25	the information contained in these source documents or
_			

50 (Pages 1351 to 1354)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	AII DOCKEI NO. 302-07-2073		CEQ DOCKET NO. 2007-0204-WDW
	Page 1355		Page 1357
1	sources that we've been discussing?	1	you think 30 and 31 are the only two actual faults
2	A I'm sorry, the summaries?	2	that can be or that should be considered in this
3	Q Yes, the summaries, the reports themselves.	3	application?
4	Or did you look further into the back-up data or	4	A There are three primary criteria that I'm
5	information available in the Railroad Commission	5	going on. These are the only faults that are shown on
6	files?	6	all of the public deep maps. No. 2, these are the
7	A I have not looked at the the back-up	7	only faults that cut through that cut through the
8	material would be well logs, geophysical well logs.	8	upper Cockfield member. They are the only faults with
9	And I have not I have looked at some of those for	9	offsets over 60 feet interpreted offsets over 60
10	the application, but not by any means all of the	10	feet and they are the only faults that have well
11	geophysical logs.	11	cuts?
12	Q All right. Let's talk about Item 29 or	12	Q And with all that you've heard and all that
13	Segment 29. Segment 29 appears to actually coincide	13	you've reviewed in this case, all that you heard in
14	with one of the faults that you identified as in the	14	testimony and all that you've reviewed in preparation
15	area of review. Is that correct?	15	for this testimony, is it still your opinion that you
16	A That's correct.	16	have accurately identified the faults that are
17	Q And is it indicated or is the offset	17	responsive to the TCEQ requirements in the UIC
18	indicated in the Don Carlos materials?	18	program?
19	A Yes. It appears to be approximately	19	A Yes.
20 21	400 feet.	20	Q Those would be faults 30 and 31, correct?
21	Q Is that consistent with your interpretation	21	A Correct.
22 23	of information in the application?	22	Q 30 and yes.
23	A Yes. Yes. The fault labeled as 31, which is	23	A Yes, 30 and 31.
24	the southerly red fault at the edge of the AOR has a	24	Q Doctor, switching gears just a bit on
25	very high a very large amount of offset, 2 to	25	subjects, were you here yesterday when Mr. Grant
	Page 1356		Page 1358
1	400 feet in places.	1	testified that there is a way to determine whether
2	Q That is significantly more than many of the	2	there is a nontransmissive and transmissive or
3	other offsets that at least Dr. Collier I'm sorry,	3	transmissive fault 4000 feet to the southeast of the
4	that you've identified as we've gone through the	4	wellbore that we've been referring to as WDW-315 or
5	various segments, correct?	5	410, depending on when we're talking about it?
6	A Correct.	6	A Yes.
7	Q Do you know if that segment was cut by a well	7	Q And that's through a Fall-off test after the
8	to use, I think, your terminology?	8	well has been reperforated and the area of
9	A Along the along the length of it it has	9	investigation radius of investigation could go out
10	been. Whether or not Segment 29 has been cut by a	10	farther than 4400 feet.
11	well, I don't know.	11	A Yes.
12	Q Okay. Now, finally, we come to Segments 30	12	Q That your understanding?
13	and 31, which are the faults that you identified as	13	A Yes, sir.
14	part of your work on the TexCom application that you	14	Q And would you agree with Mr. Grant that the
15	think are the two faults in the area of review is that	15 16	answer, so to speak, as to whether the fault is
16 17	correct?	17	transmissive or not could be gained by that type of
1 / 18	A Correct.	18	testing?
18 19	Q And by the way, before we go on there, all of what we've been discussing since we left the	19	A It could be. Q And is it your understanding, based on what
20	orange-colored lines on Exhibit 1P have been various	20	Q And is it your understanding, based on what you've heard, that the TCEQ would require or could
	attempts to map in the upper Cockfield. Is that	21	require a Fall-off test with that far a radius of
21 22	correct?	22	investigation?
22 23	A That is correct.	23	A They could require that.
23 24	Q Explain, if you would there aren't notes	24 24	Q Let's talk about the transmissivity of that
25 25	in the right-hand column. Explain, if you would, why	25	fault. And let's be clear, first, whether you believe
	in the fight hand column. Explain, if you would, willy	ريخ	runt. This ices be clear, first, whether you believe

51 (Pages 1355 to 1358)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	DOCKET 140: 302 07 2073	_	edę boekdi wo. 2007 ozoi wow
	Page 1359		Page 1361
1	that that fault is transmissive vertically from the	1	Conroe field? What did you rely on?
2	upper Cockfield or, sorry, let's not limit it to	2	A I relied on Humble Exxon documentation, for
3	the upper Cockfield from the Cockfield up through	3	instance, on the their exhibits with the 1972
4	the Jackson shale into the USDW. Do you have an	4	application to the Railroad Commission. The original
5	opinion as to whether that fault is vertically	5	oil-water contact is marked on these maps.
6	transmissive as I just described it?	6	Q And it that at a depth that you just
7	A I do not think that it is transmissive	7	described as 49 something? I couldn't
8	through the Jackson shale.	8	A Minus 4990. That's the elevation.
9	Q Okay. Within the various layers of the upper	9	Q And is that from sea level?
10	, ,	10	A That's correct.
11		11	Q All right. So if I understand correctly,
12	6 11	12	there was data in the materials that you reviewed for
13		13	this application and prior to your testimony that gave
14	,	14	conditions of a reservoir on both sides of the
15		15	4400-foot fault I'm sorry, the fault that we've
16		16	been calling the 4400-foot fault.
17	,	17	A Correct.
18 19	<i>C</i> ,	18 19	Q And based on your review of that information,
20		20	the oil-water contact on both sides was at the same depth. Am I understanding correctly?
21		21	A That is correct.
22		22	Q And is it your testimony then that that is
22 23		23	indicative of a transmissive nature of the fault in
24		24	the upper Cockfield?
25	shale, the other being that this eocene marine shale	25	A Yes, it is. It's not 100 percent proof; it's
	Page 1360		Page 1362
1	has very little strength to it. You've heard several	1	not bullet proof, but it certainly is a strong
2	people refer to it as playdough or similar and I think	2	indication.
3	that's correct. And the ability for rocks of these	3	Q Could you explain a little bit further why
4	constituents or of this consistency to maintain an	4	that's a strong indication? Could it just be
5	open vertical fault would be zero.	5	happenstance that the two oil-water contacts are at
6	The fact that I do think that this fault	6	the same depth?
7	has some sort of transmissibility within the upper	7	A It could be it's the oil-water contact
8	Cockfield is evidenced by the original oil-water	8	has to be something on both sides of the fault and
9	contact, at least in the northern part of the Conroe	9	just by luck it could be the same. However, this
10		10	doesn't usually happen with the accuracy of a foot or
11		11	two. The fact that they are identical is a strong
12	•	12	argument to show that they were in communication.
13	<i>C</i> ,	13	Q What I'm imagining, Doctor, is the reservoir
14		14	being identified, let's say, in the upper Cockfield
15		15	based on the diagram that we've previously introduced
16		16	as TexCom Exhibit 72 I think you have that out in
17		17	front of you
18 10		18 19	A Yes.
19 20	· •	20	Q But first let's start with if I if we
20 21		20 21	could, actually, take a cross section of the subsurface as attempted to be depicted in Exhibit
21 22		22	72 would it be would the lines be horizonal? In
23		23	other words horizontal to the horizon?
24		24	A No, no, the the stratigraphic boundaries,
25		25	say, between the Jackson shale and the upper Cockfield

52 (Pages 1359 to 1362)

	Page 1363		Page 1365
1	would be would be slightly rising to the right	1	contact. I'm just imagining those layers shifting as
2	side. That's the culmination of the dome is off the	2	depicted on this diagram. If they're 30 to 40 feet
3	right-hand side off of the cross section.	3	thick and you shift them a hundred feet, they're no
4	Q So if I tip this just a little bit, then that	4	longer in contact. Is that correct?
5	would be a more accurate depiction of how the actual	5	A Correct.
6	strata are sloped?	6	Q What would be in contact, if anything, then
7	A Correct.	7	along the fault plane in the Cockfield formation?
8	Q And do you remember the discussion I had with	8	A In the middle and lower you would have sands
9	Mr. Grant yesterday about an attic?	9	on one side being in contact with either thin sands or
10		10	thin shales or both.
11	, ,	11	Q Would you expect at least that those thin
12		12	those sand contacts, the contact contacts that are
13	8 8 8 8 8 8 8 8 8 8 8 8 8	13 14	depicted in Exhibit 72 could be transmissive as
14 15	\mathcal{U}	15	between the lower Cockfield and the middle Cockfield,
16	11	16	the middle Cockfield and upper Cockfield? A Yes.
17		17	JUDGE EGAN: Mr. Riley, about how much
18		18	longer do you have?
19		19	MR. RILEY: I'm just about done. Two or
20		20	three minutes.
21		21	JUDGE EGAN: Okay. That's fine. I was
22		22	just going to take an afternoon break.
23		23	MR. RILEY: Okay. Yeah, I think I'll be
24	11	24	done and then maybe that would be
25		25	JUDGE EGAN: Okay.
	Page 1364		Page 1366
1	by faulted Jackson shale.	1	JUDGE WALSTON: I just want to ask a
2	Q So the and we're looking at the little	2	clarifying question
3	contact or corner I don't know if you can see all	3	MR. RILEY: Of course.
4	the way down there but if I tilt the diagram a	4	JUDGE WALSTON: and I think you
5	little bit, I can imagine at least a roof top and an	5	clarified it just then. When you've been talking
6	attic	6	about the fault being transmissive in the upper
7	A Right.	7	Cockfield, does that mean it's transmissive also
8	Q in that area. Would you expect that attic	8	between the lower Cockfield to the middle and then
9	to form at lower strata as for instance, the middle	9	from the middle to the upper?
10		10	WITNESS LANGHUS: I would think so.
11		11	JUDGE WALSTON: Is that your opinion?
12	if there was a sufficient shale to trap at the oh,	12	WITNESS LANGHUS: Yes.
13	I'm sorry. In the middle Cockfield, no; or lower	13	JUDGE WALSTON: Okay.
14	Cockfield, no, there has not been hydrocarbon trapped	14	WITNESS LANGHUS: Of course, for that I
15		15	have no evidence, but
16	,	16	Q (By Mr. Riley) And that goes back to some of
17		17	what we talked about, that a Fall-off test would at
18		18	least show whether it's a boundary?
19		19	A Yes.
20		20	Q And Mr. Grant suggested that the fault is not
21	1 6 11	21	transmissive and is a boundary, and that was his
22		22	interpretation based upon what he believed the
23		23	layers the shale content and layers to be and what
24		24	phenomena would occur as those layers shifted, mainly
25	fault plain, the shale layers would no longer be in	25	smearing, correct?

53 (Pages 1363 to 1366)

1 A Correct. 2 Q Is it equally likely in your opinion that shere isn't sufficient shales in those layers for the smearing to prevent transmission between the lower Cockfield and the middle Cockfield and the upper Cockfield? A It's my opinion that that's quite likely. Q All of these opinions, though, could be borne on way or the other by a Fall-off test affer the well is reperforated in a radius of investigation that exceeds the distance of the fault? A Correct. MR. RILEY: If I could just have one second— MR. RILEY: If I could just have one second— JUDGE WALSTON: All right. We've back on the record. MR. RILEY: If I could just have one self-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled Texcom Exhibit 76 and I'll put it in the record. MR. RILEY: I said I offer it into evidence. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? MR. RILEY: I said I offer it into evidence. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: All right. We've back on the record. MR. RILEY: I've finished with the witness. I have one exhibit that I think is self-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled Texcom Exhibit 76 and I'll put it in the record. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: Any objections to Texco Exhibit No. 76 admitted. The correct of the deposition taken of the witness. I have one exhibit that I think is an excerpt of the de			_	
2		Page 1367		Page 1369
there isn't sufficient shales in those layers for the smearing to prevent transmission between the lower Cockfield and the upper Cockfield and the middle Cockfield and the upper Cockfield? A It's my opinion that that's quite likely. Q All of these opinions, though, could be borne one way or the other by a Fall-off test after the well is reperforated in a radius of investigation that exceeds the distance of the fault? A Correct. MR. RILEY: If I could just have one second JUDGE WALSTON: All right. While you do that may one mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to correct? A Correct. If there were sands in contact with sands across the fault, there would be some transmissivity. It is contact with shale, there would be not transmissivity. 2 Q But just because we talk about these things	1	A Correct.	1	MR. RILEY: All right. Thank you,
4 smearing to prevent transmission between the lower 5 Cockfield and the middle Cockfield and the upper Cockfield? A It's my opinion that that's quite likely. Q All of these opinions, though, could be borne on evay or the other by a Fall-off test after the well is reperforated in a radius of investigation that exceeds the distance of the fault? A Correct. Mr. RiLey: If I could just have one second	2	Q Is it equally likely in your opinion that	2	Dr. Langhus. I have no further questions.
5 Cockfield and the middle Cockfield and the middle Cockfield and the upper Cockfield. That's quite likely. 8 Q All of these opinions, though, could be borne one way or the other by a Fall-off test after the well is reperforated in a radius of investigation that exceeds the distance of the fault? 11 exceeds the distance of the fault? 12 A Correct. 13 MR. RILEY: If I could just have one second 14 JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may have confused myself. 15 JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to, You're talking about a horizontal transmissiveness? 14 JUDGE WALSTON: Okay. That clarifies it then. 15 JUDGE WALSTON: Okay. That clarifies it then. 16 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. 16 MR. RILEY: Well, it gets a little confusing and may be make it more confusing. 17 A Correct. 18 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. 19 Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault dia	3 t	there isn't sufficient shales in those layers for the	3	JUDGE EGAN: All right. We'll take a
6 Cockfield and the upper Cockfield? 7 A It's my opinion that that's quite likely. 8 Q All of these opinions, though, could be borne 9 one way or the other by a Fall-off test after the well 10 is reperforated in a radius of investigation that 11 exceeds the distance of the fault? 12 A Correct. 13 MR. RILEY: If I could just have one 14 second 15 JUDGE WALSTON: All right. While you do 16 that, I'm going to reask my question because I may 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you 19 mean by when you say it's transmissive in the upper 20 cockfield. That's what you kept referring to. You're 21 talking about a horizontal transmissiveness? 22 WITNESS LANGHUS: Yes, yes. 23 JUDGE WALSTON: Okay. That clarifies it 24 then. 25 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 2 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 4 horizontal because the sands are now in contact, 5 correct? 7 A Correct. If there were sands in contact with sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 11 total the upper Cockfield. That's what you kept referring to. 12 Total Review and the witness. I have one exhibit that I think is self-authenticating and admissible on its face, which is self-authenticating and admissible on its face, which is self-authenticating and admissible on its an except of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put in the record. 19 JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: As? MR. HILL: We have no questions for the witness, I have one exhibit that I think is self-authenticating and admissible on its face, which is sene record. The total review and admissible on	4 s	smearing to prevent transmission between the lower	4	10-minute break, come back at 25 til.
A It's my opinion that that's quite likely. Q All of these opinions, though, could be borne one way or the other by a Fall-off test after the well one way or the other by a Fall-off test after the well cexceeds the distance of the fault? A Correct. MR. RILEY: If I could just have one second JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may have confused myself. MR. RILEY: Okay. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? WITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to horizontal because the sands are now in contact, correct? A Correct. A Correct. MR. RILEY: I've finished with the witness. I-have one exhibit that I think is self-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: You'll what? I'm sorry. MR. RILEY: TexCom Exhibit 76 and I'll put it in the record. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page A Correct. MR. RILEY: We have no questions for the witness. I-have one exhibit that I think is self-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. JUDGE EGAN: As? MR. RILEY: I said I offer it into evidence. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) The value of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in	5 (Cockfield and the middle Cockfield and the middle	5	(Recess: 4:22 p.m. to 4:37 p.m.)
definition one way or the other by a Fall-off test after the well one way or the other by a Fall-off test after the well is reperforated in a radius of investigation that exceeds the distance of the fault? A Correct. 12 MR. RILEY: If I could just have one second 14 second 15 JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may 10 JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may 10 JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper 20 mean by when you say it's transmissive in the upper 21 talking about a horizontal transmissiveness? 22 JUDGE WALSTON: Okay. That clarifies it 25 then. Page 1368 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 2 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be borne one way or the other by a Fall-off test after the well witness. I have one exhibit that I think is welf-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page 1368 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. A Correct: If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little	6 (Cockfield and the upper Cockfield?	6	(TexCom Exhibit No. 76 marked)
definition one way or the other by a Fall-off test after the well one way or the other by a Fall-off test after the well is reperforated in a radius of investigation that investigation that the exceeds the distance of the fault? A Correct. 12 A Correct. 13 MR. RILEY: If I could just have one 13 Second 14 Second 15 JUDGE WALSTON: All right. While you do 16 that, I'm going to reask my question because I may 17 have confused myself. 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper 20 mean by when you say it's transmissive in the upper 21 talking about a horizontal transmissiveness? 22 JUDGE WALSTON: Okay. That clarifies it 25 then. 25 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 the top of the little fault diagram you have sands in 10 contact with shale, there would be no transmissivity. 15 up the appear and admissible on its face, which witness. I have ence whibit that I think is self-authenticating and admissible on its face, which witness. I have ence whibit that I think is self-authenticating and admissible on its face, which is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put in the record. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objecti			7	JUDGE EGAN: All right. We've back on
9 one way or the other by a Fall-off test after the well 10 is reperforated in a radius of investigation that 11 exceeds the distance of the fault? 12 A Correct. 13 MR. RILEY: If I could just have one 14 second 15 JUDGE WALSTON: All right. While you do 16 that, I'm going to reask my question because I may 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you 19 mean by when you say it's transmissive in the upper 20 mean by when you say it's transmissive in the upper 21 Cockfield. That's what you kept referring to. You're 22 talking about a horizontal transmissiveness? 23 WITNESS LANGHUS: Yes, yes. 24 JUDGE WALSTON: Okay. That clarifies it then. 25 Then. 26 MR. RILEY: Well, it gets a little 27 Cockfield. That's what you kept referring to. You're 28 WITNESS LANGHUS: Yes, yes. 29 WITNESS LANGHUS: Yes, yes. 20 WITNESS LANGHUS: Yes, yes. 21 JUDGE WALSTON: Okay. That clarifies it then. 25 Then. 26 MR. RILEY: Well, it gets a little 27 Correct: 28 MR. RILEY: Well, it gets a little 29 confusing. And I'm sorry, Judge, let me try to 20 clarify and maybe make it more confusing. 40 Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, for correct: 41 A Correct. If there were sands in contact with sands across the fault, there would be some there 42 would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. 41 Cy By By MR. WALKER: 42 Day By MR. WALKER: 43 Correct. 54 Correct. 55 Correct. 65 Correct. 66 Correct. 76 Correct. 77 A Correct. If there would be some there 96 would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in the top of the deposition taken of the deposition taken of the de	8	Q All of these opinions, though, could be borne	8	
is reperforated in a radius of investigation that exceeds the distance of the fault? A Correct. MR. RILEY: If I could just have one second JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may have confused myself. MR. RILEY: Okay. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? MR. RILEY: Ive finished with the witness. I have one exhibit that I think is self-authenticating and admissible on its face, which is an except of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. JUDGE EGAN: Avo'll what? I'm sorry. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to a clarify and maybe make it more confusing. A Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. A Correct. A Correct. A Correct. MR. RILEY: Ive finished with the witness. I have one exhibit that I think is self-authenticating and admissible on its face, which is an except of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. JUDGE EGAN: As? MR. RILEY: Tve finished with the witness. I have one exhibit that I think is self-authenticating and admissible on its face, which is an except of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. JUDGE EGAN: As? MR. RILEY: Tve finished in this matter. It's been labeled TexCom Exhibit 76 and Till put it in the record. JUDGE EGAN: As? MR. RILEY: Tve finished in this matter. It's been labeled TexCom Exhibit 76 and Till put it in the record. J	9 (9	Mr. Riley, have you finished with the
1 exceeds the distance of the fault?			10	
A Correct. 12 MR. RILEY: If I could just have one 12 second			11	
14 second 15 JUDGE WALSTON: All right. While you do 16 that, I'm going to reask my question because I may 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you 20 mean by when you say it's transmissive in the upper 21 Cockfield. That's what you kept referring to. You're 22 talking about a horizontal transmissiveness? 23 WITNESS LANGHUS: Yes, yes. 24 JUDGE WALSTON: Okay. That clarifies it 25 then. Page 1368 1 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, correct? 7 A Correct. If there were sands in contact with sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on the top of the ititle fault diagram you have sands in contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 1 is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. 1 JUDGE EGAN: You'll what? I'm sorry. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: As? 1 IJUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is admitted. 1 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? 2 MR. HILL: We have no questions for the witness, Your Honor. 3 MR. HILL: We have no questions for the witness, Your Honor. 4 Witness, Your Honor. 5 MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 CROSS-EXAMINATION 12 DATE THE COMMENT IN THE COMMENT IN THE COMMENT IN THE COMMENT IN T		A Correct.	12	witness. I have one exhibit that I think is
14 second 15 JUDGE WALSTON: All right. While you do 16 that, I'm going to reask my question because I may 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you 20 mean by when you say it's transmissive in the upper 21 Cockfield. That's what you kept referring to. You're 22 talking about a horizontal transmissiveness? 23 WITNESS LANGHUS: Yes, yes. 24 JUDGE WALSTON: Okay. That clarifies it 25 then. Page 1368 1 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, correct? 7 A Correct. If there were sands in contact with sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on the top of the ititle fault diagram you have sands in contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 1 is an excerpt of the deposition taken of Dr. Collier in this matter. It's been labeled TexCom Exhibit 76 and I'll put it in the record. 1 JUDGE EGAN: You'll what? I'm sorry. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is and I'll put it in the record. 1 JUDGE EGAN: As? 1 JUDGE EGAN: As? 1 IJUDGE EGAN: Any objections to TexCo Exhibit No 76? 1 It is admitted. 1 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? 2 MR. HILL: We have no questions for the witness, Your Honor. 3 MR. HILL: We have no questions for the witness, Your Honor. 4 Witness, Your Honor. 5 MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 CROSS-EXAMINATION 12 DATE THE COMMENT IN THE COMMENT IN THE COMMENT IN THE COMMENT IN T		MR. RILEY: If I could just have one	13	
15 JUDGE WALSTON: All right. While you do that, I'm going to reask my question because I may have confused myself. 17 have confused myself. 18 MR. RILEY: Okay. 19 JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? 19 JUDGE WALSTON: Okay. That clarifies it then. 10 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to doctarify and maybe make it more confusing. 10 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to doctarify and maybe make it more confusing. 21 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to doctarify and maybe make it more confusing. 22 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to doctarify and maybe make it more confusing. 23 MR. HILL: We have no questions for the witness, Your Honor. 24 JUDGE EGAN: As? 25 Exhibit No 76? 26 It is admitted. 27 (TexCom Exhibit 76. 28 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 29 It is admitted. 20 TexCom Exhibit No. 76 admitted. 20 MR. HILL: We have no questions for the witness, Your Honor. 21 JUDGE EGAN: Any objections to TexCo Exhibit No 76? 22 It is admitted. 23 MR. HILL: We have no questions for the witness, Your Honor. 24 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? 3 MR. HILL: We have no questions for the witness, Your Honor, I have few questions for Dr. Langhus. 4 William And I'm sorry, Judge, let me try to admitted. 5 MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. 6 MR. WALKER: 10 DIGE EGAN: As? 11 JUDGE EGAN: As? 12 JUDGE EGAN: As? 13 JUDGE EGAN: As? 14 It is admitted. 15 MR. HILL: We have no questions for the witness, Your Honor. 15 MR. WALKER: 16 MR. RILEY: TexCom Exhibit No. 76? 16 MR. RILEY: TexCom Exhibit No. 76? 17 MR. WALKER: 18 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? 29 MR. WALKER: 20 DI			14	
that, I'm going to reask my question because I may have confused myself. MR. RILEY: Okay. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper 20 talking about a horizontal transmissiveness? MITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little 20 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. MR. RILEY: Well, it gets a little 21 confusing and maybe make it more confusing. A Correct. If there were sands are now in contact, correct? A Correct. If there were sands in contact with 8 sands across the fault, there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. Q But just because we talk about these things 1 day I'll put it in the record. JUDGE EGAN: You'll what? I'm sorry. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: As? JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page 1368 Page 1368 Page 1368 MR. RILEY: Well, it gets a little 25 (TexCom Exhibit No. 76 admitted) Page 1368 Page 1368 MR. RILEY: Well, it gets a little 25 (TexCom Exhibit No. 76 admitted) Page 1368 MR. RILEY: Well, it gets a little 25 (TexCom Exhibit No. 76 admitted) Page 1368 Page 34 MR. RILEY: Well, it gets a little 25 (TexCom Exhibit No. 76 admitted) MR. HILL: We have no questions for the witness, Your Honor. MR. WalkER: Yes, Your Honor, I have few questions for Dr. Langhus. MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.				
have confused myself. MR. RILEY: Okay. MR. RILEY: Okay. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? MITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) MR. HILL: We have no questions for the witness, Your Honor. MR. HILL: We have no questions for the witness, Your Honor. MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. MR. WALKER: Q Dr. Langhus, good evening again.				
MR. RILEY: Okay. JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. TextCom Exhibit No. 76 admitted) MR. RILEY: Well, it gets a little Confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. MR. RILEY: I said I offer it into evidence. JUDGE EGAN: As? MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. JUDGE EGAN: All right. CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.				
JUDGE WALSTON: Just tell me what you mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness?		J Company of the comp		
mean by when you say it's transmissive in the upper Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? WITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things				
Cockfield. That's what you kept referring to. You're talking about a horizontal transmissiveness? Laking about a horizontal transmissiveness? WITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) Page 1368 MR. RILEY: Well, it gets a little to go fix and I'm sorry, Judge, let me try to all clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things MR. RILEY: TexCom Exhibit 76. JUDGE EGAN: Any objections to TexCo Exhibit No 76? It is admitted. (TexCom Exhibit No 76? It is admitted.		3		
talking about a horizontal transmissiveness? WITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things JUDGE EGAN: Any objections to TexCo Exhibit No 76? Lit is admitted. (TexCom Exhibit No. 76 admitted) MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Mr. Walker or Ms. Stewart? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. JUDGE EGAN: All right. CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.				
WITNESS LANGHUS: Yes, yes. JUDGE WALSTON: Okay. That clarifies it MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things Exhibit No 76? It is admitted. (TexCom Exhibit No. 76 admitted) It is admitted. (TexCom Exhibit No. 76? It is admited. (TexCom Exhibit No. 76? In the value any cross, Mr. Hill? MR. HILL: We have no questions for the witness, Your Honor. MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. It is admited. It is admited. It is admited. It is admited. It is admite		, ,		
JUDGE WALSTON: Okay. That clarifies it then. Page 1368 MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to clarify and maybe make it more confusing. A Q (By Mr. Riley) In a sense it would be horizontal because the sands are now in contact, correct? A Correct. If there were sands in contact with sands across the fault, there would be some there would be some transmissivity. If such as on the on the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things Page 1368 Page 1368 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Mr. Walker or Ms. Stewart? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. Page 1368 Page 1368 MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Mr. Walker or Ms. Stewart? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. Page 1368 Page 1368 CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.		ϵ		
25 then. Page 1368 Page 1368 I MR. RILEY: Well, it gets a little confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. Q (By Mr. Riley) In a sense it would be 4 witness, Your Honor. 5 horizontal because the sands are now in contact, 6 correct? A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things Dage 1368 Page 1368 Page 1368 1 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? MR. HILL: We have no questions for the witness, Your Honor. Ms. Stewart? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. Page 1368 Page 1368 Page 1368 Dage 1368 Page 1368 Page 1368 I JUDGE EGAN: Okay. Lone Star, do you witness, Mr. Hill? MR. HILL: We have no questions for the witness, Your Honor. JUDGE EGAN: Okay. Mr. Walker or Ms. Stewart? MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.		/ 3		
Page 1368 1 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 10 contact with shale, there would be no transmissivity. 11 BY MR. WALKER: 12 Q But just because we talk about these things 1 JUDGE EGAN: Okay. Lone Star, do you have any cross, Mr. Hill? 1 JUDGE EGAN: Okay. Mr. Walker or 2 witness, Your Honor. 5 JUDGE EGAN: Okay. Mr. Walker or 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 CROSS-EXAMINATION 12 O Dr. Langhus, good evening again.		J Company of the Comp		
1 MR. RILEY: Well, it gets a little 2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 1 JUDGE EGAN: Okay. Lone Star, do you 2 have any cross, Mr. Hill? 3 MR. HILL: We have no questions for the 4 witness, Your Honor. 5 JUDGE EGAN: Okay. Mr. Walker or 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				Page 1370
2 confusing. And I'm sorry, Judge, let me try to 3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 2 have any cross, Mr. Hill? 3 MR. HILL: We have no questions for the witness, Your Honor. 5 JUDGE EGAN: Okay. Mr. Walker or 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.	1			_
3 clarify and maybe make it more confusing. 4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 3 MR. HILL: We have no questions for the witness, Your Honor. 5 JUDGE EGAN: Okay. Mr. Walker or 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
4 Q (By Mr. Riley) In a sense it would be 5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 4 witness, Your Honor. 5 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
5 horizontal because the sands are now in contact, 6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 5 JUDGE EGAN: Okay. Mr. Walker or 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
6 correct? 7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 6 Ms. Stewart? 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
7 A Correct. If there were sands in contact with 8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 7 MR. WALKER: Yes, Your Honor, I have 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
8 sands across the fault, there would be some there 9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 8 few questions for Dr. Langhus. 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
9 would be some transmissivity. If such as on the on 10 the top of the little fault diagram you have sands in 11 contact with shale, there would be no transmissivity. 12 Q But just because we talk about these things 9 JUDGE EGAN: All right. 10 CROSS-EXAMINATION 11 BY MR. WALKER: 12 Q Dr. Langhus, good evening again.				
the top of the little fault diagram you have sands in contact with shale, there would be no transmissivity. Q But just because we talk about these things CROSS-EXAMINATION BY MR. WALKER: Q Dr. Langhus, good evening again.				
contact with shale, there would be no transmissivity. 1 BY MR. WALKER: Q But just because we talk about these things Q Dr. Langhus, good evening again.				
Q But just because we talk about these things 12 Q Dr. Langhus, good evening again.				
		·		
13 in relative terms, I want to be clear that vertically 13 A Good afternoon, Counselor.				
transmissive could mean that you could move in that Q Would it be fair to say, Dr. Langhus, that				
sand-to-sand contact in from the lower Cockfield 25 you disagree with the findings and conclusions and				
16 into the upper Cockfield. It may not actually be 16 opinions of Dr. Collier?				
17 vertical just because in reality one side is 17 A Yes, sir.				
down-thrown and one side is up-thrown, correct?				
				down all 30 items on this map and I think I would be
Q So vertically though in the sense of it would 20 stoned by the other individuals in the hearing.		`		•
21 move into a stratum that we have defined as middle? 21 (Laughter)				
22 A Yes. 22 MR. WALKER: I guess that's in the				
MR. RILEY: Okay. Does that make things 23 record, isn't it, Lou?		•		
24 worse, Judge, or 24 THE REPORTER: Yes, sir. I'm sorry.				· · · · · · · · · · · · · · · · · · ·
MR. HILL: No, I understand. 25 (Laughter)	25	MR. HILL: No, I understand.	25	(Laughter)

54 (Pages 1367 to 1370)

	Page 1371		Page 1373
1	A Are you saying stoned because I'm a	1	A Yes, sir.
2	geologist?	2	Q All right. Moving down to 25, Don Carlos 26,
3	Q I did not realize the humor. I'm sorry.	3	27, 28 and 29, the Don Carlos references, does the
4	But let me ask you if I did take	4	source material show those or reference those as
5	notes as Mr. Riley was going down each item. And, for	5	faults?
6	instance, with Item No. 1 on the document that is	6	A Yes.
7	entitled "Collier's Faults" which again has, I	7	Q Okay. And then, of course, 30 and 31 you
8	guess, a double meaning but the "Faults Claimed by	8	clearly agree that those are referenced faults?
9	Hughbert Collier" do you recognize that document?	9 10	A Correct.
10 11	,	11	Q All right. So is it fair to say, Dr. Langhus, that with the exception of 14A, Items 1
12		12	through 29, the source materials reference faults?
13		13	MR. RILEY: Objection I'm sorry, the
14		14	reference to the items, Counselor, is my objection.
15		15	With the notations that the witness couldn't find the
16		16	source materials within the source materials some
17	1 , 2	17	of those segments, assuming I'm trying to
18		18	understand, since you're doing this in a holistic
19		19	sense or trying to be comprehensive, whether you mean
20		20	that Dr. Langhus has actually identified from the
21		21	source materials the lines drawn by Dr. Collier?
22		22	MR. WALKER: Well, thank you,
23		23	Counselor
24		24	MR. RILEY: I'm just trying to explain
25	A It's either it was either the line that	25	my objection, Counselor.
	Page 1372		Page 1374
1	was on Exhibit 1P was either mislocated from an Exxon	1	MR. WALKER: Thank you.
2	interpreted fault, or else there was no Exxon	2	Q (By Mr. Walker) My last question was an
3	interpreted fault. I couldn't tell.	3	attempt to summarize the previous series of questions
4	Q Okay. I guess to try and speed this up,	4	to the effect that Dr. Langhus has admitted that the
5	Items 2, 3, 4 and 5 are all from the Exxon application	5	source materials with the exception of 14A the
6	of 2002.	6	source materials referenced faults. Is that correct?
7	A 2, 3, 4 and 5, yes.	7	A The yeah, whether or not these these
8	Q All right. And do those Items 2, 3, 4 and 5	8	source the interpreted faults on the source
9	purport to show faults at least the source	9	material correspond in a one-to-one manner with
10		10	Dr. Collier's Exhibit 1P I'll have to I'll have to
11	11	11	say that that's not 100 percent.
12	*	12	Q I understand. I understand you do have some
13		13	disagreement with the correlation and the mapping that
14		14	Dr. Collier made based on the source materials?
15		15	A Yes, sir.
16 17		16 17	Q All right. But again, my question was that
	· · ·	18	with Items 1 through 29, excluding 14A, I believe that
18 19		18 19	you had individually agreed that the source materials referenced faults?
20	11	20	MR. RILEY: Objection.
20 21		20 21	JUDGE EGAN: I understand his question
22		22	to be whether or not the source materials are
23		23	addressing faults. Is that what you're asking?
24		24	MR. WALKER: Correct.
25 25		25	MR. RILEY: But not not specifically
			Dut not hot specifically

55 (Pages 1371 to 1374)

	Page 1375		Page 1377
1	these	1	
2	JUDGE EGAN: Not specifically one-on-one	2	Q All right. Based on interpretation of information?
3	with these. You're talking about the source material	3	A Correct.
4	listed in Nos. 1 through 29 minus 14A. Is that	4	Q Are you familiar with Rule 331, Dr. Langhus,
5	correct?	5	of the Texas Administrative Code entitled "Class I
6	JUDGE WALSTON: I guess the confusion,	6	Wells"?
7	Mr. Walker, let me add this and I don't know if	7	A Yes.
8	this is what Mr. Riley is getting at because I was	8	Q Are you familiar with subparagraph (P) like
9	confused like on Items 8 and 9, you look and it says	9	Paul?
10		10	A I believe so.
11		11	Q Let me ask you if you agree with the reading
12		12	that it states, "delineation of all faults within the
13		13	area of review," that's the initial clause of that
14	source strictly, then the objection is overruled.	14	section. Do you agree with the
15	MR. WALKER: Thank you, Your Honor. And	15	A Yes.
16	I'll give up my attempt to summarize because I think I	16	Q with the reading?
17	J contract of the contract of	17	A Yes.
18		18	Q Okay. Would it be fair to say, Dr. Langhus,
19		19	that with respect to Applicant's Exhibit 75 and
20	, ,	20	again without going down the list but that you have
21	1	21	some disagreement with the findings of Exxon, the
22		22	findings of the information source for Items 6, 7, 8
23		23	and 9, the findings of the Humble application, and the
24		24	findings of Don Carlos? And together with all of
25	Q With the references on Exhibit 75, references	25	those you also have some disagreement with the
	Page 1376		Page 1378
1	6, 7, 8 and 9, you have some disagreement?	1	findings of Hughbert Collier?
2	A Yes.	2	A I have some disagreements with all of those,
3	Q References 10, 11 and 12, Exxon application	3	yes.
4	'96, you have some disagreement with what Exxon found?	4	Q In all fairness, Dr. Langhus, does that make
5	A Yes.	5	you right and all of those folks wrong?
6	Q Humble application 1972 references 13, 14,	6	A In my opinion, yes.
7	and then 14B through 24. Would it be fair to say you	7	Q In this particular case, Dr. Langhus, would
8	have some disagreement with what the Humble	8	you agree with me if we were to, I suppose, somewhat
9	application findings are?	9	figuratively count up the individuals that produced
10	11 105, 511.	10	the Exxon material, the 6, 7, 8, 9 material, the
11		11	Humble material, the Don Carlos material, and
12		12	Dr. Collier, that it would appear in this case,
13		13	Dr. Langhus, it's you against them?
14		14	A In a in a strange way of looking at it,
15		15	yes.
16		16	MR. WALKER: Your Honor, I'll pass the
17	1	17	witness.
18 19		18 19	JUDGE EGAN: Mr. Forsberg? MR. FORSBERG: No questions, Your Honor
		19 20	MR. FORSBERG: No questions, Your Honor.
20 21		20 21	JUDGE EGAN: Ms. Collins?
21 22		22 22	MS. COLLINS: No questions.
23		22 23	MR. WILLIAMS: No questions. MR. RILEY: Any redirect, Mr. Riley?
23 24		23 24	MIK. KILL 1. Any reduct, MI. Kney?
25 25		25	
	11 105. It s subjective to some extent.	٧,	

56 (Pages 1375 to 1378)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

1	Page 1379		Page 1381
1	REDIRECT EXAMINATION	1	suggesting that the Exxon experts, the Humble experts,
2	BY MR. RILEY:	2	the mystery guest experts is that what he's
3	Q While artfully done and exemplary of a trial	3	referring to? Which experts? There's only two
4	lawyer, isn't it also true, Doctor, that all of those	4	experts have testified two experts have testified
5	sources disagree with each other?	5	they agree.
6	A Of course. Except except in the area	6	JUDGE EGAN: Well, I understood his
7	of the of the two faults that are shown by all of	7	question, but would you like to rephrase it?
8	the deep maps.	8	MR. WALKER: No, Your Honor, I'll give
9	Q So Exxon disagrees with itself, correct?	9	it up. Thank you.
10		10	(Laughter)
11		11	No other questions.
12	A Exactly.	12	JUDGE EGAN: Thank you. Anyone else?
13		13	All right. Then you are excused. Thank
14	with everybody?	14	you.
15		15	MR. RILEY: Back to me?
16		16	JUDGE EGAN: Next witness.
17		17	MR. RILEY: Applicant calls Jenny Barry.
18		18	Ms. Barry, could you step up to the witness stand?
19		19	JUDGE EGAN: Would you swear Ms. Barry,
20		20	please?
21		21	(Witness sworn)
22		22	JUDGE EGAN: Would you state your full
23		23	name for the record?
24		24	WITNESS BARRY: Jennifer Barry,
25		25	B-a-r-r-y.
	Page 1380		Page 1382
1	clear; that let's say even if you are in error and all	1	JUDGE EGAN: You may proceed, Mr. Riley.
2	these people are correct and all these faults exist,	2	MR. RILEY: Thank you.
3	it's still your opinion that there's nothing	3	JENNIFER BARRY,
4	transmissive between the Cockfield formations and any	4	having been duly sworn, testified as follows:
5	formation above the Jackson shale?	5	DIRECT EXAMINATION
6	A Except for the big fault that's 4400 feet	6	BY MR. RILEY:
7	away.	7	Q Good afternoon, Ms. Barry.
8	MR. RILEY: Above the	8	A Hi.
9	A Oh, oh, above the Jackson shale?	9	MR. FORSBERG: Your Honor, may I
10		10	interject? I'm sorry. Was this witness designated as
11		11	a rebuttal witness?
12		12	MR. RILEY: She's not an expert. She's
13		13	a fact witness
14		14	MR. FORSBERG: I'm sorry, a fact
15		15	witness. Was she designated as a fact witness in
16	MR. WALKER: One final question, Your	16	rebuttal?
17		17	MR. RILEY: She was not.
18		18	MR. FORSBERG: Well, I would object
19		19	that I don't know who this person is. She's never
20		20	been identified before.
21		21	MR. RILEY: She's a paralegals in my
22		22	office. She went to the Railroad Commission and
		23	investigated Well 129 29 and is only going to be
23			
23 24 25		24	able to testify that she as to her experience at

57 (Pages 1379 to 1382)

Page 1383 Page 1385 1 regarding Well 129. 1 between 129 and 29. Was that in his prefiled or was 2 2 MR. FORSBERG: Well, they clearly would that something that was just brought out --3 have known about that before. They could have 3 MR. RILEY: No, it was just brought out designated her before. I object again that --4 4 on redirect, as I recall. 5 MR. RILEY: In fact, that investigation 5 JUDGE WALSTON: So you didn't have that б just ended moments before. And, frankly, because time 6 testimony before about the 129 and 29? 7 ran out before calling Ms. Barry, since we were in 7 MR. RILEY: That's correct. 8 contact with the Railroad Commission as often as we 8 MR. FORSBERG: Well, the issues with 9 9 could be over the last several days. So -regards to the identification of wells has always been 10 MR. FORSBERG: I mean, it's one thing to 10 an issue. And again, I just go back to the fact that 11 11 designate a witness the night before, I guess, but to if it was -- I mean --12 not even designate them at all and just call them -- I MR. RILEY: Mr. Wilson made a --12 13 mean, I just don't see that being proper. 13 MR. FORSBERG: -- from the Railroad 14 14 MR. GERSHON: And we've been patient, Commission here as opposed to the paralegals for the 15 but, I'm sorry, the procedural schedule was one that 15 applicant -- and they still haven't identified them 16 16 was really driven by the applicant. And we've all previous to right now. 17 17 abided by it. And frankly we're inclined to seek JUDGE EGAN: We're going to allow the continuances at multiple points in this proceeding and 18 witness to testify. However, if you want to 18 it's just wholly unacceptable for the applicant to be 19 supplement we'll leave the record open for you to 19 20 20 playing it both ways. supplement, if you can find something to the contrary. 21 21 MR. RILEY: I don't know how I'm playing MR. RILEY: In fact, we'd like the same 22 22 it both ways, Judge. We hoped by this time to have an opportunity since we believe we will, before the week 23 23 affidavit from an employee of the Railroad Commission. is closed, have information from the Railroad 24 We were disappointed in that effort. But on the point 24 Commission that confirms what Ms. Barry is about to 25 raised in the testimony of Mr. Wilson, about Well 29 25 testify to. So if you want to leave the record open, Page 1384 Page 1386 1 and Well 129 and the applicant's designated Well C428, we can certainly -- we'd certainly like that 1 2 2 Ms. Barry is the witness to describe what happened at opportunity. 3 the Railroad Commission and what the Railroad 3 JUDGE EGAN: We're going to allow her to 4 Commission said regarding Well 129. 4 testify. The opportunity is for them to call somebody JUDGE EGAN: She's going to be repeating 5 5 to contradict what she's saying, if they choose to 6 6 what the Railroad Commission said -leave the record open --7 MR. FORSBERG: That's hearsay. 7 MR. RILEY: Thank you, Judge. 8 MR. RILEY: It's not hearsay. She is 8 MR. FORSBERG: Is that going to leave 9 9 going to be giving in evidence an indication by the also the opportunity to call our own witnesses and 10 Railroad Commission. She's going to testify that 10 reconvene the session? that's the note she was given by a Railroad Commission 11 11 MR. RILEY: There's always -- I'm sorry. employee indicating that Well 129 and 29 are the same. 12 12 JUDGE WALSTON: Go ahead. 13 MR. RILEY: There is opportunity in the 13 And that she was given records, which are now in 14 evidence, as the records for Well 29. 14 TCEQ rules for just such an event should circumstances 15 MR. FORSBERG: Your Honor, again, she's 15 warrant such an event. But I don't think that 16 a paralegal -- I mean, I love paralegals. I wouldn't 16 decision has to be made now. 17 be in this profession without them. But she's MR. FORSBERG: I just want to know if testifying about what -- what's going on at the 18 it's an available option. I'm not asking for --19 Railroad Commission now? 19 JUDGE WALSTON: It's an available 20 20 MR. RILEY: She was at the Railroad option. And frankly my concern is that since there 21 Commission. She's testifying from her personal has been some confusion about this record -- I mean experience and observations. That's all she's going 22 about this well, which well it is or which well it 22 23 to testify to. She's a fact witness. 23 isn't, that for purposes of providing information to 24 JUDGE WALSTON: On Mr. Wilson's 24 the Commission to make a decision, it would be good to testimony I recall him testifying about the difference 25 have the information to clear it up if we can. But if

58 (Pages 1383 to 1386)

			elg bocker no. 2007 0201 WbW
	Page 1387		Page 1389
1	y'all later determine you disagree with the	1	we'll allow it.
2	information she provides, we would certainly give	2	Q (By Mr. Riley) I'm asking you how it
3	y'all an opportunity to file additional information or	3	operates. In your experience, how does it happen? Do
4	if you had to call a witness to do that.	4	you go to a window and ask for information?
5	MR. FORSBERG: Thank you, Your Honor.	5	A Yes.
6	JUDGE EGAN: Okay. Go ahead.	6	Q Then they point you to a shelf or does
7	(TexCom Exhibit No. 77 marked)	7	something else happen?
8	Q (By Mr. Riley) I think we were just	8	A There's a research desk, and you go they
9	exchanging greetings. Good afternoon, Ms. Barry.	9	ask you what you need, you sign in, and they pull the
10		10	records for you. So it's not self-service.
11		11	Q Now, somewhere in this room there is a
12		12	post-it note that has been labeled as TexCom Exhibit
13		13	77. Do you have that in front of you?
14		14	A Yes.
15		15	Q Is that the original Post-it note that was
16		16	it an original Post-it note?
17		17	A No, it's not an original.
18		18	Q I'm sorry, the original I think is with the
19		19	Reporter. Do you have a copy of the original?
20		20	A I have a copy.
21		21	Q It might be necessary for you just to
22 23		22	authenticate the original, which I think is with the
23		23	Reporter.
24		24	A This is the original.
25	A Yes.	25	Q All right. Is that your handwriting on the
	Page 1388		Page 1390
1	Q And did you go to the Railroad Commission as	1	exhibit?
2	part of that assignment?	2	A No.
3	A I did.	3	Q And whose handwriting is it, if you know?
4	Q What happened at the Railroad Commission?	4	A I believe it is Bobby, the research associate
5	What did you do, I should say?	5	at the Railroad Commission.
6	A Sure. I asked staff at Central Records at	6	Q Did this Post-it note come into your
7	the Railroad Commission to pull well records for Well	7	possession through some mechanism?
8	No. 129. I had some basic information about it. They	8	A He handed it to me.
9	asked me a few follow-up questions, and they went to	9	Q All right. At the time you were requesting
10		10	information on Well 129?
11		11	A Yes.
12		12	MR. RILEY: Thank you. I have no
13		13	further questions.
14		14	JUDGE WALSTON: Were you going to offer
15	1 0	15	it in evidence?
16		16	MR. RILEY: Yes, I'm sorry. I would
17		17	offer Exhibit 77 into evidence.
18		18	MR. FORSBERG: Objection, Your Honor.
19		19	It's I mean, they couldn't get something on
20 21	3	20	letterhead? I mean, it's a Post-it note. I mean,
21		21	it's not certified by anyone. There's no affidavit.
22		22	I mean, we have a paralegal saying it's a note that
23 24		23	was received from someone named Bobby. MR. RILEY: I don't know what
24 25		24 25	Mr. Forsberg's problem is with paralegals, but I don't
دے	JUDOL LOAN. For her minied experience,	<u> </u>	vii. Folsoeig's problem is with paralegals, but I toll t

59 (Pages 1387 to 1390)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

			Page 1393
1			
1	know that to disqualify someone	1	He's not been previously designated. They've
2	JUDGE EGAN: You don't need to argue.	2 3	obviously even they've designated him untimely
3	What's the basis of your legal basis for your	4	well, he was designated, I guess, last night at 9
4	objection? MR. FORSBERG: It's not certified from a	5	o'clock. They've known about him for several days
5		6	or at least a few days. And they certainly have
6 7	public agency. It's not authenticated in any way by anyone qualified to authenticate it. We have no way	7	handed us wads of paper almost every morning, so I'm
8	to ensure that that's an actual document from we	8	not exactly sure why they failed to provide us any information with regards to Mr. Graves. We have no
9		9	ability at this point to really research any of his
10	weren't even given a full name to ensure who wrote the	10	facts or findings or anything to that extent.
11		11	Furthermore, he's offering issues with
12		12	regards to traffic analysis from my understanding of
13		13	his prefiled testimony. That doesn't rebut anything
14	rry	14	that didn't exist prior with the prefiled testimony.
15		15	All issues related to traffic I mean, the prefiled
16		16	testimony are the same as they were before the case
17		17	from the Third Court of Appeals you know, two weeks
18		18	ago or a week-and-a-half ago.
19		19	So I'm not so the objection is he was
20	•	20	untimely because they knew about him days ago and was
21		21	obviously after the rebuttal witness deadline. I'm
22		22	sorry, also that that's it. I'm sorry, Your Honor.
23		23	It's getting late in the day.
24		24	JUDGE EGAN: Your objection is
25		25	overruled. The traffic analysis I don't believe is
	Page 1392		Page 1394
1		1	
1	MR. WALKER: No questions, Your Honor.	1	customary in these cases until the Third Court of
2	JUDGE EGAN: Mr. Forsberg?	2	Appeals decision came down. So it was something new
	MR. FORSBERG: As tempting as it is, no	3 4	that was added by that decision. We're going to go
4 5	questions, Your Honor. JUDGE EGAN: As what?	5	ahead and allow his testimony; however, I think we've indicated, as with Ms. Barry, that if you asked that
6	MR. FORSBERG: Strike that. No	6	
7	questions, Your Honor.	7	the record be left open I'm not sure it's going to be necessary, but we'll certainly entertain that if
8	JUDGE EGAN: Ms. Collins?	8	you choose to research that at the end of his
9	MS. COLLINS: No questions. Thank you.	9	testimony.
10		10	MR. WALKER: Your Honor
11		11	MR. FORSBERG: Thank you.
12	1	12	MR. WALKER: I'm sorry.
13		13	MR. FORSBERG: Go ahead.
14		14	MR. WALKER: If I could I was waiting
15		15	for Mr. Forsberg to complete his objection. My
16		16	objection is that this is not properly rebuttal
17		17	testimony of anything that has transpired except the
18		18	prefiled testimony. And do I understand the Court to
19	J	19	be ruling that this evidence is being admitted because
20	j	20	of the Third Court of Appeals opinion?
21	JUDGE EGAN: Mr. Graves, go ahead and	21	JUDGE EGAN: It is something new that
22		22	has come up through the Third Court of Appeals
23		23	decision, and I think that you know, we're charged
24	1 2 2	24	with making sure that we take enough evidence to
25		25	address the concerns that the Commission may have.
	- · · · · · · · · · · · · · · · · · · ·		<u>-</u>

60 (Pages 1391 to 1394)

			Page 1397
1	And since this is not an issue that they typically	1	one quick question.
2	address, they will be addressing it given more than	2	MR. RILEY: Certainly.
3	likely given the Third Court of Appeals decision.	3	JUDGE WALSTON: Is there an Exhibit 78
4	MR. WALKER: If I may, Your Honor, to	4	and 79?
5	point out and I do recognize the Court's	5	MR. RILEY: No, we skipped the numbering
6	explanation there was traffic information filed in	6	just we could have it prepared, so we went ahead and
7	the prefiled testimony. And whether or not this Court	7	skipped 78 and 79.
8	would have ruled that relevant, the applicant had	8	JUDGE EGAN: All right. Thank you.
9	knowledge as of the 13th of November that two of the	9	MR. RILEY: May I proceed?
10	\mathcal{E}	10	JUDGE EGAN: Yes.
11 12		11	SCOTT GRAVES,
		12 13	having been duly sworn, testified as follows:
13 14		14	DIRECT EXAMINATION BY MR. RILEY:
15		15	
16		16	Q Good afternoon, Mr. Graves. A Good afternoon.
17		17	Q Mr. Graves, by whom are you employed, sir?
18		18	A By Geosyntec Consultants, an engineering
19		19	firm.
20		20	Q Are you an engineer yourself?
21		21	A Yes, I am.
22		22	Q Are you licensed to practice in the field of
23		23	engineering in any states?
24	\mathcal{E}	24	A Yes, I am, including Texas.
25		25	Q When were you retained by my law firm and/or
	Page 1396		Page 1398
1	the record?	1	TexCom to develop some information regarding traffic
2	JUDGE EGAN: Yes.	2	that is the subject of your testimony this afternoon?
3	MR. RILEY: We had a preliminary hearing	3	A It was it was midday last Friday.
4	in this matter, which was after the Third Court had	4	Q And since midday last Friday, have you
5	ruled days before is my recollection was the Third	5	engaged in analysis of the traffic and certain
6	Court opinion issued. As we sat at the preliminary	6	aspects of the traffic around the proposed TexCom
7	hearing we were still uncertain of the significance of	7	facility?
8	the Third Court's opinion as pertains to any	8	A Yes, I have.
9	particular issue. We had some we made some	9	Q Have you also had the opportunity to prepare
10	arguments on that regard in a preliminary hearing.	10	certain prefiled testimony that I think is now before
11	However, at that time we specifically	11	you with exhibits attached to the prefiled that has
12	withdrew our objection to testimony that was	12	been identified as TexCom Exhibit 80, 81, which I
13	1 , ,	13	believe is your resume, 82 which is a map I think that
14		14	you've developed, and 83, which is another map that I
15	,	15	think you've developed?
16	1	16	A Yes, that's correct.
17	,	17	Q All right. And do you have those before you?
18		18	A Yes, I do.
19		19	Q Could you take a moment and make sure that
20	•	20	the prefiled testimony or the testimony as well as
21	\mathcal{E}	21	the exhibits are accurate and that if asked those
22		22	questions live this afternoon, you would give those
23	,	23	answers?
24		24	A Yes, that's correct.
25	JUDGE WALSTON: Mr. Riley, we just had	25	MR. RILEY: All right. At this time,

61 (Pages 1395 to 1398)

	D 1200		D 1401
	Page 1399		Page 1401
1	Your Honor, applicant offers into evidence Exhibits	1	terms or permitting or design. Do you understand that
2	80, 81, 82 and 83.	2	question?
3	JUDGE EGAN: Rather than have you	3	A Yes, it asks what would it entail.
4	restate your objections, I'm going accept the	4	Q If fact, that changing that site entrance
5	objections previously raised by Mr. Forsberg and	5	to the I think it's some 400 feet of frontage there
6	Mr. Walker as continuing objections to Exhibits 80 through 83. But are there any additional objections	6 7	that the applicant has along 3083 would require requesting of the Texas Department of Transportation a
7 8	that any party wishes to raise?	8	permit to install a driveway. Is that correct?
9	MR. WALKER: No.	9	A Yes, that's my understanding, that a driveway
10		10	permit application would be submitted to TxDOT. I was
11		11	confused by when you mentioned 400 feet of frontage on
12		12	FM 3083 because maps that I looked at showed a much
13		13	narrower corridor connecting to FM 3083.
14		14	Q I think I yes, sir, thank you. It's about
15		15	72 feet or so. Is that correct?
16		16	A That sounds about right.
17	11 J	17	Q Yeah, I don't know where I got 400. Too much
18		18	Red Bull.
19		19	Let me ask you if you have any knowledge
20		20	concerning the spacing of driveway permits that TxDOT
21		21	uses in its permitting process?
22		22	A I can't recall any details about things like
23		23	that.
24		24	Q All right. Are you therefore not familiar
25	JUDGE EGAN: All right. Mr or Lone	25	with whether or not TxDOT has criteria and limitations
	Page 1400		Page 1402
1	Star, Mr. Hill or Mr. Gershon?	1	on how closely they will allow driveways to be
2	Ms. Stewart or Mr. Walker, and cross?	2	constructed on their state-maintained roadways?
3	MR. WALKER: Yes, Your Honor, I do have	3	A I know that TxDOT does have criteria for
4	a question or two.	4	that. I don't know what the distances are.
5	CROSS-EXAMINATION	5	Q All right.
6	BY MR. WALKER:	6	A So I'm aware of it.
7	Q Mr. Graves, I think in East Texas it's	7	Q And with respect to a driveway that would
8	evening, so good evening, sir. I'm David Walker.	8	constitute an entrance to an industrial site as
9	A Good evening.	9	opposed to a driveway that might constitute an
10	with the first time, with walker, time sorry	10	entrance to, for instance, a residential site, do you
11		11	know if TxDOT applies any different criteria?
12	•	12	A I don't know that.
13	· · · · · · · · · · · · · · · · · · ·	13	Q All right. So, Mr. Graves, if in fact the
14		14	Texas Department of Transportation had a limitation or
15		15	a distance within which they would not allow multiple
16	Č	16	driveways, are you telling this Court that you're
17	J	17	unfamiliar with that kind of limitation?
18		18	MR. RILEY: Objection to form I'm
19		19	sorry, I'm confused by your question.
20	,	20	JUDGE EGAN: If the witness is
21		21	confused
22		22	MR. WALKER: I'll be glad to restate it,
23		23	Your Honor.
24 25		24	A Could you, please?
25	site entrance to Farm to Market Road 3083 entail any	25	Q (By Mr. Walker) All right. If in fact the

62 (Pages 1399 to 1402)

	Page 1402		Page 1405
	Page 1403		Page 1405
1	Texas Department of Transportation would not typically	1	would be allowed to be an entrance to the site?
2	allow a new driveway to be constructed within a	2	MR. RILEY: Objection. I know that it's
3	certain distance of an existing driveway, is it your	3	late, but "say grace over" is, I think, an
4	testimony that you're unfamiliar with that	4	objectionable
5	restriction?	5	JUDGE EGAN: Rephrase your question.
6	A I would say, yes, I'm unfamiliar with whether	6	MR. WALKER: Thank you, Your Honor.
7 8	there is a certain separation distance between	7 8	Q (By Mr. Walker) Mr. Graves, before the Texas
9	adjacent driveways or what that particular distance is.	9	Department of Transportation would approve the construction of a driveway for industrial use and the
10		10	entry to this site at issue, would you agree with me
11		11	there would be a number of issues that TxDOT would
12		12	have to consider and approve before such a driveway
13		13	entrance could be constructed?
14	1 1	14	A They do consider several factors. Having
15	J	15	been through the process, yes, that's what they do.
16		16	Q And is there any guarantee, Mr. Graves, that
17		17	approval would be given from TxDOT?
18		18	A No, there's not.
19		19	MR. WALKER: Your Honor, could I have
20		20	just a moment?
21 22		21	JUDGE EGAN: Yes.
22		22	Q (By Mr. Walker) With respect to the frontage
23	A I don't know for certain one way or the other	23	that's at issue here that would at least potentially
24	the answer to that.	24	allow entry into the TexCom site, do you know,
25	Q All right. Let me ask you also, Mr. Graves,	25	Mr. Graves, how close that frontage is to any
	Page 1404		Page 1406
1	if you know, in your area of experience, whether or	1	adjoining driveway?
2	not FM 3083 is a two-lane road?	2	A I don't know for certain. I'm thinking of an
3	A In the vicinity of the proposed facility it	3	adjacent landowners' map that was in part of the
4	is a two-lane road, yes.	4	permit application that shows a number of properties
5	Q Very well. Do you know whether or not the	5	adjacent to the frontage in question, but I don't know
6	Texas Department of Transportation if a driveway	6	specifically where the driveway is on each of those
7	was permitted to enter the proposed site from FM 3083,	7	properties. That's something that would need to be
8	do you know whether or not TxDOT would also	8	looked at.
9	potentially require the construction of a left-turn	9	MR. WALKER: Thank you, sir.
10		10	Your Honor, I'll pass the witness.
11	1	11	JUDGE EGAN: Okay. Mr. Forsberg?
12	7 1	12	MR. FORSBERG: Yes, Your Honors.
13 14	7 1 11	13 14	CROSS-EXAMINATION BY MR. FORSBERG:
15		1 4 15	
16		16	Q Mr. Graves, good afternoon. A Good afternoon.
17		17	Q You had mentioned that you were retained
18	J	18	sometime last correct me if I'm wrong Friday
19		19	with regards to the issue of traffic analysis?
20	1	20	A That's correct.
21		21	Q Were you retained in any other capacity with
22	,	22	regards to TexCom before that date?
23		23	A No.
24	issues that the Texas Department of Transportation	24	Q Okay. Have you done any work for TexCom
25	would have to say grace over for this 72-foot frontage	25	before?

63 (Pages 1403 to 1406)

	Page 1407		Page 1409
1	A No, I have not.	1	Q Is the information you base your traffic on,
2	Q Have you been retained by Vinson & Elkins	2	is that Exhibit 83 in your prefiled testimony?
3	before?	3	A Let me take a look. Yes, that's correct.
4	A Yes, I have.	4	Q And is the area where the site is potentially
5	Q On issues similar to the one that you're	5	going to be located that we're here about today, is
6	testifying about today?	6	that in the white or yellow area?
7	A Well, I'm thinking of one particular	7	A It's in a white area.
8	instance. I believe it was the only instance I've	8	Q What does that mean according to the legend?
9	been retained by Vinson & Elkins. It was to peer	9	A It means it's not in an urban area. The
10	review a much larger permit application for a solid	10	yellow shaded areas are urban areas, so it's not an
11	waste landfill, part of which included a traffic	11	urban area.
12	study. But it was that was one piece of a much	12	Q So what does that mean in regards to traffic?
13	larger engineering permit application.	13	A Well, nothing I guess. It means if it's
14	Q Okay. Are you currently retained by Vinson &	14	not urban, it means the land use is not urban. It
15	Elkins on any other matters?	15	could be suburban or rural. From my observations,
16	A No, I'm not.	16	it's a rural area in general around the proposed
17	Q You traveled to the site of the proposed	17	facility.
18	TexCom facility?	18	Q What on this map tells you what the volume of
19	A Yes, I did.	19	traffic is located around the proposed facility?
20 21	Q When was that?	20	A There are a lot of this is small print.
21	A That was on last Saturday. I'd have to check	21	And there are small red numbers, and then in other
22	my calendar to remember the date.	22	places there are small black numbers that represent,
23 24	Q How many weekdays did you spend at the site?	23	basically, daily traffic counts, average daily traffic
	A No weekdays. I visited the site on just last	24	counts, at different points on the road. And there's
25	Saturday.	25	along at the location where the traffic count was
	Page 1408		Page 1410
1	Q So your review of traffic was based upon	۱ .	
		1	taken there's a little tickmark across the road so you
2	weekend traffic?	2	taken there's a little tickmark across the road so you can see what road it corresponds to.
2 3 4	weekend traffic?	2	can see what road it corresponds to.
2	weekend traffic? A Actually I I paid attention to the traffic	2 3 4 5	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you
2 3 4	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just	2 3 4	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about?
2 3 4 5 6 7	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of	2 3 4 5	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336
2 3 4 5 6	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't	2 3 4 5 6	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it
2 3 4 5 6 7	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say,	2 3 4 5 6 7 8 9	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is
2 3 4 5 6 7 8 9	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense.	2 3 4 5 6 7 8	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it
2 3 4 5 6 7 8 9 10	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't	2 3 4 5 6 7 8 9 10	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little
2 3 4 5 6 7 8 9 10 11	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles?	2 3 4 5 6 7 8 9 10 11	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were
2 3 4 5 6 7 8 9 10 11 12	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not.	2 3 4 5 6 7 8 9 10 11 12 13	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished.
2 3 4 5 6 7 8 9 10 11 12 13	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of	2 3 4 5 6 7 8 9 10 11 12 13 14	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see
2 3 4 5 6 7 8 9 10 11 12 13 14 15	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing	2 3 4 5 6 7 8 9 10 11 12 13 14 15	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is
2 3 4 5 6 7 8 9 10 11 13 14 15 16	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I was able to obtain TxDOT traffic counts from 2006 that	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at that point on Loop 336.
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I was able to obtain TxDOT traffic counts from 2006 that are much more comprehensive than any study that I	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at that point on Loop 336. Q What's the distinction between red and black
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I was able to obtain TxDOT traffic counts from 2006 that are much more comprehensive than any study that I could undertake in a period of a couple of days or	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20 21 22	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at that point on Loop 336. Q What's the distinction between red and black numbers?
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I was able to obtain TxDOT traffic counts from 2006 that are much more comprehensive than any study that I could undertake in a period of a couple of days or weeks or whatever. And that's, in my opinion,	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 9 20 21 22 23	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at that point on Loop 336. Q What's the distinction between red and black numbers? A The black numbers correspond to what's called
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	weekend traffic? A Actually I I paid attention to the traffic during my site visit, but my main intent was to just observe the conditions of the roadways themselves, the geometry and, you know, the type of pavement and really the physical surroundings of the area. Of course I paid attention to traffic, but I wasn't studying traffic during that site visit I would say, at least not in a quantitative sense. Q So your purpose of going to the site wasn't to count vehicles? A No, it was not. Q Would you agree with me that the amount of time you've had to do this with regards to doing sort of a quantitative visual study you didn't have adequate time to do that? A Well, I'm not sure if I if I can answer that one way or the other. My first thought is that I was able to obtain TxDOT traffic counts from 2006 that are much more comprehensive than any study that I could undertake in a period of a couple of days or	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20 21 22	can see what road it corresponds to. Q Is that near the 336 number, the tickmark you were talking about? A Well, let me give you one example. Loop 336 is on the is a loop. It's kind of a semi-circle like a backwards C in the kind of the middle portion of the page. So you can see Loop 336, and it is labeled so the number the small number 336 is just the label for the road designation. The little Q I'm sorry. Go ahead. I thought you were finished. A I hope I've oriented everyone enough to see what piece I'm talking about. So where the road is labeled as 336, Loop 336, a little bit to the left of that, which is getting towards the left portion of this map, there's a number 12,400. And that corresponds to the average annual daily traffic at that point on Loop 336. Q What's the distinction between red and black numbers?

64 (Pages 1407 to 1410)

	Page 1411		Page 1413
1	Q Which numbers did you rely upon?	1	Q Where they get real close
2	A I used whatever information was available for	2	A 1210 is, yes.
3	the segment of road that I was interested in. So	3	Q And there's three numbers there: 1660, 3070
4	for it was some of each number. It depended on	4	and 1210. Is that fair?
5	which segment I was looking at.	5	A Yes, I see that.
6	JUDGE EGAN: What was the two black	6	Q Are those numbers you used in determining
7	is what again?	7	your conclusions with regards to traffic?
8	WITNESS GRAVES: Black is average annual	8	A I used the number 1210
9	daily traffic.	9	Q Okay.
10	JUDGE EGAN: And what is red?	10	A in my evaluation and discussion in my
11	WITNESS GRAVES: Red is average daily	11	prefiled testimony of the impact of the traffic on
12		12	Creighton Road.
13	both represent an average number of vehicles per day.	13	Q How did you use the number 1210?
14		14	A Well, 1210 represents essentially the
15		15	existing traffic. And there's no facility in
16		16	operation here, so it's just the existing traffic on
17	,	17	Creighton Road very close to where the proposed
18	•	18	entrance to the facility is. So that's a baseline.
19	1	19	And then I estimated, based on the
20	Ç ,	20	possible range in injection volumes and the
21		21	corresponding traffic truck traffic that would be
22	, ,	22	associated with that, I added that to the number to
23	, , , , , , , , , , , , , , , , , , , ,	23	come up with the projected traffic after the facility
24 25		24 25	was in operation. And by comparing those two numbers,
25	what's reported in the red numbers.	25	I could calculate the percent increase in traffic due
	Page 1412		Page 1414
1	Q (By Mr. Forsberg) So if you go to the map	1	to the facility.
2	where Crighton Road, for example, crosses with 3083	2	Q So you took 1210 and then projected traffic
3	do you see that point?	3	from the facility and came up with your conclusion.
4	JUDGE EGAN: My glasses are bad. Can	4	Is that fair?
5	somebody tell me where that point is? Can you see it?	5	A Could you say that again?
6	WITNESS GRAVES: It's near the yellow	6	Q Sure. Sure. Absolutely. You took the
7	circle half circle towards a third of the way	7	number 1210 as your, I guess, average daily traffic.
8	up.	8	And that's sort of the way it is pre facility being
9	MR. RILEY: Judge, would it help I	9	open?
10	nave a magnifung grass if it would neep you.	10	A Correct.
11		11	Q And then you compared that to with what
12		12	you gather will be the traffic after the facility
13		13 14	opens?
14		15	A That's correct. And here again we're talking
15 16	· · · · · · · · · · · · · · · · · · ·	16	about for Creighton Road
17		17	Q Right.
18		18	A which is one of the segments that traffic would need to use to enter and exit the facility. And
19		19	then I did a similar type evaluation for some other
20		20	major roads that traffic would likely use.
21		21	Q And then on Exhibit 83, in the number 1210,
22		22	what's included in that number as far as is that
23		23	every vehicle that passes by?
24		24	A It is. It's just every vehicle during the
25		25	if it was a 30-day traffic count and you would

65 (Pages 1411 to 1414)

	Page 1415		Page 1417
1	whatever that number summed up to be, divided by 30,	1	is, in my estimation, not an appealing pathway for
2	equals 1210. Just as an example that's how it's done.	2	trucks to take. I didn't see any significant
3	Q Okay. So that's that includes, what,	3	commercial or industrial facilities along that road
4	cars, trucks, commercial vehicles, the whole gamut	4	that would attract trucks or be the source of the
5	there?	5	destination of a lot of heavy trucks. So there's
6	A It's just vehicles, no specificity on type of	6	and a portion of that road also has a load restricted
7	vehicle.	7	bridge, which means a lot of trucks could not legally
8	Q Okay. In the legend where it distinguishes	8	travel on that road in the first place.
9	between black and red, there's with regards to the	9	So for all those reasons, it does not
10	numbers in red, would you agree with me that it states	10	appear to be a significant pathway for large vehicles
11	traffic volumes are not adjusted for trucks?	11	or trucks.
12	A Yes, I see that.	12	Q What about 3083?
13	Q Did you adjust the 1210 to include for	13	A 3083 is more of a highway. I would call it a
14	existing commercial traffic?	14	modern highway in good condition and the type of
15	A No, I did not, because I don't know the	15	highway that trucks would be expected to travel on to
16	subdivision or the breakdown of truck traffic versus	16	get from, you know, Point A to Point B, whatever
17	car traffic.	17	destination or origination point they have.
18	Q So in fact, the number 1210 has could have	18	Q Did you adjust any of the red numbers on
19	no bearing on the actual traffic there if it's largely	19	Exhibit No. 83 for trucks with regards to 3083?
20	commercial truck traffic?	20	A I did not use any red numbers on 3083 in my
21	A From what I saw, I don't believe there's a	21	evaluation.
22	lot of commercial truck traffic on that segment of the	22	Q Is it that there are no red numbers or you
23	road.	23	just chose not to use them?
24	Q What you saw there on Saturday?	24	A There are no red numbers in the segment of
25	A What I saw there on Saturday, along with what	25	interest, but there is a black number, the average
			-
	Page 1416		Page 1418
1		1	
1 2	I know about traffic patterns and limitations that	1 2	annual daily traffic, for the segment that I'm
2	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using	2	annual daily traffic, for the segment that I'm interested in. So that's the number I used.
2 3	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place.	2	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested
2 3 4	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little	2 3 4	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black?
2 3 4 5	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant	2 3 4 5	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested
2 3 4 5 6	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure?	2 3 4 5 6	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments.
2 3 4 5 6 7	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct.	2 3 4 5 6 7	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from?
2 3 4 5 6 7 8	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site?	2 3 4 5 6	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean?
2 3 4 5 6 7	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours.	2 3 4 5 6 7 8	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom
2 3 4 5 6 7 8 9	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you	2 3 4 5 6 7 8 9	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility?
2 3 4 5 6 7 8 9 10	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles?	2 3 4 5 6 7 8 9 10	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in
2 3 4 5 6 7 8 9 10 11	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct.	2 3 4 5 6 7 8 9 10 11	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road.
2 3 4 5 6 7 8 9 10 11 12 13	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or	2 3 4 5 6 7 8 9 10 11 12	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a
2 3 4 5 6 7 8 9 10 11 12 13	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there?	2 3 4 5 6 7 8 9 10 11 12 13	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I
2 3 4 5 6 7 8 9 10 11 12 13 14 15	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00	2 3 4 5 6 7 8 9 10 11 12 13 14 15	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where
2 3 4 5 6 7 8 9 10 11 13 14 15 16	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know,
2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion	2 3 4 5 6 7 8 9 10 11 13 14 15 16 17	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably
2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot
2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the
2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday afternoon a few days ago?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 17 18 19 20	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the primary corridor to get close to the site.
2 3 4 5 6 7 8 9 0 1 1 1 1 3 1 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday afternoon a few days ago? A Well, it's not only based on my observations	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the primary corridor to get close to the site. Then from there I traced the most likely
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday afternoon a few days ago? A Well, it's not only based on my observations of the traffic during that time. It's also based on	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the primary corridor to get close to the site. Then from there I traced the most likely highways that would be appealing and efficient and
2 3 4 5 6 7 8 9 0 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 2 2 2 3 2 3	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday afternoon a few days ago? A Well, it's not only based on my observations of the traffic during that time. It's also based on the characteristics of the road, which I mentioned was	2 3 4 5 6 7 8 9 10 11 11 11 11 11 11 11 11 11 11 11 11	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the primary corridor to get close to the site. Then from there I traced the most likely highways that would be appealing and efficient and suitable for truck traffic to use, and that would be
2 3 4 5 6 7 8 9 10 11 11 11 11 11 11 11 11 11 11 11 11	I know about traffic patterns and limitations that would discourage trucks or heavy vehicles from using that road in the first place. Q Okay. So you felt there was so little commercial traffic in the area that it didn't warrant adjusting the 1210 figure? A That's correct. Q And how long were you at the site? A Approximately two hours. Q And I recall earlier that you testified you weren't counting vehicles? A That's correct. Q But you're comfortable was it morning or afternoon when you were there? A It was approximately 11:00 a.m. until 1:00 p.m. Q So you're comfortable with your conclusion that there's very little truck traffic in the area based upon your two hours there on a Saturday afternoon a few days ago? A Well, it's not only based on my observations of the traffic during that time. It's also based on the characteristics of the road, which I mentioned was one of the reasons why I visited the site. And a road	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 7 18 19 20 21 22	annual daily traffic, for the segment that I'm interested in. So that's the number I used. Q So are you saying that you are not interested in any area that is outside that 9400 number in black? A For my study I was not explicitly interested in calculating anything for any other segments. Q Okay. Where do these trucks come from? A What trucks do you mean? Q The trucks that are going to the TexCom facility? A Okay. I thought perhaps you meant trucks in general traveling on that road. Well, I've talked about in my prefiled a little bit about that. And one of the things that I thought about was what are some likely places where the trucks come from, population centers, you know, commercial or industrial areas, ultimately probably mostly to the south from the Houston area. So a lot of the trucks I would estimate would use I-45 as the primary corridor to get close to the site. Then from there I traced the most likely highways that would be appealing and efficient and

66 (Pages 1415 to 1418)

	Page 1419		Page 1421
1	this issue that the truck traffic that is going to	1	a 75-mile shot in each direction, but primarily south
2	arrive at the TexCom facility proposed TexCom	2	and east?
3	facility does not originate at or near your 9400	3	A Yes.
4	number on Exhibit No. 83?	4	Q Did he ever indicate to you any of the trucks
5	A I guess I don't have enough information to	5	originating in Montgomery County that would be
6	know where the planned sources of wastewater are	6	delivering waste to the facility?
7	located. For all I know, maybe there's a facility	7	A He didn't get into specifics. He noted the
8	right there that has wastewater to dispose in that	8	presence of a some kind of a chemical plant on, I
9	segment of interest. So I guess I'm not certain	9	guess, Jefferson Chemical Road that he thought would
10	really.	10	be a target for business. But I don't know one way or
11	Q So when you were there for the two hours on	11	the other whether that's feasible or not.
12	Saturday, you didn't get a good enough evaluation of	12	Q Do you remember what the name of that
13	the industry in the area to determine where the trucks	13	business was?
14	were coming from?	14	A I don't.
15	A Well, I guess I don't not enough to know	15	Q Does Huntsman refresh your memory at all?
16	whether they generate wastewater. I saw some	16	A That's it. I couldn't remember.
17	industries. I saw a couple of chemical plants. One	17	Q Do you remember reviewing something in your
10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	looked like it was in operation. One possibly was	18	preparation for today that was titled "TexCom Report
19	abandoned. I have no idea whether they generate	19	Government Contacts and Associated Findings"?
20	wastewater or have their own provisions for disposing	20	A I received it and I glanced at it very
21	of it in some other manner. I just don't know.	21	briefly. So I barely remember it, but I think I paged
22	Q Where did Lou Ross advise you that the	22	through it.
23	wastewater was going to come?	23	Q Does it at all form the basis of your
24	A Primarily from south, areas south like the	24	opinions in this case?
25	greater Houston area.	25	A I can't recall that there was anything
	Page 1420		Page 1422
1	Q So areas outside of the number 9400 that	1	substantive that mattered to me in there.
2	we've been talking about near on 3083 on Exhibit	2	Q Is that a "no"?
3	83?	3	A It's an "I don't recall." I believe there
4	A I would I guess I would say yes. We	4	was nothing important in there as best I can remember.
5	didn't talk in a lot of detail about specifics.	5	It didn't stand out to me.
6	Q Okay. And just to be clear, you did talk to	6	Q Do you recall a statement in that document
7	Lou Ross about where this waste was coming from?	7	that said, "Huntsman Corporation has a UIC permit and
8	A I did. I had a phone conversation with him.	8	is closely tied with the Greater Conroe Economic
9	Q And he advised you that their target area was	9	Development Corporation and other city-sponsored
T 0	the Houston metro area?	10	activities"?
1 O	A That may have been the way I wrote it down in	11	A I don't remember that.
1 Z	notes of my phone conversation. I can't remember the	12	Q Do you have any knowledge of whether Huntsman
⊥3 1 /l	exact words he used, but I seem to recall he said	13	has its own UIC well and whether it is planning
1 1	they're targeting generally a 75-mile radius in all	14	some whether it is, I guess, conspiring with the
1 G	directions from the proposed facility, but they expect	15	City of Conroe to keep TexCom from getting its
1 7	most of the sources of wastewater are towards the	16 17	permits? A I have no idea.
⊥ / 1 Q	south, closer to Houston.	18	
10 11 12 13 14 15 16 17 18	Q I'm going to read from Line 13 of your prefiled testimony I'm sorry, Page 13, Line 11. It	19	Q But it just happened to be in the materials you reviewed in preparation for this testimony today?
2 N	saying, "According to my discussions with Dr. Ross of	20	A Even when you just read that sentence to me,
2 U 2 1	TexCom, the primary target market area for the	21	it didn't resonate to me as anything important for
21 22 23 24 25	facility is to the south and east, the Houston	22	what I had to do. It just I don't know went
22	metropolitan area." Does that sound correct?	23	right over my head. I don't see the significance of
2.2 2.4	A Yes.	24	what you said.
25	Q And you're stating that he said that included	25	Q Okay. Would you agree with me that that
	Z This you're staring that he said that included	۲,	Q Oray. Would you agree with the that that

67 (Pages 1419 to 1422)

	Page 1423		Page 1425
1	statement was in the materials that you reviewed?	1	Montgomery County that you were advised by Mr. Ross
2	A I'm going by what you read to me. I don't	2	would be trucking in material to the facility?
3	remember actually coming across that. Maybe if you	3	MR. RILEY: Objection. Asked and
4	showed me or something, at least that would confirm	4	answered.
5	that it's in the same thing that I'm thinking of that	5	JUDGE EGAN: Overruled.
6	you're reading from.	6	A Maybe I'm getting confused. You're asking me
7	MR. FORSBERG: May I approach the	7	are there any nonspecific areas of Montgomery County
8	witness?	8	that
9	JUDGE EGAN: Yes.	9	Q Let me rephrase and make sure we're on the
10		10	same page.
11		11	A Okay.
12	1 /	12	Q You testified that there was a specific
13		13	entity named Huntsman, I believe, that you recall
14		14	hearing about maybe providing waste materials to the
15		15	proposed facility. Is that fair?
16		16	A I don't remember hearing about them providing
17		17	waste materials to the facility.
18	11	18	Q Okay.
19	, ,	19	A Dr. Ross told me they're nearby and they
20		20	would be he'd like to have them as a customer and
21		21	that was about it.
22		22	Q Okay. Did Dr. Ross in terms of that
23		23	conversation or any other conversation identify any
24		24	industry or businesses in Montgomery County, whether
25		25	by name or not, that he anticipated would be providing
	Page 1424		Page 1426
1	MR. FORSBERG: Not yet.	1	waste product to the TexCom facility?
2	JUDGE EGAN: It is not in evidence?	2	A I'm having a hard time remembering much
3	MR. FORSBERG: No.	3	beyond that he would seek customers in Montgomery
4	A This looks like what I just answered to you	4	County, but I definitely don't remember any specific
5	that I remember seeing but didn't really pay much	5	by name. I think he may have said he would go after
6	attention to.	6	whatever other customers the market may bear in
7	Q (By Mr. Forsberg) So other than the Huntsman	7	Montgomery County or something like that.
8	facility, which is referenced in documents you	8	Q If you would turn to Page 8 of your prefiled
9	reviewed, as having its own UIC permit, was there any	9	testimony, please.
10	• • • • • • • • • • • • • • • • • • • •	10	A Okav.
11		11	Q You've done some calculations on this page
12		12	with regards to what you anticipate the truck traffic
13		13	to be in the first year. Is that fair?
14		14	A Yes, that's correct.
15		15	Q Within this calculation are you assuming that
16		16	all trucks are the same size?
17		17	A Yes, I am.
18	J 1 J	18	Q In reality are all trucks the same size?
19		19	A No.
20		20	Q Would you agree with the statement that if
21		21	you know that trucks disposing of this type of
22		22	waste can be anywhere from 80-barrel maximum load to
23		23	120 barrel I'm sorry, 40 barrel to 120 barrel?
24		24	A I'm not aware of any restriction like that.
25		25	Q I'm not asking about a law or restriction.

68 (Pages 1423 to 1426)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1427		Page 1429
1	I'm just asking about in common practice. Do you	1	certain vantage point when you were at the site. Is
2	understand that to be the range of what these trucks	2	that correct?
3	are size-wise, if you know?	3	A Yes, that's correct.
4	A I guess my experience with tanker trucks like	4	Q It looks like you make some notations with
5	this is that a typical truck size is the number of	5	regards to the commercial businesses in the area, a
6	gallons that I've assumed for my calculation, which is	6	Valero gas station, an abandoned chemical plant,
7	5,000, which I believe works out to approximately	7	another chemical plant. Is that correct?
8	120 barrels.	8	A Yes.
9	Q Would that be a larger truck or a smaller	9	Q Did you how much time did you take looking
	truck?	10	at residential areas surrounding the facility?
11	A Typically that's a large truck like a	11	A I guess just as much time as I spent looking
12	semi-trailer pulled tanker.	12	at everything else. It was really just observing
13	Q Okay. And you calculate that I guess you	13	within approximately 1- to 2-mile radius on the
14	count each truck twice, once for when it enters the	14	thoroughfares mentioned here, just types of, I guess,
15	facility and once when it leaves?	15	land use or either undeveloped residential, business
16	A Correct.	16	of some kind. That's what I'm talking about here.
17	Q So if you reduced those so if there's a	17	Q Would you agree with me that there's a number
1.8	hundred trucks or I believe you have 100.8 trucks	18	of residential areas around the facility?
19	or 101, that actually counts as 202 trucks?	19	A Yes, I would.
20	A Yes, that's right.	20	Q And those are not developed as much as you've
21	Q So if you have trucks that are a third of the	21	developed the industrial in your prefiled testimony?
22	size of the trucks that you've used in your model, but	22	A I guess I would say I'm making mention of
23	carry the same volume, can we agree that there would	23	more significant facilities or something more
24	be three times the number of trucks?	24	noteworthy that I noticed. I start out by saying the
10 11 12 13 14 15 16 17 18 19 22 22 22 23 24	A That's just simple math. Yes, you're	25	surroundings are rural with a mixture of mostly small
		2.5	-
	Page 1428		Page 1430
1	correct.	1	retail and light industrial businesses, along with
2	Q That simple math wasn't in your prefiled	2	along the highways along with individual residences
3	testimony anywhere, right?	3	on acreage and some residential subdivisions. I guess
4	A The only math related to this issue is based	4	that sums it all up.
5	on typical truck size or capacity, and I didn't	5	Q If you could turn to Page 12, please?
6	provide different scenarios of other than what I	6	A (Witness complies)
7	in my experience is a typical truck size.	7	Q If you look at Line 15, there's a question:
8	Q So is it typical that all trucks are the same	8	"In your experience, how is delivery of Class I
9	size?	9	nonhazardous liquid waste to a disposal facility
10	A Well, all trucks are not the same size.	10	generally arranged?"
11	Q Okay.	11	And starting on Line 20, you state:
12	A A typical truck size is 5,000 gallons.	12	"Arrangements for waste disposal are typically made
13	Q Okay.	13	prior to the tanker truck's arrival at the disposal
14	A Some are more; some are less.	14	facility."
15	Q So you've gone on the assumption that all of	15	A Yes.
16	the trucks coming in and going out are of the larger	16	Q That is typically how you understand it
17	variety. Is that fair?	17	works?
11 12 13 14 15 16 17 18 19 20 21 22 23 24	A Well, I wouldn't say that, because 5,000	18	A That is how I understand it works, yes.
19	gallons is something typical. So there may be	19	Q Does that mean that these facilities
20	something larger to compensate for something smaller.	20	typically have a truck dispatcher or someone to take
21	Q Would you turn to Page 10 of your prefiled	21	calls from trucks?
22	testimony, please?	22	A Yeah. My understanding is there's a
23	A Okay.	23	designated person who would field calls from
24	Q It looks like you're just generally in the	24	customers. So a customer would call and say, "I have
<u> </u>	top half of the page describing what you saw from a	25	either an individual load or an ongoing contract for,

69 (Pages 1427 to 1430)

immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail		Page 1431		Page 1433
person at the facility would go through the what's set forth in the waste acceptance program to prescreen whether the waste meets certain criteria and whether it's ultimately acceptable for disposal at the facility and then arrange for delivery. Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I in distribution of the industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are different. Q Did you look at any proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 Table in the waste acceptance program to prescreen whether the waste meets certain criteria and whether it's ultimately acceptable for disposal at the start - looking at the geometric conditions, the start - looking at the geometric conditi	1	you know, loads at a certain time interval." And a	1	anything that was of concern to me.
set forth in the waste acceptance program to prescreen whether the waste meets certain criteria and whether it's ultimately acceptable for disposal at the facility and then arrange for delivery. Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are different. Q Did you look at any proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 Page 1432 Page 1432 Page 14432 O List it your – are you trying – strike that. Would you agree with me that there are a lot of residential roads around the rarea a for the site on this map is TxDOT. It's a subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a	2		2	
4 Mether the waste meets certain criteria and whether it's ultimately acceptable for disposal at the facility and then arrange for delivery. Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I and strial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's proposed facility? A I believe when I talked to Dr. Ross, I sepainary what you plan to do?" And I remember him saying that are planned in the area along 3083 or in the Page 1432 1 immediate area of the proposed facility? A No, I did not. Page 1432 1 immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a	3		3	
this ultimately acceptable for disposal at the facility and then arrange for delivery. Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are different. Q Did you look at any proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivisions or even a	4	whether the waste meets certain criteria and whether	4	
facility and then arrange for delivery. Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I me. What I'm really talking about here is my experience on another facility that accepts Class I me. What I'm really talking about here is my experience on another facility that accepts Class I me. What I'm really talking about here is my experience on another facility, and based upon what you know you're assuming that that's the way it's going to be done of TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I mean, the underlying reason for — or underlying bojective is — of my evaluation here was to look at the availability and adequacy of surrounding roadways. So part of that has to do with is there anything that raised a red flag in my mind as being unsafe. So I was paying attention to that. Q But you didn't do any actual analysis of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, the underlying reason for — or of my evaluation here was to look at the availability and adequacy of surrounding roadways. So part of that has to do with is there anything that raised a red flag in my mind as being unsafe. So I was paying attention to that. Q But you didn't do any actual analysis of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they doth any actual analysis of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they doth any actual analysis of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they doth any actual analysis of the inter	5	it's ultimately acceptable for disposal at the	5	
Q Have you been specifically told that that is how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I proposed facility? A I believe when I talked to Dr. Ross, I proposed facility? A I believe when I talked to Dr. Ross, I proposed facility? A I believe when I talked to Dr. Ross, I proposed facility? A I believe when I talked to Dr. Ross, I proposed facility? A I believe and the proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 I immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a			6	
how it's going to be done at the TexCom facility? A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I distributed industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are glained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are glained in the area along 3083 or in the Page 1432 The objective is of my evaluation here was to look at the availability and adequacy of surrounding roadways. So part of that has to do with is there anything that raised a red flag in my mind as being unsafe. So I was paying attention to that. Q But you didn't do any actual analysis of the number of crashes on any of the roads or any of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they don't include that? A I did not evaluate that. Q Just one or two last questions. If you could look at Exhibit No. 83, please? A Okay. Q I just want to clarify, is this a map that geo-what's the origin of this map? A The origin of this map is TxDOT. It's a TxDOT highway map available online that we obtained Page 1432 Page 1432 O But you didn't do any actual analysis of the number of crashes on any of the roads or any of the intersections or anything like that? A I did not evaluate that. Q Just one or two last questions. If you could look at Exhibit No. 83, please? A Okay. Q Is it your are you trying strike that. Would you agree with me that there are a lot of res			7	
A I had a conversation with Dr. Ross, and I'm having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are different. Q Did you look at any proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 Page 1432 Table the availability and adequacy of surrounding roadways. So part of that has to do with is there anything that raised a reaised a del gai m my mind as being unsafe. So I was paying attention to that. Q But you didn't do any actual analysis of the number of crashes on any of the roads or any of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they don't include that? A I did not evaluate that. Q Just one or two last questions. If you could look at Exhibit No. 83, please? A Okay. Q I just want to clarify, is this a map that geo what's the origin of this map? A The origin of this map is TxDOT. It's a TxDOT highway map available online that we obtained Page 1432 Page 1432 Page 1432 A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a	8		8	
having trouble remembering exactly how much detail we went into. I think it's consistent with what he told me. What I'm really talking about here is my experience on another facility that accepts Class I industrial waste. Q So you're just applying that facility, and based upon what you know you're assuming that that's the way it's going to be done for TexCom at this proposed facility? A I believe when I talked to Dr. Ross, I explained my experience and said, "Is that basically what you plan to do?" And I remember him saying that's consistent. There may be nuances that are different. Q Did you look at any proposed new subdivisions that are planned in the area along 3083 or in the Page 1432 1 immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my mind as being unsafe. So I was apying attention to that. Q But you didn't do any actual analysis of the number of crashes on any of the roads or any of the intersections or anything like that? I'm just trying to make sure I understand what your opinions are, and, I mean, they don't include that? A I did not evaluate that. Q Just one or two last questions. If you could look at Exhibit No. 83, please? A Okay. Q Ji just want to clarify, is this a map that geo what's the origin of this map is TxDOT. It's a TxDOT highway map available online that we obtained Page 1432 Page 14 1 immediate area of the proposed facility? A No, I did not. Q Would that be something that would be site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not s	9		9	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	10	having trouble remembering exactly how much detail we	10	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	11		11	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	12	me. What I'm really talking about here is my	12	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	13		13	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	14	· · · · · · · · · · · · · · · · · · ·	14	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	15	Q So you're just applying that facility, and	15	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	16		16	to make sure I understand what your opinions are, and,
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	17	the way it's going to be done for TexCom at this	17	I mean, they don't include that?
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	18	proposed facility?	18	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	19	A I believe when I talked to Dr. Ross, I	19	Q Just one or two last questions. If you could
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	20		20	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	21		21	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	22		22	Q I just want to clarify, is this a map that
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	23	different.	23	
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	24	Q Did you look at any proposed new subdivisions		
Page 1432 1 immediate area of the proposed facility? 2 A No, I did not. 3 Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? 4 For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. A No, I did not. 2 Site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	25		25	TxDOT highway map available online that we obtained
A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a 2 site. 3 Q Is it your are you trying strike that. 4 Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail		Daga 1/22		
A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail		Page 1432		Page 1434
Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	1		1	
 important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail 		immediate area of the proposed facility?		and added the site location and the radius around the
subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a block of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	2	immediate area of the proposed facility? A No, I did not.	2	and added the site location and the radius around the site.
A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a 6 on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	2	immediate area of the proposed facility?A No, I did not.Q Would that be something that would be	2 3	and added the site location and the radius around the site. Q Is it your are you trying strike that.
7 would say no. For permitting of waste disposal 8 facilities like landfills, which is something I do in 9 my career, that type of information is useful. 10 Q If there's a large new subdivision or even a 10 Sure if you were to zoom into this map if more detail	2 3 4	immediate area of the proposed facility?A No, I did not.Q Would that be something that would be important in your calculation if there is a large	2 3 4	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a
facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail	2 3 4 5	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning?	2 3 4 5	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site
9 my career, that type of information is useful. 10 Q If there's a large new subdivision or even a 10 sure if you were to zoom into this map if more detail	2 3 4 5 6	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I	2 3 4 5 6	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map?
Q If there's a large new subdivision or even a sure if you were to zoom into this map if more detail	2 3 4 5 6 7	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal	2 3 4 5 6 7	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity
	2 3 4 5 6 7 8	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in	2 3 4 5 6 7 8	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I
amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric A Yes, it does. Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful.	2 3 4 5 6 7 8 9	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not
A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric paid attention to are there any significant geometric [20] Right. A where there's more roads that are unknown. D That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a	2 3 4 5 6 7 8 9	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail
Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric for the safety and paid attention to are there any significant geometric for the safety and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there any significant geometric and paid attention to are there are paid attention to a paid a	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the	2 3 4 5 6 7 8 9 10	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or
traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric fortunes of the weathers are added to the increased truck 15 Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? 18 A That's not the intent of this map, no. 19 MR. FORSBERG: That's all I have, Your Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it?	2 3 4 5 6 7 8 9 10 11 12	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that
of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric fortunes of the wave of solutions of the readways are solutions. Pass the witness. I description of the safety in regards to the increased truck that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does.	2 3 4 5 6 7 8 9 10 11 12 13	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right.
traffic? 17 that no one lives around the facility? 18 A I didn't make any quantitative analysis of 19 safety. When I visited the surrounding roadways, I 20 paid attention to are there any significant geometric 21 features of the roadways around the facility? 18 A That's not the intent of this map, no. 19 MR. FORSBERG: That's all I have, Your 20 Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the	2 3 4 5 6 7 8 9 10 11 12 13 14	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown.
A I didn't make any quantitative analysis of 18 A That's not the intent of this map, no. 19 safety. When I visited the surrounding roadways, I 20 paid attention to are there any significant geometric 20 Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis	2 3 4 5 6 7 8 9 10 11 12 13 14 15	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make
safety. When I visited the surrounding roadways, I mathematical paid attention to are there any significant geometric paid attention to are there are significant geometric paid attention to are the significant geometric paid attention to are the significant geometric paid attention to a significant	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show
paid attention to are there any significant geometric 20 Honors. Pass the witness.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic?	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility?
01 factions of the modern or an existing of assessment on 01 HIDGE ECAN, M. C. II.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no.
∠⊥ reatures of the roadway or condition of pavement or ∠⊥ JUDGE EGAN: Ms. Collins.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your
22 things like that that could pose potential safety 22 MS. COLLINS: Just a single question.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your
23 problems. But I didn't explicitly do any type of a 23 JUDGE EGAN: I'm sorry, I couldn't hear	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric features of the roadway or condition of pavement or	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness. JUDGE EGAN: Ms. Collins.
24 calculation or sight distance or stopping distance or 24 you.	2 3 4 5 6 7 8 9	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric features of the roadway or condition of pavement or things like that that could pose potential safety	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness. JUDGE EGAN: Ms. Collins. MS. COLLINS: Just a single question.
25 things like that. But I would say I didn't note 25 MS. COLLINS: Hopefully just a single	2 3 4 5 6 7 8 9 10 11 11 11 11 11 11 11 11 11 11 11 11	immediate area of the proposed facility? A No, I did not. Q Would that be something that would be important in your calculation if there is a large subdivision that is in preplanning? A For the scope of what I was looking at, I would say no. For permitting of waste disposal facilities like landfills, which is something I do in my career, that type of information is useful. Q If there's a large new subdivision or even a moderately size new subdivision, that affects the amount of traffic on the roads, wouldn't it? A Yes, it does. Q Now, did you just look at the quantity or the traffic congestion, or did you also make any analysis of the safety in regards to the increased truck traffic? A I didn't make any quantitative analysis of safety. When I visited the surrounding roadways, I paid attention to are there any significant geometric features of the roadway or condition of pavement or things like that that could pose potential safety problems. But I didn't explicitly do any type of a	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	and added the site location and the radius around the site. Q Is it your are you trying strike that. Would you agree with me that there are a lot of residential roads around the area of the site on this map that are not indicated on this map? A I don't know if I have enough familiarity with the real the very small roads in this area. I see I'm not I guess what I'm saying is I'm not sure if you were to zoom into this map if more detail would appear, kind of like what happens on MapQuest or something like that Q Right. A where there's more roads that are unknown. Q That's fair. And I'm just trying to make sure that with this map you're not trying to show that no one lives around the facility? A That's not the intent of this map, no. MR. FORSBERG: That's all I have, Your Honors. Pass the witness. JUDGE EGAN: Ms. Collins. MS. COLLINS: Just a single question. JUDGE EGAN: I'm sorry, I couldn't hear

70 (Pages 1431 to 1434)

SOAH DOCKET NO. 582-07-2673 TCEQ DOCKET NO. 2007-0204-WDW

	Page 1435		Page 1437
1	question.	1	on Line 11, do you see the question?
2	JUDGE EGAN: Okay.	2	A Okay.
3	CROSS-EXAMINATION	3	Q The question is: "Would moving the site
4	BY MS. COLLINS:	4	entrance to FM 3083 affect your analysis of traffic
5	Q Mr. Graves, my name is Emily Collins. I'm	5	impacts from TexCom?" And it is a summary of your
6	with the TCEQ Office of Public Interest Counsel.	6	answer that it would affect your analysis? Does it
7	A Good evening.	7	affect your analysis?
8	Q Good evening to you. I'm not quite sure that	8	A My analysis reported the impacts to Creighton
9	I understand whether you were in fact recommending	9	Road. It would basically take that out of what I
10		10	would report, because if there's no longer facility
11		11	traffic attributed to that roadway then it just would
12		12	eliminate I guess eliminate it from my evaluation.
13		13	Q So you have absolutely no opinion as to which
14		14	route would be more safe. Is that correct?
15		15	A I would say, no, I don't have an opinion. I
16		16	don't see that either is substantially beneficial one
17		17	way or the other. But part of what would need to be
18		18	looked at for the FM 3083 possible entrance would be
19		19	whether or not improvements would be necessary to FM
20	Q Okay. Would it be well, it sounds like if	20	3083 like turn lanes and deceleration lanes which I
21		21	talked about a little bit earlier. It's just
22	Crighton/Creighton Road, if they use that as a route,	22	something I didn't look at as part of a more detailed
23	those roads are I think you listed them as poor as	23	design. TxDOT would provide input on that, and so
24		24	there is a process to make sure that it would be a
25	A I didn't say that the quality of the roads is	25	safe driveway.
	Page 1436		Page 1438
1	poor, just the condition of the payment and things	1	MS. COLLINS: Okay. Thank you. No
2	like that.	2	further questions.
3	Q Would that be a public safety issue in your	3	JUDGE EGAN: Any questions?
4	mind?	4	MR. WILLIAMS: No questions from the
5	A I didn't see any public safety issues. It's	5	Executive Director.
6	more of a driver comfort issue, going over potholes	6	JUDGE EGAN: Do you have any questions.
7	and puddles and things like that.	7	JUDGE WALSTON: No.
8	Q Driver comfort issues and drivers might not	8	JUDGE EGAN: Okay. Mr. Riley, is it all
9	be able to navigate that sort of road as well.	9	right if I ask a few clarifying questions?
10		10	MR. RILEY: Of course.
11		11	CLARIFYING EXAMINATION
12	1	12	BY JUDGE EGAN:
13		13	Q Moorehead is the road you turn onto off of
14	3 6	14	383. Is that correct?
15 16		15	A That's correct.
16		16	Q And is that a two-lane road?
17	1 1	17	A It is a two-lane road, yes.
18 19	<i>b</i> 1 ,	18 19	Q Then how far is it to Crighton or Creighton? A A few hundred feet. It's very short.
19 20	1	19 20	· · · · · · · · · · · · · · · · · · ·
20 21		20 21	
22		22 22	A If I could maybe direct you to a map a better map, I think, is Exhibit 82 because it does
23		22 23	highlight the site.
24		23 24	Q That's the one I'm looking at.
24 25		25 25	A Okay.
	2 Sauj. On ruge 15 of your premied, beginning		11 Onuj.

71 (Pages 1435 to 1438)

	Page 1439		Page 1441
1	Q And so a few hundred feed would be 200 feet?	1	open for the protestants to reply to Ms. Barry's
2	Because that's a little tiny section and if one inch	2	testimony and Mr. Graves. So I think we would need a
3	equals a half mile	3	date for that first, and then a date for replies from
4	A Yeah, it's going to be hard to get a detailed	4	the applicant before we
5	scale. I could try to do my best here, but it's on	5	JUDGE EGAN: Do y'all need a few moments
6	the order of 2 to 300 feet.	6	to see to discuss among yourselves if you want the
7	Q And so a tanker would be turning onto a	7	record left open to call potentially any witnesses, or
8	two-lane road and then making an immediate turn on	8	do you need some time you want to take a short
9	almost immediate turn on to Crighton Road?	9	break to
10		10	JUDGE WALSTON: Sure, that's fine.
11		11	JUDGE EGAN: Why don't we take a short
12		12	break. Y'all can confer among yourselves and make
13		13	see if you need more time to make that decision. If
14		14	not, then we can come up with a briefing schedule and
15		15	move forward.
16		16	JUDGE WALSTON: And while on the break,
17	<i>C</i>	17	you might also discuss a briefing schedule.
18		18	JUDGE EGAN: Okay. We'll come back at
19		19	6:30?
20		20	(Recess: 6:13 p.m. to 6:30 p.m.)
21		21	JUDGE EGAN: Let's go back on the
22		22	record. We've had a short discussion regarding
23	1	23	several matters. Let me just go through them and
24		24	correct me if I'm wrong on any of them.
25	area on either side of the road at that intersection.	25	Mr. Williams, you requested that we
	Page 1440		Page 1442
1	JUDGE EGAN: Any further questions,	1	issue two different PFDs, one for the facility and the
2	Mr. Riley?	2	other for the underground injection well.
3	MR. RILEY: I have about 45 minutes of	3	MR. WILLIAMS: Thank you, yes.
4	redirect I'm just kidding. I thought that would	4	JUDGE EGAN: And then, Mr. Riley, I
5	amuse everybody.	5	understand that you withdraw any concerns regarding
6	(Laughter)	6	Lone Star Exhibit 19?
7	JUDGE EGAN: Okay.	7	MR. RILEY: I withdraw any objection. I
8	JUDGE WALSTON: Got my attention.	8	still have concerns.
9	MR. RILEY: I have no questions. Thank	9	JUDGE EGAN: Withdrew any objections, so
10	•	10	Exhibit 19 is now admitted for all purposes.
11		11	(LS/District Exhibit 19 admitted)
12		12	JUDGE EGAN: It's also my understanding
13		13	from Mr. Forsberg and Mr. Walters
14		14	JUDGE WALSTON: Walker.
15	, , ,	15	JUDGE EGAN: What did I say?
16	Ç	16	JUDGE WALSTON: Walters.
17	· 11	17	JUDGE EGAN: What can I say? It's been
18	$\boldsymbol{\mathcal{C}}$	18	a long day Mr. Walker that they do not want to
19	1	19	submit any additional witnesses to address the
20	, ,	20	rebuttal witnesses called by the applicant in this
21		21	matter and wish the record to be closed. Is that
22		22	correct?
23	•	23	MR. WALKER: That's correct, Your Honor.
24		24	MR. FORSBERG: That's correct.
25	briefing schedule, you had offered to leave the record	25	JUDGE EGAN: And the District, too.

72 (Pages 1439 to 1442)

	Page 1443	Page 14
1 2 3 4 5 6 7 8 9 0 11 12 13 14 15 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	MR. GERSHON: That's correct, Your Honor. JUDGE EGAN: And the briefing schedule, I'll let one of the parties speak for the record MR. RILEY: Sure. We talked about having an agreed-upon issue list by January 15th, which I believe is a Tuesday. We'll make our best efforts as we described off the record to see that happen. Typically, I'm not sure you're aware of this, we end up with a catch-all provision, other things that maybe we can't agree on. We'll try to harmonize it by January 15th. February 4th is the deadline for written closing arguments, and then February 25th is the deadline for replies to those closing arguments. JUDGE EGAN: And that's what everyone else understands as well and everyone is in agreement. Are there any other issue that we need	Page 14 C E R T I F I C A T E STATE OF TEXAS) COUNTY OF TRAVIS) We, Lou Ray, Evie Coder and Patricia Gonzalez, Certified Shorthand Reporters in and for the State of Texas, do hereby certify that the above-mentioned matter occurred as hereinbefore set out. WE FURTHER CERTIFY THAT the proceedings of such were reported by us or under our supervision, later reduced to typewritten form under our supervision and control and that the foregoing pages are a full, true, and correct transcription of the original notes. IN WITNESS WHEREOF, we have hereunto set our hand and seal this 7th day of January 2008. LOU RAY Certified Shorthand Reporter CSR No. 1791-Expires 12/31/09 Firm Certification No. 276 Kennedy Reporting Service, Inc. Cambridge Tower 1801 Lavaca Street, Suite 115 Austin, Texas 78701 512.474.2233
19 20 21 22 23 24 25	to address on the record? MR. RILEY: Oh, the infamous appeals set of exhibits. We have it available. If anybody would like and we talked about it at one point prior or previously in the proceeding that it is in Order No. 1 it is a feature of, I think, most Order No. 1s from SOAH that has us have an appeals set, and	25 Page 14
1 2 3 4 5 6 7 8 9 10 11 21 13 14 15 16 17 18 19 20 21 22 23 24 25 25 26 26 27 27 27 27 27 27 27 27 27 27 27 27 27	we've never found a home for the several we've had. So we have one, and if you would like us to deliver it to any particular place, we're happy to do that. JUDGE WALSTON: We'll get with you. What we'll do is we'll issue like a posthearing briefing schedule with these dates. MR. RILEY: Of course we're happy to keep it at our offices, too, and when when and if this is appealed, we'll provide it at that time. JUDGE EGAN: Okay. Anything else? All right. Then we're adjourned. Thank you all. Have a safe trip home. (Proceedings concluded at 6:34 p.m.)	EVIE CODER Certified Shorthand Reporter CSR No. 2845-Expires 12/31/09 Firm Certification No. 276 Kennedy Reporting Service, Inc. Cambridge Tower 1801 Lavaca Street, Suite 115 Austin, Texas 78701 512.474.2233 PATRICIA GONZALEZ Certified Shorthand Reporter CSR No. 6367-Expires 12/31/08 Firm Certification No. 276 Kennedy Reporting Service, Inc. Cambridge Tower 1801 Lavaca Street, Suite 115 Austin, Texas 78701 512.474.2233 15 16 17 18 19 20 21 22 23 24 25

73 (Pages 1443 to 1446)